


Dynamic

Tools That Make Your Job Easier



Dynamic

Tool Catalogue

www.dynamictools.ca

About Us



Dynamic®-The Tools That Make Your Job Easier

You are a busy professional who needs to get the job done quickly and efficiently.

Often found in toolboxes of many professionals working in the most demanding industries such as oil and gas, MRO, automotive and heavy-duty truck repair, Dynamic® has proven to offer just that: an easy and cost-effective way to tackle your demanding projects using reliable and comfortable tools.

The ease-of-use of the tools is reflected across different product categories. The laser-etching on the sockets and wrenches make the selection of the right size a breeze. Other product categories such as pliers and screwdrivers feature ergonomic and highly visible handles making the tools easy to spot in the toolbox.

Our unique sets with tool control organizers allow you to find the tool you need fast, identify missing tools and prevent tools from rolling inside the drawers.

All Dynamic tools have been proven to provide piece of mind and many years of service.

Most Dynamic® products are backed by a lifetime warranty and Gray's Customer Service, which consistently ranks first in the industry.

We invite you to try Dynamic® tools at our many points of sale. Our goal is to make your job easier.

The Dynamic® Team

Contents

Tool Sets With Foam Tray Organizers	05
Master Sets	22
Tool Storage	26
Socket & Tool Organizers	35
Sockets & Attachments	
1/4" Drive Chrome	39
3/8" Drive Chrome	49
3/8" Drive Impact	71
1/2" Drive Chrome	76
1/2" Drive Impact	93
3/4" Drive Chrome	101
3/4" Drive Impact	104
1" Drive Chrome	110
1" Drive Impact	112
Wrenches	
Combination Wrenches	118
Ratcheting Wrenches	124
Adjustable Wrenches	129
Pipe Wrenches	129
Torque Multipliers	130
Torque Wrenches	131
Hex Keys	133
Screwdrivers & Nut Drivers	138
Electrical Tools	146
Pliers, Cutters & Scissors	
Comfort Handle	155
Retaining Ring Pliers	159
Locking Tools	161
Snips	165
Bolt Cutters	167
Scissors	168
Punches & Chisels	170
Clamping & Extracting	174
Striking Tools	
Hammers	176
Pry Bars	179
Tape Measure	181
Files	182
Replacement Parts	184
Alphabetical Index	186
Numerical Index	187

Why Dynamic

Better Design For Greater Efficiency



Dynamic tools are designed to help you finish projects faster. Extensive consumer research conducted by independent companies combined with our own tool expertise allowed us to offer tools designed to address the most important hand tool requirements. The laser-etched markings on sockets and wrenches make the selection of the right size a breeze. Other product categories feature ergonomic and highly visible handles making tools easy to spot in any toolbox.

Higher Quality Standards for Trusted Reliability



By partnering with the most qualified global suppliers capable and willing to comply with our high quality standards, Dynamic offers a large number of professional users in industrial, construction and trades access to reliable tools. Dynamic is offered by a reputable company that has been in the hand tool business since 1912. This tool expertise results in each tool being carefully inspected and tested to make sure it provides many years of service. Furthermore, the vast majority of the products are backed by a no hassle lifetime warranty.

Select Distribution For Better Service



Dynamic tools are offered through a network of highly specialized distribution partners that are carefully selected to sell and service the line. These focused distributors provide faster service, experienced know-how, knowledgeable advice, immediate delivery and personalized post sale service. Because getting the tools you need for the job should not be a hassle.

To locate the Dynamic retailer near you visit our website www.dynamictools.ca and click on Where to Buy.

Become a Member Of the Dynamic Community

Join the Dynamic Tools community and enjoy the benefits:

- Be the first to receive new product notifications
- Get access to exclusive offers & contests
- Ask questions before you buy
- Expand your social network



facebook.com/dynamictools

Warranty Policy



We stand behind the quality of our products and warrant them to the original purchaser for the duration of their useful life against defects in material and workmanship. In the unlikely event a product fails, warranty will be granted quickly and unconditionally, providing the products were used for the application intended. Products used inappropriately, abused, neglected, not maintained properly, altered or worn through normal use will not be considered.

No warranty consideration can be made if the initial inspection shows that the product has been:

- Used with any device to create additional leverage.
- Machined or modified in any way.
- Overstressed or over torqued.

Products such as ratchets, flex handles, pullers, universal joints, and adjustable wrenches require periodic maintenance and repair. When a product needs repair due to normal wear and tear, the repair will be at the customer's expense.

Products that carry a limited warranty:

The following products carry a limited warranty from date of original retail purchase:

Torque Wrenches & multipliers (1 Year limited)
Toolboxes (1 Year limited)

Precision Measuring Tools (1 Year limited)
Tape Measures (1 Year limited)

Non-Warranty Items:

Due to the nature of the product, the following items are not warranted:

- Reducing adapters and impact universal joints
- All consumable goods such as drill bits, blades, screwdriver bits, thread restorers and extractors
- Foam tray organizers

Gray Tools Canada Inc. will be the sole authority in evaluating products, determining warranty claims and will be glad to repair or replace products qualifying for warranty received prepaid.

If your product qualifies for warranty, please visit us online (<http://dynamictools.ca/warranty-support>) to request support. Alternatively, you can visit a local distributor or call our Customer Service department for a warranty inspection number and ship the tool prepaid to Gray Tools Canada Inc., 299 Orenda Road, Brampton, Ontario, L6T 1E8.

Disclaimer:

Abuse or misuse of any tool may cause serious even fatal injury, as well as significant property or environmental damage. Gray Tools does not condone or support the abuse or misuse of any product. Gray Tools Canada shall not be liable for any damage or injury due to product failure. This warranty excludes all incidental, special, consequential or punitive damages.

Tool Sets with Foam Tray Organizers



All the Tools You Need

Sets include the most popular tools such as sockets and accessories, wrenches, pliers, screwdrivers and hammers, needed to tackle any job.

Find the Tool You Need Fast

Large, clearly labelled foam organizer trays with precision cutouts provide a tight fit for each tool in the set, keeping them neatly organized.

Identify Missing Tools

High-density foam in contrasting colors acts as a visual indicator so you can spot missing tools quickly.

Proper Tool Storage

Each tool set with pre-cut foam organizer is designed to fit inside the drawers of Dynamic roller cabinets and top chests.

Master Sets with Foam Organizers

Advanced Master Set with Foam Organizers

Part No. D096001-FO

Set includes:

D069303 42" Roller Cabinet
With 12 Drawers

D096001-FT 9 Piece Foam Tray
Organizer System

Tools Only (no Tool Box)
Part No. D096001-TO



42" Roller Cabinet, 12 Drawers, Ball Bearing Slides	1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"	10" Locking Plier Straight Jaws
1/4" Drive Extension 2"	1/2" Drive Extension 5"	10" Locking Plier Curved Jaws
1/4" Drive Extension 4"	1/2" Drive Extension 10"	7" Locking Plier-Curved Jaws With Wire Cutter
1/4" Drive Extension 6"	1/2" Drive T-Handle Head	6" Locking Pliers-Long Nose
1/4" Drive Spinner Handle	1/2" Drive 45 Tooth Ratchet - Chrome Handle	5" Locking Plier-Curved Jaws With Wire Cutter
1/4" Drive 45 Tooth Ratchet- Chrome Handle	1/2" Drive Chrome Sockets-Metric, 6 Point, Standard Length: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28 mm	Cold Chisel 5/16", 1/2", 5/8", 3/4", 7/8"
1/4" Drive Swivel Head Ratchet	1/2" Drive Chrome Sockets-Metric, 6 Point, Deep: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28 mm	Centre Punch 1/8", 5/32", 1/4"
1/4" Drive Stubby Ratchet	1/2" Drive Chrome Sockets-SAE, 6 Point, Standard Length: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16"	Solid Punch 1/8", 3/16", 1/4"
1/4" Drive Sliding T-Handle	1/2" Drive Chrome Sockets-SAE, 6 Point, Deep: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16"	Drift Punch 3/16", 1/4"
1/4" Drive Universal Joint	1.5 lb Rubber Mallet-Hickory Handle	Pin Punch 1/8", 3/16", 1/4"
1/4" Drive Flex Handle	16 oz Claw Hammer-Fiberglass Handle	Nut Drivers SAE: 3/16", 1/4", 5/16", 11/32", 3/8", 7/16", 1/2"
1/4" Drive Chrome Sockets-Metric, 6 Point, Standard Length: 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15 mm	16 oz Ball Pein Hammer-Fiberglass Handle	Nut Drivers Metric: 5, 6, 7, 8, 9, 10, 11 mm
1/4" Drive Chrome Sockets-Metric, 6 Point, Deep: 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm	2 1/2 lb Club Hammer-Fiberglass Handle	Phillips® Screwdrivers: #0, 1, 2, 3
1/4" Drive Chrome Sockets-SAE, 6 Point, Standard Length: 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16"	14 oz Soft Face Hammer	Phillips® Stubby Screwdrivers: #2
1/4" Drive Chrome Sockets-SAE, 6 Point, Deep: 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16"	Metric Hex-Keys-Standard Length: 0.7, 0.9, 1.3, 1.5, 2, 2.5, 3, 4, 4.5, 5, 5.5, 6, 7, 8, 10 mm	Slotted Screwdrivers: 5/32", 3/16", 1/4", 5/16", 3/8"
3/8" Drive Extension 3"	SAE Hex Keys-Long: 0.028", 0.035", 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"	Slotted Stubby Screwdrivers: 1/4"
3/8" Drive Extension 6"	8" Linesman Pliers Comfort Grip	Square Recess Screwdrivers: #0, 1, 2, 3
3/8" Drive Extension 10"	7" Diagonal Cutting Pliers Comfort Grip	Square Recess Stubby Screwdrivers: #1, 2
3/8" Drive 45 Tooth Ratchet	8" Long Nose Pliers Comfort Grip	Offset Phillips® Screwdrivers: #1, 2
3/8" Drive Stubby Ratchet	8" Bent Nose Pliers Comfort Grip	Offset Slotted Screwdrivers: 3/16", 1/4"
3/8" Sliding T-Handle	8" Slip Joint Pliers Comfort Grip	Offset Square Recess Screwdrivers: #1, 2
3/8" Flex Handle	Aviation Snip-Cuts Right	Circuit Tester 110V
3/8" Drive Chrome Sockets-Metric, 6 Point, Standard Length: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm	Aviation Snip-Cuts Straight	Magnetic Bit Holder
3/8" Drive Chrome Sockets-Metric, 6 Point, Deep: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm	Aviation Snip-Cuts Left	Tamper Torx® Bits: T10, T15, T20, T25, T27, T30, T40
3/8" Drive Chrome Sockets-SAE, 6 Point, Standard Length: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"		Hex Bits: 2, 2.5, 3, 4, 5, 6, 8
3/8" Drive Chrome Sockets-SAE, 6 Point, Deep: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"		Phillips® Precision Screwdrivers: PH000, PH00, PH0

Consists of Part nos. (Includes tools and foam tray organizers):

D096001-FT1T 1/4", 3/8" & 1/2" Drive Sockets & Attachments (Page 9)
D096001-FT2T SAE & Metric Chrome Combination Wrenches (Page 9)
D096001-FT3T Screwdrivers & Ratcheting Wrenches (Page 10)
D096001-FT4T Screwdrivers, Nut Drivers, Punches & Chisels (Page 10)

D096001-FT5T Hammers & Pliers (Page 11)

D096001-FT6T 1/4", 3/8" & 1/2" Drive Metric Deep Chrome Sockets (Page 15)
D096001-FT7T 1/4", 3/8" & 1/2" Drive SAE Deep Chrome Sockets (Page 15)
D096001-FT8T Aviation Snips & Adjustable Wrenches (Page 16)
D096001-FT9T Locking Pliers & Hex Key Set (Page 16)

* The final number of pieces in a master set may vary at the time of order due to changes in the overall brand product assortment.

Master Sets with Foam Organizers

Heavy-Duty Mechanic Master Set with Foam Organizers


Part No. D096002-FO

Set includes:

D069303 42" Roller Cabinet
With 12 Drawers
7 Piece Foam Tray
Organizer System

Tools Only (no Tool Box)

Part No. D096002-TO



42" Roller Cabinet, 12 Drawers, Ball Bearing Slides

1/4" Drive Extension 2"

1/4" Drive Extension 4"

1/4" Drive Extension 6"

1/4" Drive Spinner Handle

1/4" Drive 45 Tooth Ratchet- Chrome Handle

1/4" Drive Swivel Head Ratchet

1/4" Drive Stubby Ratchet

1/4" Drive Sliding T-Handle

1/4" Drive Universal Joint

1/4" Drive Flex Handle

1/4" Drive Chrome Sockets-Metric, 6 Point, Standard Length:

4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15 mm

1/4" Drive Chrome Sockets-SAE, 6 Point, Standard Length:

5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16",

1/2", 9/16"

3/8" Drive Extension 3"

3/8" Drive Extension 6"

3/8" Drive Extension 10"

3/8" Drive 45 Tooth Ratchet

3/8" Drive Stubby Ratchet

3/8" Sliding T-Handle

3/8" Flex Handle

3/8" Drive Chrome Sockets-Metric, 6 Point, Standard Length:

6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm

3/8" Drive Chrome Sockets-SAE, 6 Point, Standard Length:

1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16",

7/8", 15/16", 1"

1/2" Drive Extension 5"

1/2" Drive Extension 10"

1/2" Drive T-Handle Head

1/2" Drive 45 Tooth Ratchet - Chrome Handle

1/2" Drive Chrome Sockets-Metric, 6 Point, Standard Length:

10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26,

27, 28 mm

1/2" Drive Chrome Sockets-SAE, 6 Point, Standard Length:

3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8",

15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16"

1/2" Drive Impact Extension 5"

1/2" Drive Impact Extension 10"

1/2" F X 3/8" M Impact Adapter

1/2" F X 3/4" M Impact Adapter

1/2" Drive Impact Universal Joint

1/2" Drive Impact Sockets-SAE, 6 Point, Standard Length:

3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8",

15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16",

1-3/8", 1-7/16", 1-1/2"

1/2" Drive Impact Sockets-SAE, 6 Point, Deep Length:

3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8",

15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16",

1-3/8", 1-7/16", 1-1/2"

1/2" Drive Impact Sockets-Metric, 6 Point, Standard Length:

8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24,

25, 26, 27, 28, 29, 30, 31, 32, 36mm

1/2" Drive Impact Sockets-Metric, 6 Point, Deep Length:

8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24,

27, 30, 36mm

Combination Wrenches SAE: 1/4", 5/16", 3/8", 7/16", 1/2",

9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"

Combination Wrenches Metric: 8, 9, 10, 11, 12, 13, 14,

15, 16, 17, 18, 19, 20mm

7" Diagonal Cutting Pliers Comfort Grip

8" Long Nose Pliers Comfort Grip

8" Slip Joint Pliers Comfort Grip

9-1/2" Groove Joint Pliers

8" Linesman Pliers Comfort Grip

8-1/4" Wire Stripper/Cutter

Square Recess Screwdrivers: #, 1, 2, 3

Phillips® Screwdrivers: # 1, 2, 3

Slotted Screwdrivers: 1/8", 1/4", 3/8"

Consists of Part nos. (Includes tools and foam tray organizers):

D096001-FT1T 1/4", 3/8" & 1/2" Drive Sockets & Attachments (Page 9)

D096005-FT1T 1/2" Drive SAE Impact Sockets (Page 14)

D096005-FT2T 1/2" Drive Metric Impact Sockets & Attachments (Page 14)

D105105 Pliers (Page 20)

D105106 Screwdrivers (Page 20)

D105107 SAE Combination Wrenches (Page 21)

D105108 Metric Combination Wrenches (Page 21)

* The final number of pieces in a master set may vary at the time of order due to changes in the overall brand product assortment.

See page 25 for a Foam Tray Organizer By Set Reference Chart.

Dynamic

Master Sets with Foam Organizers

Auto Mechanic Master Set with Foam Organizers

Part No. D096004-FO

Set includes:

D069301 28" Roller Cabinet
With 7 Drawers

D096004-FT 5 Piece Foam Tray
Organizer System

Tools Only (no Tool Box)
Part No. D096004-TO



28" Roller Cabinet, 7 Drawers, Ball Bearing Slides
1/4" Drive Chrome Sockets-*SAE*, 6 Point, Standard Length: 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16"
3/8" Drive Chrome Sockets-*SAE*, 6 Point, Standard Length: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"
1/4" Drive Chrome Sockets-Metric, 6 Point, Standard Length: 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15 mm
3/8" Drive Chrome Sockets-Metric, 6 Point, Standard Length: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
1/4" Drive Chrome Ratchet
1/4" Drive Extension 2"
1/4" Drive Extension 4"
3/8" Drive Chrome Ratchet
3/8" Drive Extension 3"
3/8" Drive Extension 6"
3/8" Drive Torque Wrench
1/4" Drive Swivel Head Ratchet
1/4" Drive Stubby Ratchet
1/4" Universal Joint
3/8" Drive Stubby Ratchet
3/8" Flex Head Ratchet
3/8" Universal Joint
Combination Wrenches *SAE*: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16"

Combination Wrenches Metric: 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
Slotted Stubby Screwdrivers: 1/4"
Slotted Screwdrivers: 3/16", 1/4", 3/8"
Phillips® Stubby Screwdrivers: #1, #2
Phillips® Screwdrivers: #1, #2, #3
Pin Punch: 1/16", 3/32", 1/8", 5/32", 3/16", 1/4", 5/16"
Centre Punch: 1/4"
Cold Chisel: 5/16", 1/2", 5/8", 3/4", 7/8"
Hex Keys Metric: 1.5, 2, 2.5, 3, 4, 5, 6 mm
Hex Keys *SAE*: 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4"
10" Locking Plier Curved Jaw
10" Locking Plier Straight Jaw
11" Locking Clamp
9" Welding Clamp
9" Locking Plier Long Nose
8" Linesman Pliers Comfort Grip
6" Long Nose Pliers
7" Diagonal Cutting Pliers
9-1/2" Groove Joint Pliers
Ball Pein Hammer: 16 oz, 32 oz
2 lb Dead Blow Hammer
12" Hacksaw

Consists of Part nos. (Includes tools and foam tray organizers):

D096004-FT1T 1/4", 3/8" Drive Sockets & Attachments & Torque Wrench (Page 11)

D096004-FT2T Hammers & Hacksaw (Page 12)

D096004-FT3T Pliers (Page 12)

D096004-FT4T Screwdrivers, Hex Keys, Punches & Chisels (Page 13)

D096004-FT5T *SAE* & Metric Chrome Combination Wrenches (Page 13)

*The final number of pieces in a master set may vary at the time of order due to changes in the overall brand product assortment.

Master Sets with Foam Organizers



21-7/8" (w) x 15" (d) x 1-1/4" (h)

108 Piece 1/4", 3/8" & 1/2" Drive Sockets & Attachments

D096001-FT1T

1/4" Drive Extensions: 2", 4", 6"

1/4" Drive Hand Driver

1/4", 3/8" & 1/2" Drive Quick Release Ratchets

1/4" Drive Swivel Head Ratchet

1/4", 3/8" Drive Stubby Ratchets

1/4", 3/8" Drive Sliding T-Handles

1/4" Drive Universal Joint

1/4", 3/8" Drive Flex Handles

1/4" Drive 6 Point Chrome Sockets: 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16"

1/4" Drive 6 Point Chrome Sockets: 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15 mm

3/8" Drive Extensions: 3", 6", 10"

3/8" Drive 6 Point Sockets: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"

3/8" Drive 6 Point Sockets: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm

1/2" Drive Extensions: 5", 10"

1/2" Drive T-Handle Head

1/2" Drive 6 Point Sockets: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16"

1/2" Drive 6 Point Sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28 mm

Foam Tray Organizer



21-7/8" (w) x 15" (d) x 1-1/4" (h)

36 Piece SAE & Metric Chrome Combination Wrenches

D096001-FT2T

Combination Wrenches-SAE, 12 Point: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4"

Combination Wrenches-Metric, 12 Point: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 mm

Foam Tray Organizer

Master Sets with Foam Organizers



21-7/8" (w) x 15" (d) x 1-1/4" (h)

53 Piece Screwdrivers & Ratcheting Wrenches

D096001-FT3T

Slotted Screwdrivers: 5/32", 3/16", 1/4", 5/16", 3/8"
 Slotted Stubby Screwdriver: 1/4"
 Phillips® Screwdrivers: #0, 1, 2, 3
 Phillips® Stubby Screwdriver: #2
 Square Recess Screwdrivers: #0, 1, 2, 3
 Stubby Square Recess Screwdrivers: #1, 2
 Magnetic Bit Holder Comfort Handle

14 Piece Screwdriver Bit Set
 Circuit Tester
 Reversible Ratcheting Wrenches SAE: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"
 Reversible Ratcheting Wrenches Metric: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
 Foam Tray Organizer



21-7/8" (w) x 15" (d) x 1-1/4" (h)

41 Piece Screwdrivers, Nut Drivers, Punches & Chisels

D096001-FT4T

Pin Punches: 1/8", 3/16", 1/4"
 Drift Punches: 3/16", 1/4"
 Solid Punches: 1/8", 3/16", 1/4"
 Centre Punches: 1/8", 5/32", 1/4"
 Cold Chisels: 5/16", 1/2", 5/8", 3/4", 7/8"
 Nut Drivers SAE: 3/16", 1/4", 5/16", 11/32", 3/8", 7/16", 1/2"

Nut Drivers Metric: 5, 6, 7, 8, 9, 10, 11 mm
 Offset Phillips®: #1, 2
 Offset Slotted: 3/16" x 1/4"
 Offset Square Recess: #1, 2
 Slotted Precision Screwdrivers: 1.4, 2, 2.4, 3
 Phillips® Precision Screwdrivers: #000, 00, 0
 Foam Tray Organizer

Master Sets with Foam Organizers



21-7/8" (w) x 15" (d) x 1-1/4" (h)

11 Piece Hammers & Pliers

D096001-FT5T

1 lb. Rubber Mallet- Hickory Handle
 16 oz. Claw Hammer- Fiberglass Handle
 16 oz. Ball Pein Hammer - Fiberglass Handle
 2-1/2 lb. Club Hammer- Fiberglass Handle
 14 oz. Soft Face Hammer
 7" Diagonal Cutting Pliers - Comfort Grip

8" Long Nose Pliers - Comfort Grip
 8" Bent Nose Pliers - Comfort Grip
 8" Slip Joint Pliers - Comfort Grip
 8" Linesman Pliers - Comfort Grip
 Foam Tray Organizer



21-7/8" (w) x 15" (d) x 1-1/4" (h)

65 Piece 1/4", 3/8" Drive Sockets & Attachments & Torque Wrench

D096004-FT1T

1/4" Drive Extensions: 2", 4"
 1/4" Drive 45 Tooth Quick Release Ratchet
 1/4" Drive Swivel Head Ratchet
 1/4" Drive Stubby Ratchet
 1/4" Drive Universal Joint
 1/4" Drive 6 Point Sockets: 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16"
 1/4" Drive 6 Point Sockets: 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15 mm
 3/8" Drive Extensions: 3", 6"
 3/8" Drive 45 Tooth Quick Release Ratchet

3/8" Drive Stubby Ratchet
 3/8" Drive Flex Head Ratchet
 3/8" Drive Universal Joint
 3/8" Drive 6 Point Sockets: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"
 3/8" Drive 6 Point Sockets: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
 3/8" Drive Torque Wrench 100 ft/lb
 Foam Tray Organizer

Master Sets with Foam Organizers



21-7/8" (w) x 15" (d) x 1-1/4" (h)

5 Piece Hammers & Hacksaw

D096004-FT2T

12" Hacksaw With Blade

16 oz. Ball Pein Hammer - Fiberglass Handle

32 oz. Ball Pein Hammer - Fiberglass Handle

Dead Blow Hammer

Foam Tray Organizer



21-7/8" (w) x 15" (d) x 1-1/4" (h)

10 Piece Pliers

D096004-FT3T

7" Diagonal Cutting Pliers - Comfort Handle

6" Long Nose Pliers - Comfort Handle

9-1/2" Groove Joint Pliers - Comfort Handle

8" Linesman Pliers - Comfort Handle

10" Curved Jaw - Locking Plier

10" Straight Jaw - Locking Plier

11" Locking Clamp With Swivel Pad

9" Long Nose- Locking Plier

9" Locking Welding Clamp

Foam Tray Organizer

Master Sets with Foam Organizers



21-7/8" (w) x 15" (d) x 1-1/4" (h)

39 Piece Screwdrivers, Hex Keys, Punches & Chisels

D096004-FT4T

9 Piece SAE Folding Hex Key Set

7 Piece Metric Folding Hex Key Set

Pin Punches: 1/16", 3/32", 1/8", 5/32", 3/16", 1/4", 5/16"

Centre Punch: 1/4"

Cold Chisels: 5/16", 1/2", 5/8", 3/4", 7/8"

Slotted Screwdrivers: 3/16", 1/4", 3/8"

Slotted Stubby Screwdriver: 1/4"

Phillips® Screwdrivers: #1, 2, 3

Phillips® Stubby Screwdrivers: #1, 2

Foam Tray Organizer



21-7/8" (w) x 15" (d) x 1-1/4" (h)

24 Piece SAE & Metric Chrome Combination Wrenches

D096004-FT5T

Combination Wrenches - SAE, 12 Point: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16"

Combination Wrenches - Metric, 12 Point: 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm

Foam Tray Organizer

Master Sets with Foam Organizers



21-7/8" (w) x 15" (d) x 1-1/4" (h)

39 Piece 1/2" Drive SAE Impact Sockets

D096005-FT1T

1/2" Drive 6 Point Standard Length Sockets: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-1/2"

1/2" Drive 6 Point Deep Length Sockets: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-1/2"
Foam Tray Organizer



21-7/8" (w) x 15" (d) x 1-1/4" (h)

52 Piece 1/2" Drive Metric Impact Sockets & Attachments

D096005-FT2T

1/2" Drive 6 Point Standard Length Impact Sockets:
8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 36MM

1/2" Drive 6 Point Deep Length Impact Sockets:
8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 36MM

1/2" Drive Impact Extensions 5" & 10"
1/2" Drive Impact Universal Joint
Impact Adapter 1/2" F X 3/8" M
Impact Adapter 1/2" F X 3/4" M
Foam Tray Organizer

Master Sets with Foam Organizers



11-1/2" (w) x 15" (d) x 1-1/4" (h)

46 Piece 1/4", 3/8" & 1/2" Drive Metric Deep Chrome Sockets

D096001-FT6T

1/4" Drive 6 Point Deep Sockets: 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm

3/8" Drive 6 Point Deep Sockets: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm

1/2" Drive 6 Point Deep Sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28 mm

Foam Tray Organizer



11-1/2" (w) x 15" (d) x 1-1/4" (h)

40 Piece 1/4", 3/8" & 1/2" Drive SAE Deep Chrome Sockets

D096001-FT7T

1/4" Drive 6 Point Deep Sockets: 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16"

3/8" Drive 6 Point Deep Sockets: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"

1/2" Drive 6 Point Deep Sockets: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16"

Foam Tray Organizer

Master Sets with Foam Organizers



11-1/2" (w) x 15" (d) x 1-1/4" (h)

6 Piece Aviation Snips & Adjustable Wrenches

D096001-FT8T

Aviation Snip - Cuts Right
Aviation Snip - Cuts Straight
Aviation Snip - Cuts Left

8" Adjustable Wrench
10" Adjustable Wrench
Foam Tray Organizer



11-1/2" (w) x 15" (d) x 1-1/4" (h)

36 Piece Locking Pliers & Hex Key Set

D096001-FT9T


30 Piece SAE & Metric Hex Key Set
5" Curved Jaw With Wire Cutter - Locking Plier
7" Curved Jaw With Wire Cutter - Locking Plier
10" Curved Jaw - Locking Plier

10" Straight Jaw - Locking Plier
6" Long Nose Locking Plier
Foam Tray Organizer

Field Technician Sets with Foam Organizers



With foam trays



Without foam trays

38 Piece Field Technician Tool Set


D105001

D105201 Medium Mobility Case
D105104 Hex Keys, Locking Pliers & Adjustable Wrenches in Foam Tray Organizer

D105105 Pliers in Foam Tray Organizer
D105106 Screwdrivers in Foam Tray Organizer
D105107 SAE Combination Wrenches in Foam Tray Organizer



With foam trays



Without foam trays

139 Piece Field Technician Tool Set

D105002

D105202 Large Mobility Case
D105101 3/8" & 1/2" Drive Ratchets & Accessories in Foam Tray Organizer
D105102 3/8" Drive Socket in Foam Tray Organizer
D105103 1/2" Drive Socket in Foam Tray Organizer
D105104 Hex Keys, Locking Pliers & Adjustable Wrenches in Foam Tray Organizer

D105105 Pliers in Foam Tray Organizer
D105106 Screwdrivers in Foam Tray Organizer
D105107 SAE Combination Wrenches in Foam Tray Organizer
D105108 Metric Combination Wrenches in Foam Tray Organizer

Field Technician Sets with Foam Organizers



11-1/4" (w) x 13-1/4" (d) x 1-1/2" (h)

9 Piece 3/8" & 1/2" Drive Ratchets & Accessories

D105101

3/8" Drive 3" Extension

3/8" Drive 6" Extension

3/8" Drive Quick Release Ratchet

3/8" Drive Universal Joint

3/8" Drive Flex Handle

1/2" Drive 5" Extension

1/2" Drive 10" Extension

1/2" Drive 45 Tooth Chrome Ratchet

Foam Tray Organizer



11-1/4" (w) x 13-1/4" (d) x 1-1/2" (h)

40 Piece 3/8" Drive Sockets

D105102

3/8" Drive 6 Point Sockets SAE: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"

3/8" Drive 6 Point Sockets Metric: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20 mm

3/8" Drive Hex Bit Sockets SAE: 1/8", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"

3/8" Drive Hex Bit Sockets Metric: 4, 5, 6, 7, 8, 9, 10 mm
Foam Tray Organizer

Field Technician Sets with Foam Organizers




11-1/4" (w) x 13-1/4" (d) x 1-1/2" (h)

38 Piece 1/2" Drive Sockets

D105103

1/2" Drive 6 Point Sockets SAE: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"
1/2" Drive 6 Point Sockets Metric: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20 mm

1/2" Drive Hex Bit Sockets SAE: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 3/4"
1/2" Drive Hex Bit Sockets Metric: 6, 8, 10, 12, 14, 17, 19 mm
Foam Tray Organizer



11-1/4" (w) x 13-1/4" (d) x 1-1/2" (h)

35 Piece Hex Keys, Locking Pliers & Adjustable Wrenches

D105104

30 Piece SAE & Metric Hex Key Set
8" Adjustable Wrench
10" Adjustable Wrench

10" Curved Jaws With Wire Cutter
6" Long Nose Locking Plier
Foam Tray Organizer

Field Technician Sets with Foam Organizers



11-1/4" (w) x 13-1/4" (d) x 1-1/2" (h)

7 Piece Pliers

D105105

7" Diagonal Cutting Pliers - Comfort Handles
8" Long Nose Pliers - Comfort Handles
6" Slip Joint Pliers - Comfort Handles
9-1/2" Groove Joint Pliers - Comfort Handles

8" Linesman Pliers - Comfort Handles
8-1/4" Wire Stripper/Cutter - Comfort Handles
Foam Tray Organizer



11-1/4" (w) x 13-1/4" (d) x 1-1/2" (h)

10 Piece Screwdrivers

D105106

Slotted Screwdrivers: 1/8", 1/4", 3/8"
Phillips® Screwdrivers: #1, 2, 3

Square Recess Screwdrivers: #1, 2, 3
Foam Tray Organizer

Field Technician Sets with Foam Organizers



11-1/4" (w) x 13-1/4" (d) x 1-1/2" (h)

14 Piece SAE Combination Wrenches

D105107

Combination Wrenches - SAE, 12 Point: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"
Foam Tray Organizer



11-1/4" (w) x 13-1/4" (d) x 1-1/2" (h)

14 Piece Metric Combination Wrenches

D105108

Combination Wrenches - Metric, 12 Point: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20mm
Foam Tray Organizer

Master Sets

Advanced Master Set

D096001



1/4" Drive Extension 2"
 1/4" Drive Extension 4"
 1/4" Drive Extension 6"
 1/4" Drive Spinner Handle
 1/4" Drive 45 Tooth Ratchet- Chrome Handle
 1/4" Drive Swivel Head Ratchet
 1/4" Drive Stubby Ratchet
 1/4" Drive Sliding T-Handle
 1/4" Drive Universal Joint
 1/4" Drive Flex Handle
 1/4" Drive Chrome Sockets-Metric, 6 Point,
 Standard Length: 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12,
 13, 14, 15 mm
 1/4" Drive Chrome Sockets-Metric, 6 Point,
 Deep: 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm
 1/4" Drive Chrome Sockets-SAE, 6 Point,
 Standard Length: 5/32", 3/16", 7/32", 1/4",
 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16"
 1/4" Drive Chrome Sockets-SAE, 6 Point, Deep:
 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8",
 7/16", 1/2", 9/16"
 3/8" Drive Extension 3"
 3/8" Drive Extension 6"
 3/8" Drive Extension 10"
 3/8" Drive 45 Tooth Ratchet
 3/8" Drive Stubby Ratchet
 3/8" Sliding T-Handle
 3/8" Flex Handle
 3/8" Drive Chrome Sockets-Metric, 6 Point,
 Standard Length: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15,
 16, 17, 18, 19 mm
 3/8" Drive Chrome Sockets-Metric, 6 Point, Deep:
 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
 3/8" Drive Chrome Sockets-SAE, 6 Point,
 Standard Length: 1/4", 5/16", 3/8", 7/16", 1/2",
 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"
 3/8" Drive Chrome Sockets-SAE, 6 Point, Deep:
 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16",
 3/4", 13/16", 7/8", 15/16", 1"
 1/2" Drive Extension 5"
 1/2" Drive Extension 10"
 1/2" Drive T-Handle Head

1/2" Drive 45 Tooth Ratchet
 1/2" Drive Chrome Sockets-Metric, 6 Point,
 Standard Length: 10, 11, 12, 13, 14, 15, 16, 17,
 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28 mm
 1/2" Drive Chrome Sockets-Metric, 6 Point,
 Deep: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21,
 22, 23, 24, 25, 26, 27, 28 mm
 1/2" Drive Chrome Sockets-SAE, 6 Point,
 Standard Length: 3/8", 7/16", 1/2", 9/16", 5/8",
 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-
 1/8", 1-3/16", 1-1/4", 1-5/16"
 1/2" Drive Chrome Sockets-SAE, 6 Point, Deep: 3/8",
 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8",
 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16"
 1.5 lb Rubber Mallet-Hickory Handle
 16 oz Claw Hammer-Fiberglass Handle
 16 oz Ball Pein Hammer-Fiberglass Handle
 2 1/2 lb Club Hammer-Fiberglass Handle
 14 oz Soft Face Hammer
 Metric Hex-Keys-Standard Length: 0.7, 0.9, 1.3,
 1.5, 2, 2.5, 3, 4, 4.5, 5, 5.5, 6, 7, 8, 10 mm
 SAE Hex Keys-Long: 0.028", 0.035", 0.05", 1/16",
 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16",
 7/32", 1/4", 5/16", 3/8"
 8" Linesman Pliers Comfort Grip
 7" Diagonal Cutting Pliers Comfort Grip
 8" Long Nose Pliers Comfort Grip
 8" Bent Nose Pliers Comfort Grip
 8" Slip Joint Pliers Comfort Grip
 Aviation Snip-Cuts Right
 Aviation Snip-Cuts Straight
 Aviation Snip-Cuts Left
 10" Locking Plier Straight Jaws
 10" Locking Plier Curved Jaws
 7" Locking Plier-Curved Jaws With Wire Cutter
 6" Locking Pliers-Long Nose
 5" Locking Plier-Curved Jaws With Wire Cutter
 Cold Chisel 5/16", 1/2", 5/8", 3/4", 7/8"
 Centre Punch 1/8", 5/32", 1/4"
 Solid Punch 1/8", 3/16", 1/4"
 Drift Punch 3/16", 1/4"
 Pin Punch 1/8", 3/16", 1/4"

Nut Drivers SAE: 3/16", 1/4", 5/16",
 11/32", 3/8", 7/16", 1/2"
 Nut Drivers Metric: 5, 6, 7, 8, 9, 10, 11 mm
 Phillips® Screwdrivers: #0, 1, 2, 3
 Phillips® Stubby Screwdrivers: #2
 Slotted Screwdrivers: 5/32", 3/16", 1/4", 5/16", 3/8"
 Slotted Stubby Screwdrivers: 1/4"
 Square Recess Screwdrivers: #0, 1, 2, 3
 Square Recess Stubby Screwdrivers: #1, 2
 Offset Phillips® Screwdrivers: #1, 2
 Offset Slotted Screwdrivers: 3/16", 1/4"
 Offset Square Recess Screwdrivers: #1, 2
 Circuit Tester 110V
 Magnetic Bit Holder
 Tamper Torx® Bits: T10, T15, T20, T25, T27, T30, T40
 Hex Bits: 2, 2.5, 3, 4, 5, 6, 8
 Phillips® Precision Screwdrivers: PH000, PH00, PH0
 Slotted Precision Screwdrivers: 3/64", 5/64",
 3/32", 1/8"
 Adjustable Wrench: 8", 10"
 Combination Wrenches SAE: 3/8", 7/16", 1/2",
 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16",
 1", 1-1/16", 1-1/8", 1-1/4"
 Combination Wrenches Metric: 6, 7, 8, 9, 10, 11,
 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 mm
 Reversible Ratcheting Wrenches SAE: 5/16",
 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"
 Reversible Ratcheting Wrenches Metric:
 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm

*The final number of pieces in a master set may vary at the time of order due to changes in the overall brand product assortment.

Master Sets

Intermediate Master Set

D096002



1/4" Drive Extension 2"
 1/4" Drive Extension 4"
 1/4" Drive Extension 6"
 1/4" Drive Spinner Handle
 1/4" Drive 45 Tooth Ratchet- Chrome Handle
 1/4" Drive Swivel Head Ratchet
 1/4" Drive Stubby Ratchet
 1/4" Drive Sliding T-Handle
 1/4" Drive Universal Joint
 1/4" Drive Flex Handle
 1/4" Drive Chrome Sockets-Metric, 6 Point,
 Standard Length: 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12,
 13, 14, 15 mm
 1/4" Drive Chrome Sockets-SAE, 6 Point,
 Standard Length: 5/32", 3/16", 7/32", 1/4",
 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16"
 3/8" Drive Extension 3"
 3/8" Drive Extension 6"
 3/8" Drive Extension 10"
 3/8" Drive 45 Tooth Ratchet
 3/8" Drive Stubby Ratchet
 3/8" Sliding T-Handle
 3/8" Flex Handle
 3/8" Drive Chrome Sockets-Metric, 6 Point,
 Standard Length: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15,
 16, 17, 18, 19 mm
 3/8" Drive Chrome Sockets-SAE, 6 Point,
 Standard Length: 1/4", 5/16", 3/8", 7/16", 1/2",
 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"
 1/2" Drive Extension 5"
 1/2" Drive Extension 10"
 1/2" Drive T-Handle Head
 1/2" Drive 45 Tooth Ratchet
 1/2" Drive Chrome Sockets-Metric, 6 Point,
 Standard Length: 10, 11, 12, 13, 14, 15, 16, 17,
 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28 mm
 1/2" Drive Chrome Sockets-SAE, 6 Point,
 Standard Length: 3/8", 7/16", 1/2", 9/16", 5/8",

11/16", 3/4", 13/16", 7/8", 15/16", 1", 1 - 1/16",
 1-1/8", 1-3/16", 1-1/4", 1-5/16"
 1.5 lb Rubber Mallet-Hickory Handle
 16 oz Claw Hammer-Fiberglass Handle
 16 oz Ball Pein Hammer-Fiberglass Handle
 2 1/2 lb Club Hammer-Fiberglass Handle
 14 oz Soft Face Hammer
 Metric Hex-Keys-Standard Length: 0.7, 0.9, 1.3,
 1.5, 2, 2.5, 3, 4, 4.5, 5, 5.5, 6, 7, 8, 10 mm
 SAE Hex Keys-Long: 0.028", 0.035", 0.05", 1/16",
 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16",
 7/32", 1/4", 5/16", 3/8"
 8" Linesman Pliers Comfort Grip
 7" Diagonal Cutting Pliers Comfort Grip
 8" Long Nose Pliers Comfort Grip
 8" Bent Nose Pliers Comfort Grip
 8" Slip Joint Pliers Comfort Grip
 Aviation Snip-Cuts Right
 Aviation Snip-Cuts Straight
 Aviation Snip-Cuts Left
 10" Locking Plier Straight Jaws
 10" Locking Plier Curved Jaws
 7" Locking Plier-Curved Jaws With Wire Cutter
 6" Locking Pliers-Long Nose
 5" Locking Plier-Curved Jaws With Wire Cutter
 Cold Chisel 5/16", 1/2", 5/8", 3/4", 7/8"
 Centre Punch 1/8", 5/32", 1/4"
 Solid Punch 1/8", 3/16", 1/4"
 Drift Punch 3/16", 1/4"
 Pin Punch 1/8", 3/16", 1/4"
 Nut Drivers SAE: 3/16", 1/4", 5/16", 11/32", 3/8",
 7/16", 1/2"
 Nut Drivers Metric: 5, 6, 7, 8, 9, 10, 11 mm
 Phillips® Screwdrivers: #0, 1, 2, 3
 Phillips® Stubby Screwdrivers: #2
 Slotted Screwdrivers: 5/32", 3/16", 1/4", 5/16", 3/8"
 Slotted Stubby Screwdrivers: 1/4"
 Square Recess Screwdrivers: #0, 1, 2, 3

Square Recess Stubby Screwdrivers: #1, 2
 Offset Phillips® Screwdrivers: #1, 2
 Offset Slotted Screwdrivers: 3/16", 1/4"
 Offset Square Recess Screwdrivers: #1, 2
 Circuit Tester 110V
 Magnetic Bit Holder
 Tamper Torx® Bits: T10, T15, T20, T25, T27, T30, T40
 Hex Bits: 2, 2.5, 3, 4, 5, 6, 8
 Phillips® Precision Screwdrivers: PH000, PH00, PH0
 Slotted Precision Screwdrivers: 3/64", 5/64",
 3/32", 1/8"
 Adjustable Wrench: 8", 10"
 Combination Wrenches SAE: 3/8", 7/16", 1/2",
 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1",
 1-1/16", 1-1/8", 1-1/4"
 Combination Wrenches Metric: 6, 7, 8, 9, 10, 11,
 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 mm
 Reversible Ratcheting Wrenches SAE: 5/16",
 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"
 Reversible Ratcheting Wrenches Metric: 8, 9, 10,
 11, 12, 13, 14, 15, 16, 17, 18, 19 mm

* The final number of pieces in a master set may vary at the time of order due to changes in the overall brand product assortment.

Master Sets

Starter Master Set

D096003



- 1/4" Drive Extension 2"
- 1/4" Drive Extension 4"
- 1/4" Drive Extension 6"
- 1/4" Drive Spinner Handle
- 1/4" Drive 45 Tooth Ratchet- Chrome Handle
- 1/4" Drive Swivel Head Ratchet
- 1/4" Drive Stubby Ratchet
- 1/4" Drive Sliding T-Handle
- 1/4" Drive Universal Joint
- 1/4" Drive Flex Handle
- 1/4" Drive Chrome Sockets-Metric, 6 Point, Standard Length: 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15 mm
- 1/4" Drive Chrome Sockets-SAE, 6 Point, Standard Length: 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16"
- 3/8" Drive Extension 3"
- 3/8" Drive Extension 6"
- 3/8" Drive Extension 10"
- 3/8" Drive 45 Tooth Ratchet
- 3/8" Drive Stubby Ratchet
- 3/8" Sliding T-Handle
- 3/8" Flex Handle
- 3/8" Drive Chrome Sockets-Metric, 6 Point, Standard Length: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
- 3/8" Drive Chrome Sockets-SAE, 6 Point, Standard Length: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"
- 1/2" Drive Extension 5"
- 1/2" Drive Extension 10"
- 1/2" Drive T-Handle Head
- 1/2" Drive 45 Tooth Ratchet
- 1/2" Drive Chrome Sockets-Metric, 6 Point, Standard Length: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28 mm
- 1/2" Drive Chrome Sockets-SAE, 6 Point, Standard Length: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16"
- 1.5 lb Rubber Mallet-Hickory Handle
- 16 oz Claw Hammer-Fiberglass Handle
- 16 oz Ball Pein Hammer-Fiberglass Handle
- 2 1/2 lb Club Hammer-Fiberglass Handle
- 14 oz Soft Face Hammer
- Metric Hex-Keys-Standard Length: 0.7, 0.9, 1.3, 1.5, 2, 2.5, 3, 4, 4.5, 5, 5.5, 6, 7, 8, 10 mm
- SAE Hex Keys-Long: 0.028", 0.035", 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"
- 8" Linesman Pliers Comfort Grip
- 7" Diagonal Cutting Pliers Comfort Grip
- 8" Long Nose Pliers Comfort Grip
- 8" Bent Nose Pliers Comfort Grip
- 8" Slip Joint Pliers Comfort Grip
- Cold Chisels: 1/2", 5/8", 3/4"
- Centre Punch: 5/32"
- Solid Punch: 3/16"
- Pin Punch 1/8", 3/16", 1/4"
- Phillips® Screwdrivers: #1, 2
- Slotted Screwdrivers: 1/8", 5/32", 1/4", 5/16", 3/8"
- Square Recess Screwdrivers: #1, 2
- 8" Adjustable Wrench
- Combination Wrenches SAE: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4"
- Combination Wrenches Metric: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24 mm

*The final number of pieces in a master set may vary at the time of order due to changes in the overall brand product assortment.

Tool Sets With Foam Tray Organizers

Foam Tray Organizer By Set Quick Reference Chart

Foam Tray & Tools Part No	D096004-FO 125 Piece Auto Mechanics Master Set - With Toolbox	D096002-FO 245 Piece Heavy-Duty Mechanic Master Set - With Toolbox	D096001-FO 370 Piece Advanced Master Set - With Toolbox	D096004-TO 125 Piece Auto Mechanics Master Set - Tools Only	D096002-TO 245 Piece Heavy-Duty Mechanic Master Set - Tools Only	D096001-TO 370 Piece Advanced Master Set - Tools Only	D105001 38 Piece Field Technician Tool Set	D105002 139 Piece Field Technician Tool Set
D096001-FT1T			• (see page 9)			• (see page 9)		
D096001-FT2T			• (see page 9)			• (see page 9)		
D096001-FT3T			• (see page 10)			• (see page 10)		
D096001-FT4T			• (see page 10)			• (see page 10)		
D096001-FT5T			• (see page 11)			• (see page 11)		
D096001-FT6T			• (see page 15)			• (see page 15)		
D096001-FT7T			• (see page 15)			• (see page 15)		
D096001-FT8T			• (see page 16)			• (see page 16)		
D096001-FT9T			• (see page 16)			• (see page 16)		
D096004-FT1T	• (see page 11)			• (see page 11)				
D096004-FT2T	• (see page 12)			• (see page 12)				
D096004-FT3T	• (see page 12)			• (see page 12)				
D096004-FT4T	• (see page 13)			• (see page 13)				
D096004-FT5T	• (see page 13)			• (see page 13)				
D096005-FT1T		• (see page 14)			• (see page 14)			
D096005-FT2T		• (see page 14)			• (see page 14)			
D105101								• (see page 18)
D105102								• (see page 18)
D105103								• (see page 19)
D105104							• (see page 19)	• (see page 19)
D105105		• (see page 20)			• (see page 20)		• (see page 20)	• (see page 20)
D105106		• (see page 20)			• (see page 20)		• (see page 20)	• (see page 20)
D105107		• (see page 21)			• (see page 21)		• (see page 21)	• (see page 21)
D105108		• (see page 21)			• (see page 21)		• (see page 21)	• (see page 21)

Customize Your Perfect Tool Setup: Build your own foam - organized tool and storage set tailored to your workflow.

- 1. Select Your Storage:** Choose from our versatile toolboxes, cabinets, and carts featured on pages 26-33, designed for durability and easy mobility.
- 2. Check the Specs:** Review drawer dimensions and configurations to identify which foam trays will fit perfectly in your selection.
- 3. Mix and Match Tool Trays:** Combine any of our high-quality tools with pre-cut foam trays shown on pages 9-21 for instant organization, quick access, and missing-tool detection.
- 4. Effortless Efficiency:** Enjoy the benefits of a personalized system that keeps everything in place, reduces downtime, and makes your job easier-backed by our lifetime warranty.



Tool Storage

Complete Assortment

A large selection of roller cabinets, industrial carts and mobile cases to suit every storage need.

Quality Construction

Each component is rigorously tested to ensure many years of reliable use.

Professional Grade

Designed to meet the rigorous demands of the workplace.

Easy Maneuvering

Quiet and robust casters for convenient rolling.

Superior Tool Protection

Secure latches, keys and locking mechanisms keeps tools protected and safe.



Scan To
Learn More





Safety latches prevent accidental drawer opening

28" Roller Cabinet - 7 Drawers - Safety Latches

Part No. D069301

2 Swivel/2 Fixed 5" x 2" casters
Capacity 8,881 cubic in.
Net Weight 129 lbs.
Shipping Weight 137 lbs.
D069570 Lock & Key Included
D069505 Drawer Liner Kit Included
D069605 Top Mat Included
D069750 Ball Bearing Slides (Pair) - small drawer
D069751 Ball Bearing Slides (Pair) - big drawer
D069600 Side Handle
D069502 5" x 2" TPR Fixed Caster
D069503 5" x 2" TPR Swivel Caster
D069260 Corner Bumper

	Width (inches)	Depth (inches)	Height (inches)
Overall w/ Casters	28.00	18.00	40.00
5 Drawers	22.25	15.50	2.75
2 Drawers	22.25	15.50	6.00



28" Roller Cabinet - 10 Drawers - Safety Latches

Part No. D069306

2 Swivel/2 Fixed 5" x 2" casters
Capacity 10,845 cu in.
Net Weight 163 lbs.
Shipping Weight 171 lbs.
D069570 Lock & Key Included
D069580 Drawer Liner Kit Included
D069605 Top Mat Included
D069750 Ball Bearing Slides (Pair) - small drawer
D069751 Ball Bearing Slides (Pair) - big drawer
D069600 Side Handle
D069502 5" x 2" TPR Fixed Caster
D069503 5" x 2" TPR Swivel Caster
D069260 Corner Bumper

	Width (inches)	Depth (inches)	Height (inches)
Overall w/ Casters	28.00	18.00	43.25
4 Drawers	10.50	15.50	2.75
4 Drawers	22.25	15.50	2.75
2 Drawers	22.25	15.50	6.00



36" Roller Cabinet - 8 Drawers - Safety Latches

Part No. D069307

2 Swivel/2 Fixed 5" x 2" casters
Capacity 9,821 cu in.
Net Weight 195 lbs.
Shipping Weight 220 lbs.
D069570 Lock & Key Included
D069581 Drawer Liner Kit Included
D069606 Top Mat Included
D069750 Ball Bearing Slides (Pair) - small drawer
D069751 Ball Bearing Slides (Pair) - big drawer
D069600 Side Handle
D069502 5" x 2" TPR Fixed Caster
D069503 5" x 2" TPR Swivel Caster

	Width (inches)	Depth (inches)	Height (inches)
Overall w/ Casters	36.00	18.00	39.33
2 Drawers	10.50	15.92	3.00
4 Drawers	22.72	15.92	3.00
2 Drawers	22.72	15.92	6.16



Accessories not included

Tool Storage



27" Truck Box - 5 Drawers

Part No. D069003

27" (w) x 17-1/2" (d) x 22" (h)

Capacity: 6,765 cu in.

Net Weight: 120 lbs.

Shipping Weight: 135 lbs.

D069570 Lock & Key Included

D069756 Drawer Liner Kit Included

D069752 Ball Bearing Slides (Pair)

D069755 Side Handle

D069753 Front Handle

D069754 Rubber Foot Pad (1 pc)

	Width (inches)	Depth (inches)	Height (inches)
Overall	27.00	17.50	22.00
3 Drawers	22.50	16.00	2.25
2 Drawers	22.50	16.00	4.25



Safety latches prevent accidental drawer opening

42" Roller Cabinet - 12 Drawers - Safety Latches

Part No. D069303

2 Swivel/2 Fixed 5" x 2" casters

Capacity: 13,378 cubic in.

Net Weight: 231 lbs.

Shipping Weight: 245 lbs.

D069572 Lock & Key Included

D069507 Drawer Liner Kit Included

D069601 Top Mat Included

D069751 Ball Bearing Slides (Pair)

D069600 Side Handle

D069502 5" x 2" TPR Fixed Caster

D069503 5" x 2" TPR Swivel Caster

D069260 Corner Bumper

	Width (inches)	Depth (inches)	Height (inches)
Overall w/ Casters	42.00	18.00	41.00
1 Drawer	36.50	15.50	5.25
5 Drawers	22.25	15.50	2.75
4 Drawers	12.00	15.50	2.75
1 Drawer	22.25	15.50	6.00
1 Drawer	12.00	15.50	8.75



53" Roller Cabinet - 12 Drawers - Safety Latches

Part No. D069311

4 Swivel/2 Fixed 5" x 2" casters

Capacity: 19,612 cu in.

Net Weight: 470 lbs.

Shipping Weight: 510 lbs.

D069570 Lock & Key Included

D069616 Drawer Liner Kit Included

D069614 PVC Top Mat Included

D069619 Ball Bearing Slides (Pair)

D069618 Side Handle

D069502 5" x 2" TPR Fixed Caster

D069503 5" x 2" TPR Swivel Caster

D069260 Corner Bumper

	Width (inches)	Depth (inches)	Height (inches)
Overall	53.50	24.00	41.00
1 Drawer	47.68	21.53	5.23
9 Drawers	23.36	21.53	2.95
1 Drawer	22.36	21.53	6.00
1 Drawer	22.36	21.53	9.17





**Safety latches prevent
accidental drawer opening**

71" Roller Cabinet - 17 Drawers - Safety Latches

Part No. D069313

- 4 Swivel/2 Fixed 5" x 2" casters
- Capacity: 26,432 cu in.
- Net Weight: 560 lbs.
- Shipping Weight: 660 lbs.
- D069570 Lock & Key Included
- D069617 Drawer Liner Kit Included
- D069615 PVC Top Mat Included
- D069619 Ball Bearing Slides (Pair)
- D069618 Side Handle
- D069704 5" x 1-1/2" PU Fixed Caster
- D069705 5" X 1-1/2" PU Swivel Caster
- D069260 Corner Bumper

	Width (inches)	Depth (inches)	Height (inches)
Overall	71.00	24.00	41.00
1 Drawer	47.68	21.53	5.23
7 Drawers	23.36	21.53	2.95
2 Drawers	22.36	21.53	6.00
1 Drawer	22.36	21.53	9.17
2 Drawers	14.80	21.53	3.22
2 Drawers	14.80	21.53	2.95
1 Drawer	14.80	21.53	6.00
1 Drawer	14.80	21.53	9.17



16" Side Rider - 6 Drawers - Safety Latches

Part No. D069305

- Capacity: 4,170 cubic in.
- Net Weight: 77 lbs.
- Shipping Weight: 84 lbs.
- D069574 Lock & Key Included
- D069509 Drawer Liner Kit Included
- D069602 Top Mat Included
- D069750 Ball Bearing Slides (Pair)
- * Can be installed on the right or left.

	Width (inches)	Depth (inches)	Height (inches)
Overall	18.00	18.00	33.75
3 Drawers	10.25	15.50	2.75
3 Drawers	10.25	15.50	6.00



Safety latches prevent accidental drawer opening



28" Top Chest - 8 Drawers - Safety Latches

Part No. D069302

Capacity: 5,876 cubic in.
 Net Weight: 99 lbs.
 Shipping Weight: 105 lbs.
 D069571 Lock & Key Included
 D069506 Drawer Liner Kit Included
 D069750 Ball Bearing Slides (Pair)
 D069600 Side Handle

	Width (inches)	Depth (inches)	Height (inches)
Overall	28.00	18.00	20.00
3 Drawers	6.50	15.50	2.00
4 Drawers	22.25	15.50	2.00
1 Drawer	22.25	15.50	4.00

28" Top Chest - 9 Drawers - Safety Latches

Part No. D069308

Capacity: 4,942 cu in.
 Net Weight: 103 lbs.
 Shipping Weight: 108 lbs.
 D069571 Lock & Key Included
 D069582 Drawer Liner Kit Included
 D069750 Ball Bearing Slides (Pair) - small drawer
 D069751 Ball Bearing Slides (Pair) - big drawer
 D069600 Side Handle

	Width (inches)	Depth (inches)	Height (inches)
Overall	28.00	18.00	20.00
6 Drawers	10.50	15.50	2.00
2 Drawers	22.25	15.50	2.00
1 Drawer	22.25	15.50	4.00



42" Top Chest - 8 Drawers - Safety Latches

Part No. D069304

Capacity: 7,831 cubic in.
 Net Weight: 129 lbs.
 Shipping Weight: 139 lbs.
 D069573 Lock & Key Included
 D069508 Drawer Liner Kit Included
 D069751 Ball Bearing Slides (Pair)
 D069600 Side Handle

	Width (inches)	Depth (inches)	Height (inches)
Overall	42.00	18.00	18.00
4 Drawers	22.25	15.50	2.75
4 Drawers	12.00	15.50	2.75



Safety latches prevent accidental drawer opening

Tool Storage

52" Industrial Cart -12 Drawers

Part No. D069209

4 Swivel/2 Fixed 5" x 2" casters
Capacity: 19,612 cu in.
Net Weight: 420 lbs.
Shipping Weight: 470 lbs.
D069572 Lock & Key Included
D069583 Drawer Liner Kit Included
D069607 PVC top mat included
D069501 Ball Bearing Slides (Pair)
D069611 Side Handle
D069502 5" x 2" TPR Fixed Caster
D069503 5" x 2" TPR Swivel Caster

**Scan To
Learn More**



Reverse side shown

	Width (inches)	Depth (inches)	Height (inches)
Overall	52.50	31.64	40.25
7 Drawers	30.12	15.67	2.95
1 Drawer	30.12	15.67	6.06
3 Drawers	24.76	15.67	2.95
1 Drawer	24.76	15.67	9.17



Reverse side shown

45" Industrial Cart -10 Drawers

Part No. D069210

2 Swivel/2 Fixed 5" x 2" casters
Capacity: 15,866 cu in.
Net Weight: 310 lbs.
Shipping Weight: 360 lbs.
D069572 Lock & Key Included
D069703 Drawer Liner Kit Included
D069702 PVC top mat included
D069501 Ball Bearing Slides (Pair)
D069613 Side Handle
D069502 5" x 2" TPR Fixed Caster
D069503 5" x 2" TPR Swivel Caster

**Scan To
Learn More**



	Width (inches)	Depth (inches)	Height (inches)
Overall	45.00	29.00	40.25
6 Drawers	22.25	15.50	2.75
3 Drawers	22.25	15.50	6.00
1 Drawer	22.25	15.50	8.75

Tool Storage



4 Drawer Utility Cart

Part No. D069104

Incorporated power bar with 4 electrical outlets, 2 USB ports and 1 power switch.

2 Swivel/2 Fixed 5" x 2" TPR casters

Net Weight 104 lbs.

Shipping Weight 110 lbs.

D069570 Lock & Key Included

D069104LK Drawer Liner Kit Included

D069104BB Ball Bearing Slides (Pair)

D069104TM MDF Top Mat

D069502 5" x 2" TPR Fixed Caster

D069503 5" x 2" TPR Swivel Caster

	Width (inches)	Depth (inches)	Height (inches)
Overall w/ Casters	30	20	39.5
2 Drawers	12.25	18	3.25
2 Drawers	26	18	3.25
Side Tray	17	10	1

2 Tray Utility Cart

Part No. D069101

2 Swivel/2 Fixed 4" x 1" casters

Net Weight 36 lbs.

Shipping Weight 37.5 lbs.

	Width (inches)	Depth (inches)	Height (inches)
Overall w/ Casters	30	16	36

Middle Tray for D069101 (Optional)

Part No. D069103

Converts D069101 into a 3 tray utility cart

	Width (inches)	Depth (inches)	Height (inches)
Overall	30	16	3



Tool Storage

3 Drawer Hand Box with Ball Bearing Slides

Part No. D069001

Capacity: 1,473 cubic in.
 Net Weight: 28 lbs.
 Shipping Weight: 30 lbs.
 D069650 Drawer liner kit
 D069499 Ball Bearing Slides (Pair)

	Width (inches)	Depth (inches)	Height (inches)
Overall	20.00	10.00	12.00
1 Drawer	19.50	9.50	3.00
3 Drawers	17.00	9.00	2.00



Tote tray shown

20" Hip Roof Tool Box

Part No. D069002

Capacity: 998 cubic in.
 Net Weight: 9 lbs.
 Shipping Weight: 10 lbs.
 Tote tray included

	Width (inches)	Depth (inches)	Height (inches)
Overall	19	7	7.5

Metal Case

Part No. D027001MC

Capacity: 1,080 cubic in.
 Net Weight: 16 lbs.
 Shipping Weight: 17 lbs

	Width (inches)	Depth (inches)	Height (inches)
Overall	27.00	11.00	4.00



Shown open

Mobile Storage Cases

Features:

- Made of strong and lightweight impact resistant polypropylene
- Water-resistant, crushproof, and dustproof construction
- Includes 4 Pick N Pluck™ foam trays and convoluted foam inside lid
- Purge valve allows airflow and pressure control in and out
- Quiet and robust 2-1/4" casters for convenient rolling
- Comfortable rubber over-molded top and side handles
- Retractable extension handle for easy transport
- Large robust jam-free latches
- Padlock eyelets for extra security
- SGS tested



Large, robust jam-free latches



Comfortable rubber over-molded top and side handles

Medium Water-Resistant Case

Part No. D105201

Holds up to 4 field technician set trays (listed on pages 18-21)
22" (w) x 14" (d) x 11.4" (h) (exterior dimensions)

Maximum weight capacity of 55 lbs.

D105201HL	Handle for D105201 & D105202
D105201LC	Left Caster for D105201 & D105202
D105201RC	Right Caster for D105201 & D105202



Padlock eyelets for extra security

Large Water-Resistant Case

Part No. D105202

Holds up to 8 field technician set trays (listed on pages 18-21)
24.6" (w) x 16.5" (d) x 13.3" (h) (exterior dimensions)

Maximum weight capacity of 66 lbs.

D105201HL	Handle for D105201 & D105202
D105201LC	Left Caster for D105201 & D105202
D105201RC	Right Caster for D105201 & D105202



Quiet and robust 2-1/4" casters for convenient rolling

Tool Storage

3 Piece Magnetic SAE Socket Organizer Set


Part No. D029100

Set Content:

1/4" Drive SAE socket holder (holds 26 sockets)

3/8" Drive SAE socket holder (holds 26 sockets)

1/2" Drive SAE socket holder (holds 15 sockets and 1 adapter)



3 Piece Magnetic Metric Socket Organizer Set


Part No. D029200

Set Content:

1/4" Drive Metric socket holder (holds 26 sockets)

3/8" Drive Metric socket holder (holds 30 sockets)


1/2" Drive Metric socket holder (holds 18 sockets and 1 adapter)



1/4" Drive Magnetic SAE Socket Organizer

Part No. D029000


• Holds sizes: 1/8", 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16", & 5/8"



1/4" Drive Magnetic Metric Socket Organizer

Part No. D029001

• Holds sizes: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 & 14mm



3/8" Drive Magnetic SAE Socket Organizer

Part No. D029002


• Holds sizes: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", & 1"



3/8" Drive Magnetic Metric Socket Organizer

Part No. D029003

• Holds sizes: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, & 20mm



1/2" Drive Magnetic SAE Socket Organizer

Part No. D029004

• Holds sizes: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4" & Adapter



1/2" Drive Magnetic Metric Socket Organizer

Part No. D029005

• Holds sizes: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27mm & Adapter



Tool Organizers



Aluminum Socket Rail Organizers

Part No.	Description	Number of Clips	Colour
D029010	1/4" Drive Rail	20	Red
D029011	3/8" Drive Rail	18	Red
D029012	1/2" Drive Rail	16	Red
D029022	3/4" Drive Rail	8	Red

• Overall length: 17"



Aluminum Socket Rail Organizers

Part No.	Description	Number of Clips	Colour
D029013	1/4" Drive Rail	20	Black
D029014	3/8" Drive Rail	18	Black
D029015	1/2" Drive Rail	16	Black
D029023	3/4" Drive Rail	8	Black

• Overall length: 17"



Sockets not included



3 Piece Aluminum Socket Rail Organizer Set (Red)

Part No. D029101

• Each set includes: 1/4", 3/8" and 1/2" drive rails.



3 Piece Aluminum Socket Rail Organizer Set (Black)

Part No. D029202

• Each set includes: 1/4", 3/8" and 1/2" drive rails.



Aluminum Magnetic Screwdriver and Small Tool Organizer

Part No. D029020

• Overall length: 17"
• Number of clips: 16



Tools not included

Tool Organizers



Strong magnetic base allows socket organizers to be mounted on various steel surfaces. (on 1/4" and 3/8" drive only).

Socket Organizer Trays

Part No.	Description	Holds	Dimensions (Length x Width x Height)
D029016	1/4" Dr. Socket Organizer Tray	Up to 26 sockets, 5/8" or 14 mm	11" x 4" x 0.70"
D029017	3/8" Dr. Socket Organizer Tray	Up to 28 sockets, 1" or 24 mm	16" x 5" x 0.80"
D029018	1/2" Dr. Socket Organizer Tray	Up to 22 sockets, 1-13/16" or 30 mm	16" x 6" x 1.25"

• Holds standard and deep chrome and impact sockets.



Wrench Organizer Set

Part No.	Description	Holds	Holder Dimensions (Length x Width x Height)
D029021	2 Piece Wrench Holder Set (1 Black and 1 Red)	Each organizer holds up to 15 wrenches: 1/4"-1-1/8" and 6-28 mm	13-1/2" x 7-1/2" x 2"

Pegboard Hooks

Part No.	Description
HK01	1" Single hook
HK02	1" Double hook
HK03	4" Single hook
HK04	4" Double hook
HK05	U-Shaped hook

• Can be used on: D069210, D069209 or D069104



Sockets



CHROME SOCKETS

Complete Assortment

Sockets are available in chrome, hex, slotted, Phillips® and Torx®.

Large and Visible Markings

Laser etched markings improve size identification and provides SAE/Metric differentiation.

User-Friendly Design

Chrome sockets feature a knurl for improved grip (3/8" and 1/2" drive only).

Modern Finish

Fully polished finish for excellent corrosion resistance and easy cleaning.

Professional Grade

All chrome sockets meet ANSI standards.

IMPACT SOCKETS

Complete Assortment

Sockets are available Metric and SAE, standard, deep, hex and Torx®, in up to 1" drive.

Superior Corrosion Resistance

Premium E-Coating (EPD) finish* forms a sealed barrier that protects against rust and shop chemicals.

Premium Appearance

EPD finish provides uniform coverage and a premium look.

Eco-Friendly Coating Process

EPD uses water-based chemistry, producing less waste and fewer emissions.

Professional Grade

All impact sockets meet or exceed ANSI standards.

*EPD finish available in 3/8", 1/2" and 3/4" drives, 6 point hex impact sockets only.

11 Piece 6 Point Standard SAE Socket Set

Part No. D004000



Set Content:

11 Standard SAE Sockets: 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16"
Includes Rail.

10 Piece 6 Point Deep SAE Socket Set

Part No. D004001



Set Content:

10 Deep SAE Sockets: 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16"
Includes Rail.



Hand Sockets

10 Piece 12 Point Standard SAE Socket Set

Part No. D004007



Set Content:

10 Standard SAE Sockets: 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16"

Includes Rail.

13 Piece 6 Point Standard Metric Socket Set

Part No. D004002



Set Content:

13 Standard Metric Sockets: 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15mm

Includes Rail.

12 Piece 6 Point Deep Metric Socket Set

Part No. D004003



Set Content:

12 Deep Metric Sockets: 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm
Includes Rail.

9 Piece 12 Point Standard Metric Socket Set

Part No. D004008



Set Content:

9 Standard Metric Sockets: 4, 5, 6, 7, 8, 9, 10, 11, 12mm
Includes Rail.



Hand Sockets

8 Piece Standard Length Torx® Socket Set

Part No. D004009



Set Content:

8 Torx® Sockets: T8, T9, T10, T15, T20, T25, T27, T30

Includes Rail.

28 Piece 6 Point Standard SAE/Metric Socket Set

Part No. D004004



Set Content:

10 Standard SAE Sockets: 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16"

13 Standard Metric Sockets: 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15mm

2" Extension, 6" Extension, Hand Driver, Universal Joint, 45 Tooth Chrome Ratchet

Includes Metal Case.

25 Piece 6 Point Standard/Deep SAE Socket Set

Part No. D004005



Set Content:

10 Standard SAE Sockets: 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16"
10 Deep SAE Sockets: 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16"
2" Extension, 6" Extension, Hand Driver, Universal Joint, 45 Tooth Chrome Ratchet



Includes Metal Case.

47 Piece 6 Point Standard/Deep SAE/Metric Socket Set

Part No. D004006



Set Content:

10 Standard SAE Sockets: 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16"
10 Deep SAE Sockets: 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2", 9/16"
12 Standard Metric Sockets: 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm
10 Deep Metric Sockets: 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12mm
2" Extension, 6" Extension, Hand Driver, Universal Joint, 45 Tooth Chrome Ratchet



Includes Blow Mold Case.



Hand Sockets

89 Piece 1/4", 3/8" & 1/2" Drive Socket Set

Part No. D106001



Set Content:

1/4" Drive:

10 Standard SAE Sockets 6 Point: 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2"

12 Standard Metric Sockets 6 Point: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm

4 Deep SAE Sockets 6 Point: 3/16", 1/4", 9/32", 5/16"

9 Standard SAE Sockets 12 Point: 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2"

3/8" Drive:

8 SAE Sockets 6 Point: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16"

9 Metric Sockets 6 Point: 9, 10, 11, 12, 13, 14, 15, 17, 19 mm

8 SAE Sockets 12 Point: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16"

10 Metric Sockets 12 Point: 9, 10, 11, 12, 13, 14, 15, 16, 17, 19 mm

4 Deep SAE Sockets 12 Point: 3/8", 7/16", 1/2", 9/16"

1/2" Drive:

7 Standard SAE Sockets 12 Point: 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8"

Chrome Ratchets:

1/4", 3/8", 1/2" Drive

2 Spark Plug Sockets 3/8" Drive:

5/8" & 13/16"

Extensions:

1/4" Drive 4", 3/8" Drive 3" & 1/2" Drive 5"



Includes Blow Mold Case.



Mirror chrome finish for excellent corrosion resistance. Interior protected against rust.



Laser-etched markings for improved identification. Knurl for improved grip.

Hand Socket Attachments

High-Tooth, Low Profile Ratchet

Part No.	Length (inches)	Weight (lbs)	No. of Teeth
D001309	5.00	0.20	108



Quick Release Ratchet-Chrome Handle

Part No.	Length (inches)	Weight (lbs)	No. of Teeth
D001301	5.00	0.32	45



Swivel Head Ratchet-Comfort Handle

Part No.	Length (inches)	Weight (lbs)	No. of Teeth
D001306	6.00	0.30	72



Flex Head Ratchet-Comfort Handle

Part No.	Length (inches)	Weight (lbs)	No. of Teeth
D001308	6.50	0.30	48



Stubby Ratchet

Part No.	Length (inches)	Weight (lbs)	No. of Teeth
D001307	3.50	0.17	48



Socket Adapter

Part No.	Hex Male (inches)	Square Male (inches)	Length (inches)	Weight (lbs)
D112001	1/4	1/4	2.50	0.10



3 Piece Socket Driver Adapter Set

Part No. D112000



Set Content:

D112001 1/4" Socket Adapter

D112002 3/8" Socket Adapter

D112003 1/2" Socket Adapter



Hand Socket Attachments



Flex Handle

Part No.	Length (inches)	Weight (lbs)
D001800	6.00	0.25



Chrome Extensions

Part No.	Length (inches)	Weight (lbs)
D001002	2.00	0.05
D001004	4.00	0.10
D001006	6.00	0.15



Sliding T-Handle

Part No.	Length (inches)	Weight (lbs)
D001500	4.49	0.09



Universal Joint

Part No.	Length (inches)	Weight (lbs)
D001601	1.46	0.05



Bit Holder

Part No.	Length (inches)	Hex (inches)	Male (inches)	Weight (lbs)
D001201	1.00	1/4	1/4	0.03




Hand Driver

Part No.	Length (inches)	Weight (lbs)
D001101	6.00	0.23

SAE Standard Chrome Sockets

Size	 Part No.	 Part No.	Overall Length (a) inches	Drive End (b) inches	Hex End (c) inches	Taper Length (d) inches	Net Weight (lbs)
5/32"	D003303		0.98	0.46	0.27	0.45	0.02
3/16"	D003304	D003404	0.98	0.46	0.31	0.45	0.02
7/32"	D003306	D003406	0.98	0.46	0.33	0.45	0.02
1/4"	D003308	D003408	0.98	0.46	0.37	0.45	0.03
9/32"	D003309	D003409	0.98	0.46	0.42	0.45	0.03
5/16"	D003310	D003410	0.98	0.46	0.46	0.00	0.03
11/32"	D003311	D003411	0.98	0.50	0.50	0.00	0.03
3/8"	D003312	D003412	0.98	0.54	0.54	0.00	0.03
7/16"	D003314	D003414	0.98	0.62	0.62	0.00	0.05
1/2"	D003316	D003416	0.98	0.70	0.70	0.00	0.07
9/16"	D003318	D003418	0.98	0.78	0.78	0.00	0.08

* Meets A.N.S.I. standards



SAE Deep Chrome Sockets

Size	 Part No.	Overall Length (a) inches	Drive End Width (b) inches	Hex End Length (c) inches	Taper Length (d) inches	Net Weight (lbs)
3/16"	D003504	1.97	0.46	0.31	1.10	0.04
7/32"	D003506	1.97	0.46	0.33	1.10	0.04
1/4"	D003508	1.97	0.46	0.37	1.10	0.04
9/32"	D003509	1.97	0.46	0.42	1.10	0.05
5/16"	D003510	1.97	0.46	0.46	0.00	0.06
11/32"	D003511	1.97	0.51	0.51	0.00	0.06
3/8"	D003512	1.97	0.57	0.57	0.00	0.07
7/16"	D003514	1.97	0.62	0.62	0.00	0.09
1/2"	D003516	1.97	0.70	0.70	0.00	0.09
9/16"	D003518	1.97	0.78	0.78	0.00	0.11

* Meets A.N.S.I. standards






Metric Standard Chrome Sockets

Size	Part No.	Part No.	Overall Length (a) inches	Drive End (b) inches	Hex End (c) inches	Taper Length (d) inches	Net Weight (lbs)
4 mm	D003004	D003104	0.98	0.46	0.27	0.45	0.02
4.5 mm	D003045		0.98	0.46	0.29	0.45	0.02
5 mm	D003005	D003105	0.98	0.46	0.31	0.45	0.02
5.5 mm	D003055		0.98	0.46	0.34	0.45	0.02
6 mm	D003006	D003106	0.98	0.46	0.37	0.45	0.02
7 mm	D003007	D003107	0.98	0.46	0.43	0.45	0.03
8 mm	D003008	D003108	0.98	0.46	0.46	0.00	0.03
9 mm	D003009	D003109	0.98	0.50	0.50	0.00	0.03
10 mm	D003010	D003110	0.98	0.54	0.54	0.00	0.03
11 mm	D003011	D003111	0.98	0.62	0.62	0.00	0.04
12 mm	D003012	D003112	0.98	0.66	0.66	0.00	0.05
13 mm	D003013		0.98	0.70	0.70	0.00	0.05
14 mm	D003014		0.98	0.78	0.78	0.00	0.08
15 mm	D003015		0.98	0.82	0.82	0.00	0.10

* Meets A.N.S.I. standards



Metric Deep Chrome Sockets


Size	Part No.	Overall Length (a) inches	Drive End Width (b) inches	Hex End Length (c) inches	Taper Length (d) inches	Net Weight (lbs)
4 mm	D003204	1.97	0.46	0.27	1.10	0.03
5 mm	D003205	1.97	0.46	0.31	1.10	0.04
5.5 mm	D003255	1.97	0.46	0.34	1.10	0.04
6 mm	D003206	1.97	0.46	0.37	1.10	0.04
7 mm	D003207	1.97	0.46	0.43	1.10	0.05
8 mm	D003208	1.97	0.46	0.46	0.00	0.06
9 mm	D003209	1.97	0.51	0.51	0.00	0.06
10 mm	D003210	1.97	0.57	0.57	0.00	0.07
11 mm	D003211	1.97	0.62	0.62	0.00	0.09
12 mm	D003212	1.97	0.66	0.66	0.00	0.09
13 mm	D003213	1.97	0.70	0.70	0.00	0.11
14 mm	D003214	1.97	0.78	0.78	0.00	0.12

* Meets A.N.S.I. standards

Torx® Head Sockets-Standard Length

Size	Part No.	Overall Length (a) inches	Bit Length (b) inches	Drive End Width (c) inches	Net Weight (lbs)
T8	D002308	1.46	0.71	0.46	0.03
T9	D002309	1.46	0.71	0.46	0.03
T10	D002310	1.46	0.71	0.46	0.03
T15	D002315	1.46	0.71	0.46	0.03
T20	D002320	1.46	0.71	0.46	0.03
T25	D002325	1.46	0.71	0.46	0.03
T27	D002327	1.46	0.71	0.46	0.03
T30	D002330	1.46	0.71	0.46	0.03

* Meets A.N.S.I. standards



13 Piece 6 Point Standard SAE Socket Set

Part No. D010000



Set Content:

13 Standard SAE Sockets: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"
Includes Rail.

13 Piece 6 Point Deep SAE Socket Set

Part No. D010001



Set Content:

13 Standard SAE Sockets: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"
Includes Rail.



Hand Sockets

13 Piece 12 Point Standard SAE Socket Set

Part No. D010002



Set Content:

13 Standard SAE Sockets: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"
Includes Rail.

13 Piece 12 Point Deep SAE Socket Set

Part No. D010003



Set Content:

13 Standard SAE Sockets: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"
Includes Rail.

14 Piece 6 Point Standard Metric Socket Set

Part No. D010004



Set Content:

14 Standard Metric Sockets: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
Includes Rail.

14 Piece 6 Point Deep Metric Socket Set

Part No. D010005



Set Content:

14 Deep Metric Sockets: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
Includes Rail.



Hand Sockets

14 Piece 12 Point Standard Metric Socket Set

Part No. D010006



Set Content:

14 Standard Metric Sockets: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
Includes Rail.

14 Piece 12 Point Deep Metric Socket Set

Part No. D010007



Set Content:

14 Deep Metric Sockets: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
Includes Rail.

7 Piece Standard Length SAE Hex Socket Set

Part No. D010014



Set Content:

7 SAE Hex Sockets: 1/8", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"
Includes Rail.

7 Piece Long SAE Hex Socket Set

Part No. D010015



Set Content:

7 Long SAE Hex Sockets: 1/8", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"
Includes Rail.



Hand Sockets

7 Piece Long SAE Ball Nose Hex Socket Set

Part No. D010024



Set Content:

7 SAE Long Ball Nose Hex Sockets: 1/8", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"
Includes Rail.

7 Piece Standard Length Metric Hex Socket Set

Part No. D010016



Set Content:

7 Metric Hex Sockets: 4, 5, 6, 7, 8, 9, 10mm
Includes Rail.

7 Piece Long Metric Hex Socket Set

Part No. D010017



Set Content:

7 Long Metric Hex Sockets: 4, 5, 6, 7, 8, 9, 10mm

Includes Rail.

7 Piece Long Metric Ball Nose Hex Socket Set

Part No. D010025



Set Content:

7 Metric Long Ball Nose Hex Sockets: 4, 5, 6, 7, 8, 9, 10mm

Includes Rail.



Hand Sockets

9 Piece Standard Length Torx® Socket Set

Part No. D010018



Set Content:

9 Torx® Sockets: T15, T20, T25, T27, T30, T40, T45, T50, T55
Includes Rail.

9 Piece Long Torx® Socket Set

Part No. D010019



Set Content:

9 Long Torx® Sockets: T15, T20, T25, T27, T30, T40, T45, T50, T55
Includes Rail.

Hand Sockets

7 Piece SAE Flex Head Crow Foot Socket Set

Part No. D010029



Set Content:

7 SAE Flex Head Crow Foot Sockets: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"
Includes Rail.

10 Piece Metric Flex Head Crow Foot Socket Set

Part No. D010028



Set Content:


10 Metric Flex Head Crow Foot Sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
Includes Rail.



Crow foot sockets for hard-to-reach nuts and bolts



200 degree swivel head for improved access in tight spots



Ideal for hydraulic, fuel, air and brake line applications



Hand Sockets

7 Piece 6 Point SAE U-Joint Socket Set

Part No. D010026



Set Content:

7 U-Joint Sockets: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"
Includes Rail.

10 Piece 6 Point Metric U-Joint Socket Set

Part No. D010027



Set Content:

10 Metric U-Joint Sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
Includes Rail.

Hand Sockets

16 Piece 6 Point Standard SAE Socket Set

Part No. D010008



Set Content:

11 Standard SAE Sockets: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"
3" Extension, 6" Extension, Universal Joint, 8" Flex Handle, 45 Tooth Chrome Ratchet

Includes Metal Case.

27 Piece 6 Point Standard/Deep SAE Socket Set

Part No. D010009



Set Content:

11 Standard SAE Sockets: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"
11 Deep SAE Sockets: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"
3" Extension, 6" Extension, Universal Joint, 8" Flex Handle, 45 Tooth Chrome Ratchet

Includes Metal Case.



Hand Sockets

20 Piece 6 Point Standard Metric Socket Set

Part No. D010010



Set Content:

15 Standard Metric Sockets: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20mm
3" Extension, 6" Extension, Universal Joint, 8" Flex Handle, 45 Tooth Chrome Ratchet



Includes Metal Case.

35 Piece 6 Point Standard/Deep Metric Socket Set

Part No. D010011



Set Content:

15 Standard Metric Sockets: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20mm
15 Deep Metric Sockets: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20mm
3" Extension, 6" Extension, Universal Joint, 8" Flex Handle, 45 Tooth Chrome Ratchet



Includes Metal Case.

60 Piece 6 Point Standard/Deep SAE/Metric Socket Set

Part No. D010012



Set Content:

13 Standard SAE Sockets: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"
13 Deep SAE Sockets: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1"
14 Standard Metric Sockets: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
15 Deep Metric Sockets: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20mm
3" Extension, 6" Extension, Universal Joint, 8" Flex Handle, 45 Tooth Chrome Ratchet

Includes Blow Mold Case.

57 Piece 12 Point Standard/Deep SAE/Metric Socket Set

Part No. D010013



Set Content:

12 Standard SAE Sockets: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 7/8", 15/16", 1"
12 Deep SAE Sockets: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 7/8", 15/16", 1"
14 Standard Metric Sockets: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
14 Deep Metric Sockets: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
3" Extension, 6" Extension, Universal Joint, 8" Flex Handle, 45 Tooth Chrome Ratchet

Includes Blow Mold Case.



Hand Sockets

89 Piece 1/4", 3/8" & 1/2" Drive Socket Set

Part No. D106001



Set Content:

1/4" Drive:

10 Standard SAE Sockets 6 Point: 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2"

12 Standard Metric Sockets 6 Point: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm

4 Deep SAE Sockets 6 Point: 3/16", 1/4", 9/32", 5/16"

9 Standard SAE Sockets 12 Point: 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2"

3/8" Drive:

8 SAE Sockets 6 Point: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16"

9 Metric Sockets 6 Point: 9, 10, 11, 12, 13, 14, 15, 17, 19 mm

8 SAE Sockets 12 Point: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16"

10 Metric Sockets 12 Point: 9, 10, 11, 12, 13, 14, 15, 16, 17, 19 mm

4 Deep SAE Sockets 12 Point: 3/8", 7/16", 1/2", 9/16"

1/2" Drive:

7 Standard SAE Sockets 12 Point: 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8"

Chrome Ratchets:

1/4", 3/8", 1/2" Drive

2 Spark Plug Sockets 3/8" Drive:

5/8" & 13/16"

Extensions:

1/4" Drive 4", 3/8" Drive 3" & 1/2" Drive 5"



Includes Blow Mold Case.

Dynamic Ratchet Reference Guide



Drive Size	Part N°	Finish	Length	N°. of Teeth	Handle Style	Head Style	Quick Release	Page
1/4"	D001309	Chrome	Regular	108	Chrome	Pear-Shaped	Yes	45
	D001301	Chrome	Regular	45	Chrome	Pear-Shaped	Yes	45
	D001306	Chrome	Regular	72	Comfort	Round, Swivel	Yes	45
	D001308	Chrome	Regular	48	Chrome	Pear, Flex Head	Yes	45
	D001307	Chrome	Stubby	48	Chrome	Pear-Shaped	Yes	45
3/8"	D005309	Chrome	Regular	108	Chrome	Pear-Shaped	Yes	63
	D005301	Chrome	Regular	45	Chrome	Pear-Shaped	Yes	63
	D005306	Chrome	Regular	72	Comfort	Round, Swivel	Yes	63
	D005307	Chrome	Stubby	48	Chrome	Pear-Shaped	Yes	63
	D005308	Chrome	Long	48	Chrome	Pear, Flex Head	Yes	63
1/2"	D012308	Chrome	Long	48	Chrome	Pear, Flex Head	Yes	87
	D012309	Chrome	Regular	108	Chrome	Pear-Shaped	Yes	87
	D012301	Chrome	Regular	45	Chrome	Pear-Shaped	Yes	87
3/4"	D019301	Chrome	Regular	24	Chrome	Pear-Shaped	No	102
1"	D024301	Chrome	Regular	24	Chrome	Pear-Shaped	No	111

Hand Socket Attachments

High-Tooth, Low Profile Ratchet

Part No.	Length (inches)	Weight (lbs)	No. of Teeth
D005309	7.00	0.55	108



Quick Release Ratchet-Chrome Handle

Part No.	Length (inches)	Weight (lbs)	No. of Teeth
D005301	7.60	1.46	45



Quick Release Ratchet-Comfort Handle

Part No.	Length (inches)	Weight (lbs)	No. of Teeth
D005306	9.00	0.85	72



Stubby Ratchet

Part No.	Length (inches)	Weight (lbs)	No. of Teeth
D005307	4.75	0.44	48



Flex Head Ratchet

Part No.	Length (inches)	Weight (lbs)	No. of Teeth
D005308	11.75	0.85	48



Socket Adapter

Part No.	Hex Male (inches)	Square Male (inches)	Length (inches)	Weight (lbs)
D112002	1/4	3/8	2.50	0.10



3 Piece Socket Driver Adapter Set

Part No. D112000



Set Content:

D112001 1/4" Socket Adapter

D112002 3/8" Socket Adapter

D112003 1/2" Socket Adapter

Hand Socket Attachments



Flex Handle

Part No.	Length (inches)	Weight (lbs)
D005800	7.87	0.47



Chrome Extensions

Part No.	Length (inches)	Weight (lbs)
D005003	3.00	0.17
D005006	6.00	0.30
D005010	10.00	0.54



Sliding T-Handle

Part No.	Length (inches)	Weight (lbs)
D005500	6.46	0.09



Universal Joint

Part No.	Length (inches)	Weight (lbs)
D005601	1.81	0.13



Adapters

Part No.	Length (inches)	Female (inches)	Male (inches)	Weight (lbs)
D005701	1.38	3/8	1/4	0.07
D005702	1.81	3/8	1/2	0.10




Spark Plug Sockets

Part No.	Size (inches)	Length (inches)	Weight (lbs)
D005401	5/8	2.48	0.21
D005402	13/16	2.48	0.28

SAE Standard Chrome Sockets

Size	6 POINT Part No.	12 POINT Part No.	Overall Length (a) inches	Drive End (b) inches	Hex End (c) inches	Taper Length (d) inches	Net Weight (lbs)
1/4"	D008308	D009408	1.10	0.66	0.39	0.47	0.05
5/16"	D008310	D009410	1.10	0.66	0.47	0.47	0.05
3/8"	D008312	D009412	1.10	0.66	0.54	0.47	0.06
7/16"	D008314	D009414	1.10	0.66	0.63	0.47	0.06
1/2"	D008316	D009416	1.10	0.70	0.70	0.00	0.07
9/16"	D008318	D009418	1.10	0.78	0.78	0.00	0.08
5/8"	D008320	D009420	1.10	0.86	0.86	0.00	0.10
11/16"	D008322	D009422	1.18	0.94	0.94	0.00	0.10
3/4"	D008324	D009424	1.18	1.02	1.02	0.00	0.12
13/16"	D008326	D009426	1.18	1.09	1.09	0.00	0.16
7/8"	D008328	D009428	1.18	1.17	1.17	0.00	0.16
15/16"	D008330	D009430	1.18	1.25	1.25	0.00	0.19
1"	D008332	D009432	1.18	1.33	1.33	0.00	0.21

* Meets A.N.S.I. standards



SAE Deep Chrome Sockets

Size	6 POINT Part No.	12 POINT Part No.	Overall Length (a) inches	Drive End (b) inches	Hex End (c) inches	Taper Length (d) inches	Net Weight (lbs)
1/4"	D008508	D009608	2.48	0.66	0.39	1.50	0.09
5/16"	D008510	D009610	2.48	0.66	0.47	1.50	0.10
3/8"	D008512	D009612	2.48	0.66	0.54	1.50	0.11
7/16"	D008514	D009614	2.48	0.66	0.63	1.50	0.11
1/2"	D008516	D009616	2.48	0.74	0.74	0.00	0.11
9/16"	D008518	D009618	2.48	0.78	0.78	0.00	0.16
5/8"	D008520	D009620	2.48	0.86	0.86	0.00	0.19
11/16"	D008522	D009622	2.48	0.94	0.94	0.00	0.23
3/4"	D008524	D009624	2.48	1.02	1.02	0.00	0.27
13/16"	D008526	D009626	2.48	1.09	1.09	0.00	0.43
7/8"	D008528	D009628	2.48	1.17	1.17	0.00	0.49
15/16"	D008530	D009630	2.48	1.25	1.25	0.00	0.54
1"	D008532	D009632	2.48	1.33	1.33	0.00	0.57

* Meets A.N.S.I. standards






Metric Standard Chrome Sockets

Size	Part No. 	Part No. 	Overall Length (a) inches	Drive End (b) inches	Hex End (c) inches	Taper Length (d) inches	Net Weight (lbs)
6 mm	D008006	D009106	1.10	0.66	0.39	0.47	0.05
7 mm	D008007	D009107	1.10	0.66	0.43	0.47	0.05
8 mm	D008008	D009108	1.10	0.66	0.47	0.47	0.05
9 mm	D008009	D009109	1.10	0.66	0.52	0.47	0.05
10 mm	D008010	D009110	1.10	0.66	0.58	0.47	0.05
11 mm	D008011	D009111	1.10	0.66	0.62	0.47	0.06
12 mm	D008012	D009112	1.10	0.66	0.66	0.00	0.06
13 mm	D008013	D009113	1.10	0.70	0.70	0.00	0.06
14 mm	D008014	D009114	1.10	0.78	0.78	0.00	0.08
15 mm	D008015	D009115	1.10	0.86	0.86	0.00	0.10
16 mm	D008016	D009116	1.10	0.86	0.86	0.00	0.10
17 mm	D008017	D009117	1.18	0.94	0.94	0.00	0.10
18 mm	D008018	D009118	1.18	1.02	1.02	0.00	0.10
19 mm	D008019	D009119	1.18	1.02	1.02	0.00	0.12
20 mm	D008020	D009120	1.18	1.09	1.09	0.00	0.15
21 mm	D008021	D009121	1.18	1.09	1.09	0.00	0.15
22 mm	D008022	D009122	1.18	1.17	1.17	0.00	0.16
23 mm	D008023	D009123	1.18	1.25	1.25	0.00	0.16
24 mm	D008024		1.18	1.25	1.25	0.00	0.17

* Meets A.N.S.I. standards



Metric Deep Chrome Sockets


Size	Part No. 	Part No. 	Overall Length (a) inches	Drive End (b) inches	Hex End (c) inches	Taper Length (d) inches	Net Weight (lbs)
6 mm	D008206	D009706	2.48	0.66	0.39	1.50	0.09
7 mm	D008207	D009707	2.48	0.66	0.43	1.50	0.09
8 mm	D008208	D009708	2.48	0.66	0.47	1.50	0.09
9 mm	D008209	D009709	2.48	0.66	0.52	1.50	0.10
10 mm	D008210	D009710	2.48	0.66	0.58	1.50	0.10
11 mm	D008211	D009711	2.48	0.66	0.62	1.50	0.11
12 mm	D008212	D009712	2.48	0.70	0.70	0.00	0.11
13 mm	D008213	D009713	2.48	0.74	0.74	0.00	0.13
14 mm	D008214	D009714	2.48	0.78	0.78	0.00	0.16
15 mm	D008215	D009715	2.48	0.86	0.86	0.00	0.18
16 mm	D008216	D009716	2.48	0.86	0.86	0.00	0.20
17 mm	D008217	D009717	2.48	0.94	0.94	0.00	0.23
18 mm	D008218	D009718	2.48	1.02	1.02	0.00	0.25
19 mm	D008219	D009719	2.48	1.02	1.02	0.00	0.27
20 mm	D008220		2.48	1.09	1.09	0.00	0.33
21 mm	D008221		2.48	1.09	1.09	0.00	0.34
22 mm	D008222		2.48	1.17	1.17	0.00	0.37
23 mm	D008223		2.48	1.25	1.25	0.00	0.38

* Meets A.N.S.I. standards

Hex Head Sockets SAE-Standard Length

Size	Part No.	Overall Length (a) inches	Bit Length (b) inches	Drive End Width (c) inches	Net Weight (lbs)
1/8"	D006052	1.89	0.87	0.70	0.09
5/32"	D006053	1.89	0.87	0.70	0.09
3/16"	D006054	1.89	0.87	0.70	0.09
7/32"	D006056	1.89	0.87	0.70	0.10
1/4"	D006058	1.89	0.87	0.70	0.10
5/16"	D006060	1.89	0.87	0.70	0.10
3/8"	D006062	1.89	0.87	0.70	0.13


* Meets A.N.S.I. standards



Hex Head Sockets SAE-Long

Size	Part No.	Overall Length (a) inches	Bit Length (b) inches	Drive End Width (c) inches	Net Weight (lbs)
1/8"	D006452	3.62	2.60	0.70	0.17
5/32"	D006453	3.62	2.60	0.70	0.17
3/16"	D006454	3.62	2.60	0.70	0.17
7/32"	D006456	3.62	2.60	0.70	0.17
1/4"	D006458	3.62	2.60	0.70	0.17
5/16"	D006460	3.62	2.60	0.70	0.17
3/8"	D006462	3.62	2.60	0.70	0.26

* Meets A.N.S.I. standards



Hex Head Ball Nose Sockets SAE-Long

Size	Part No.	Overall Length (a) inches	Bit Length (b) inches	Drive End Width (c) inches	Net Weight (lbs)
1/8"	D006952	3.62	2.60	0.70	0.17
5/32"	D006953	3.62	2.60	0.70	0.17
3/16"	D006954	3.62	2.60	0.70	0.17
7/32"	D006956	3.62	2.60	0.70	0.17
1/4"	D006958	3.62	2.60	0.70	0.17
5/16"	D006960	3.62	2.60	0.70	0.17
3/8"	D006962	3.62	2.60	0.70	0.26

* Meets A.N.S.I. standards






Hex Head Sockets Metric-Standard Length

Size	Part No.	Overall Length (a) inches	Bit Length (b) inches	Drive End Width (c) inches	Net Weight (lbs)
4 mm	D006004	1.89	0.87	0.70	0.09
5 mm	D006005	1.89	0.87	0.70	0.09
6 mm	D006006	1.89	0.87	0.70	0.10
7 mm	D006007	1.89	0.87	0.70	0.10
8 mm	D006008	1.89	0.87	0.70	0.10
9 mm	D006009	1.89	0.87	0.70	0.11
10 mm	D006010	1.89	0.87	0.70	0.13


* Meets A.N.S.I. standards



Hex Head Sockets Metric-Long

Size	Part No.	Overall Length (a) inches	Bit Length (b) inches	Drive End Width (c) inches	Net Weight (lbs)
4 mm	D006404	3.62	2.60	0.70	0.17
5 mm	D006405	3.62	2.60	0.70	0.17
6 mm	D006406	3.62	2.60	0.70	0.17
7 mm	D006407	3.62	2.60	0.70	0.17
8 mm	D006408	3.62	2.60	0.70	0.17
9 mm	D006409	3.62	2.60	0.70	0.17
10 mm	D006410	3.62	2.60	0.70	0.26

* Meets A.N.S.I. standards



Hex Head Ball Nose Sockets Metric-Long

Size	Part No.	Overall Length (a) inches	Bit Length (b) inches	Drive End Width (c) inches	Net Weight (lbs)
4 mm	D006904	3.62	2.60	0.70	0.17
5 mm	D006905	3.62	2.60	0.70	0.17
6 mm	D006906	3.62	2.60	0.70	0.17
7 mm	D006907	3.62	2.60	0.70	0.17
8 mm	D006908	3.62	2.60	0.70	0.17
9 mm	D006909	3.62	2.60	0.70	0.17
10 mm	D006910	3.62	2.60	0.70	0.26

* Meets A.N.S.I. standards

Slotted Head Sockets-Standard Length


Size	Part No.	Overall Length (a) inches	Bit Length (b) inches	Drive End Width (c) inches	Net Weight (lbs)
SL5	D006105	1.89	0.87	0.70	0.11
SL6	D006106	1.89	0.87	0.70	0.11
SL7	D006107	1.89	0.87	0.70	0.11
SL8	D006108	1.89	0.87	0.70	0.11

* Meets A.N.S.I. standards

Phillips® Head Sockets-Standard Length

Size	Part No.	Overall Length (a) inches	Bit Length (b) inches	Drive End Width (c) inches	Net Weight (lbs)
PH1	D006201	1.89	0.87	0.70	0.09
PH2	D006202	1.89	0.87	0.70	0.09
PH3	D006203	1.89	0.87	0.70	0.09
PH4	D006204	1.89	0.87	0.70	0.09

* Meets A.N.S.I. standards



Torx® Head Sockets-Regular Length

Size	Part No.	Overall Length (a) inches	Bit Length (b) inches	Drive End Width (c) inches	Net Weight (lbs)
T15	D006315	1.89	0.87	0.70	0.11
T20	D006320	1.89	0.87	0.70	0.11
T25	D006325	1.89	0.87	0.70	0.11
T27	D006327	1.89	0.87	0.70	0.11
T30	D006330	1.89	0.87	0.70	0.11
T40	D006340	1.89	0.87	0.70	0.11
T45	D006345	1.89	0.87	0.70	0.11
T50	D006350	1.89	0.87	0.70	0.11
T55	D006355	1.89	0.87	0.70	0.11

* Meets A.N.S.I. standards

Torx® Head Sockets-Long

Size	Part No.	Overall Length (a) inches	Bit Length (b) inches	Drive End Width (c) inches	Net Weight (lbs)
T15	D006715	3.62	2.60	0.70	0.17
T20	D006720	3.62	2.60	0.70	0.17
T25	D006725	3.62	2.60	0.70	0.17
T27	D006727	3.62	2.60	0.70	0.17
T30	D006730	3.62	2.60	0.70	0.17
T40	D006740	3.62	2.60	0.70	0.17
T45	D006745	3.62	2.60	0.70	0.20
T50	D006750	3.62	2.60	0.70	0.20
T55	D006755	3.62	2.60	0.70	0.20

* Meets A.N.S.I. standards





SAE Flex Head Crow Foot Sockets

Size	Part No.	Overall Length (inches)	Drive End Width (inches)	Net Weight (lbs)
3/8"	D008642	1.93	0.75	0.10
7/16"	D008644	2.09	0.75	0.12
1/2"	D008646	2.09	0.75	0.12
9/16"	D008648	2.36	0.75	0.17
5/8"	D008650	2.89	0.98	0.33
11/16"	D008652	2.89	0.98	0.32
3/4"	D008654	2.89	0.98	0.32

* Meets A.N.S.I. standards



Metric Flex Head Crow Foot Sockets

Size	Part No.	Overall Length (inches)	Drive End Width (inches)	Net Weight (lbs)
10 mm	D008760	1.93	0.75	0.10
11 mm	D008761	2.09	0.75	0.12
12 mm	D008762	2.09	0.75	0.12
13 mm	D008763	2.36	0.75	0.17
14 mm	D008764	2.36	0.75	0.17
15 mm	D008765	2.36	0.75	0.16
16 mm	D008766	2.89	0.98	0.33
17 mm	D008767	2.89	0.98	0.33
18 mm	D008768	2.89	0.98	0.32
19 mm	D008769	2.89	0.98	0.31

* Meets A.N.S.I. standards



SAE U-Joint Sockets

Size	Part No.	Overall Length (inches)	Drive End Width (inches)	Net Weight (lbs)
3/8"	D008612	1.73	0.75	0.12
7/16"	D008614	1.81	0.75	0.12
1/2"	D008616	1.93	0.75	0.13
9/16"	D008618	1.93	0.75	0.13
5/8"	D008620	1.93	0.75	0.14
11/16"	D008622	1.93	0.75	0.16
3/4"	D008624	2.01	0.75	0.16

* Meets A.N.S.I. standards



Metric U-Joint Sockets

Size	Part No.	Overall Length (inches)	Drive End Width (inches)	Net Weight (lbs)
10 mm	D008710	1.73	0.75	0.12
11 mm	D008711	1.81	0.75	0.12
12 mm	D008712	1.81	0.75	0.13
13 mm	D008713	1.93	0.75	0.13
14 mm	D008714	1.93	0.75	0.13
15 mm	D008715	1.93	0.75	0.14
16 mm	D008716	1.93	0.75	0.14
17 mm	D008717	1.93	0.75	0.16
18 mm	D008718	2.01	0.75	0.16
19 mm	D008719	2.01	0.75	0.16

* Meets A.N.S.I. standards

Impact Socket Attachments

Impact Universal Joints

Part No.	Drive Size (inches)	Length (inches)	Weight (lbs)
D008660	3/8	1.97	0.20
D016660	1/2	2.59	0.35
D022660	3/4	3.62	1.15



Impact Extensions

Part No.	Drive Size (inches)	Length (inches)	Weight (lbs)
D005053	3/8	3	0.15
D005056	3/8	6	0.30
D012055	1/2	5	0.50
D012060	1/2	10	0.95
D019056	3/4	6	1.60
D019060	3/4	10	2.50
D025807	1	7	3.20
D025810	1	10	4.37
D025813	1	13	5.54



D012055



D025807

Impact Adapters

Part No.	Length (inches)	Female (inches)	Male (inches)	Weight (lbs)
D005710	1.45	3/8	1/2	0.15
D012710	1.50	1/2	3/8	0.15
D012711	1.89	1/2	3/4	0.35
D019710	2.21	3/4	1/2	0.65
D025820	2.10	1	3/4	1.26
D025824	1.70	3/4	1	0.99



D025820



D012711



Impact Sockets

8 Piece 6 Point Standard SAE Impact Socket Set

Part No. D010020



Set Content:

8 Standard SAE Impact Sockets: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"

Includes Rail.

8 Piece 6 Point Deep SAE Impact Socket Set

Part No. D010021



Set Content:

8 Deep SAE Impact Sockets: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"

Includes Rail.

Impact Sockets

12 Piece 6 Point Standard Metric Impact Socket Set

Part No. D010022



Set Content:

12 Standard Metric Impact Sockets: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
Includes Rail.

12 Piece 6 Point Deep Metric Impact Socket Set

Part No. D010023



Set Content:

12 Deep Metric Impact Sockets: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
Includes Rail.




Impact Sockets



SAE Standard Impact Sockets

Size	 Part No.	Overall Length (a) inches	Drive End Width (b) inches	Hex End Length (c) inches	Taper Length (d) inches	Net Weight (lbs)
5/16"	D007310	1.12	0.74	0.49	0.47	0.08
3/8"	D007312	1.12	0.74	0.54	0.47	0.08
7/16"	D007314	1.18	0.74	0.58	0.47	0.09
1/2"	D007316	1.18	0.74	0.67	0.47	0.09
9/16"	D007318	1.18	0.78	0.78	0.00	0.09
5/8"	D007320	1.18	0.94	0.94	0.00	0.15
11/16"	D007322	1.24	0.94	0.94	0.00	0.15
3/4"	D007324	1.24	1.02	1.02	0.00	0.17

* Meets A.N.S.I. standards



SAE Deep Impact Sockets


Size	 Part No.	Overall Length (a) inches	Drive End Width (b) inches	Hex End Length (c) inches	Taper Length (d) inches	Net Weight (lbs)
5/16"	D007510	2.48	0.74	0.49	0.51	0.21
3/8"	D007512	2.48	0.74	0.54	0.51	0.21
7/16"	D007514	2.48	0.74	0.58	0.51	0.21
1/2"	D007516	2.48	0.74	0.67	0.51	0.21
9/16"	D007518	2.48	0.78	0.78	0.00	0.22
5/8"	D007520	2.48	0.94	0.94	0.00	0.29
11/16"	D007522	2.48	0.94	0.94	0.00	0.29
3/4"	D007524	2.48	1.02	1.02	0.00	0.32

* Meets A.N.S.I. standards

Metric Standard Impact Sockets

Size	 Part No.	Overall Length (a) inches	Drive End Width (b) inches	Hex End Length (c) inches	Taper Length (d) inches	Net Weight (lbs)
8 mm	D007008	1.12	0.74	0.49	0.47	0.08
9 mm	D007009	1.12	0.74	0.55	0.47	0.08
10 mm	D007010	1.12	0.74	0.59	0.47	0.08
11 mm	D007011	1.12	0.74	0.67	0.47	0.09
12 mm	D007012	1.12	0.74	0.74	0.00	0.09
13 mm	D007013	1.12	0.74	0.74	0.00	0.09
14 mm	D007014	1.12	0.78	0.78	0.00	0.09
15 mm	D007015	1.12	0.86	0.86	0.00	0.11
16 mm	D007016	1.12	0.94	0.94	0.00	0.15
17 mm	D007017	1.12	0.94	0.94	0.00	0.15
18 mm	D007018	1.12	1.00	1.00	0.00	0.15
19 mm	D007019	1.12	1.02	1.02	0.00	0.17

* Meets A.N.S.I. standards



Metric Deep Impact Sockets

Size	 Part No.	Overall Length (a) inches	Drive End Width (b) inches	Hex End Length (c) inches	Taper Length (d) inches	Net Weight (lbs)
8 mm	D007208	2.48	0.74	0.49	0.51	0.21
9 mm	D007209	2.48	0.74	0.55	0.51	0.21
10 mm	D007210	2.48	0.74	0.59	0.51	0.21
11 mm	D007211	2.48	0.74	0.67	0.51	0.21
12 mm	D007212	2.48	0.74	0.74	0.00	0.21
13 mm	D007213	2.48	0.74	0.74	0.00	0.21
14 mm	D007214	2.48	0.78	0.78	0.00	0.22
15 mm	D007215	2.48	0.86	0.86	0.00	0.24
16 mm	D007216	2.48	0.94	0.94	0.00	0.29
17 mm	D007217	2.48	0.94	0.94	0.00	0.29
18 mm	D007218	2.48	1.00	1.00	0.00	0.32
19 mm	D007219	2.48	1.02	1.02	0.00	0.32

* Meets A.N.S.I. standards





Hand Sockets

16 Piece 6 Point Standard SAE Socket Set

Part No. D018000



Set Content:

16 Standard SAE Sockets: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16"

Includes Rail.

16 Piece 6 Point Deep SAE Socket Set

Part No. D018001



Set Content:

16 Deep SAE Sockets: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16"

Includes Rail.

16 Piece 12 Point Standard SAE Socket Set

Part No. D018002



Set Content:

16 Standard SAE Sockets: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16"

Includes Rail.

16 Piece 12 Point Deep SAE Socket Set

Part No. D018003



Set Content:

16 Deep SAE Sockets: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16"

Includes Rail.



Hand Sockets

19 Piece 6 Point Standard Metric Socket Set

Part No. D018004



Set Content:

19 Standard Metric Sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28mm

Includes Rail.

19 Piece 6 Point Deep Metric Socket Set

Part No. D018005



Set Content:

19 Deep Metric Sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28mm

Includes Rail.

19 Piece 12 Point Standard Metric Socket Set

Part No. D018006



Set Content:

19 Standard Metric Sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28mm
Includes Rail.

18 Piece 12 Point Deep Metric Socket Set

Part No. D018007



Set Content:

18 Deep Metric Sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27mm
Includes Rail.



Hand Sockets

8 Piece Standard Length SAE Hex Socket Set

Part No. D018018



Set Content:

8 SAE Hex Sockets: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 3/4"

Includes Rail.

8 Piece Long SAE Hex Socket Set

Part No. D018019



Set Content:

8 SAE Long Hex Sockets: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 3/4"

Includes Rail.

7 Piece Standard Length Metric Hex Socket Set

Part No. D018014



Set Content:

7 Metric Hex Sockets: 6, 8, 10, 12, 14, 17, 19mm

Includes Rail.

7 Piece Long Metric Hex Socket Set

Part No. D018015



Set Content:

7 Long Metric Hex Sockets: 6, 8, 10, 12, 14, 17, 19mm

Includes Rail.



Hand Sockets

7 Piece Standard Length Torx® Socket Set

Part No. D018016



Set Content:

7 Torx® Sockets: T20, T25, T27, T30, T40, T45, T50

Includes Rail.

7 Piece Long Torx® Socket Set

Part No. D018017



Set Content:

7 Long Torx® Sockets: T20, T25, T27, T30, T40, T45, T50

Includes Rail.

Hand Sockets

22 Piece 6 Point Standard SAE Socket Set

Part No. D018008



Set Content:

16 Standard SAE Sockets: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16"

5" Extension, 10" Extension, 45 Tooth Ratchet, Universal Joint, Flex Handle, T-Handle

Includes Metal Case.

25 Piece 6 Point Standard Metric Socket Set

Part No. D018009



Set Content:

19 Standard Metric Sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28mm

5" Extension, 10" Extension, 45 Tooth Ratchet, Universal Joint, Flex Handle, T-Handle

Includes Metal Case.



Hand Sockets

38 Piece 6 Point Standard/Deep SAE Socket Set

Part No. D018012



Set Content:

16 Standard SAE Sockets: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16"

16 Deep SAE Sockets: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16"

5" Extension, 10" Extension, 45 Tooth Ratchet, Universal Joint, Flex Handle, T-Handle



Includes Blow Mold Case.

43 Piece 6 Point Standard/Deep Metric Socket Set

Part No. D018013



Set Content:

19 Standard Metric Sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28mm

18 Deep Metric Sockets: 10, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28mm

5" Extension, 10" Extension, 45 Tooth Ratchet, Universal Joint, Flex Handle, T-Handle



Includes Blow Mold Case.

Hand Sockets

41 Piece 6 Point Standard SAE/Metric Socket Set

Part No. D018010



Set Content:

16 Standard SAE Sockets: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16"

19 Standard Metric Sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28mm
5" Extension, 10" Extension, 45 Tooth Ratchet, Universal Joint, Flex Handle, T-Handle

Includes Blow Mold Case.

41 Piece 12 Point Standard SAE/Metric Socket Set

Part No. D018011



Set Content:

16 Standard SAE Sockets: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", c1-1/4", 1-5/16"

19 Standard Metric Sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28mm
5" Extension, 10" Extension, 45 Tooth Ratchet, Universal Joint, Flex Handle, T-Handle

Includes Blow Mold Case.



Hand Sockets

89 Piece 1/4", 3/8" & 1/2" Drive Socket Set

Part No. D106001



Set Content:

1/4" Drive:

10 Standard SAE Sockets 6 Point: 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2"

12 Standard Metric Sockets 6 Point: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm

4 Deep SAE Sockets 6 Point: 3/16", 1/4", 9/32", 5/16"

9 Standard SAE Sockets 12 Point: 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2"

3/8" Drive:

8 SAE Sockets 6 Point: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16"

9 Metric Sockets 6 Point: 9, 10, 11, 12, 13, 14, 15, 17, 19 mm

8 SAE Sockets 12 Point: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16"

10 Metric Sockets 12 Point: 9, 10, 11, 12, 13, 14, 15, 16, 17, 19 mm

4 Deep SAE Sockets 12 Point: 3/8", 7/16", 1/2", 9/16"

1/2" Drive:

7 Standard SAE Sockets 12 Point: 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8"

Chrome Ratchets:

1/4", 3/8", 1/2" Drive

2 Spark Plug Sockets 3/8" Drive:

5/8" & 13/16"

Extensions:

1/4" Drive 4", 3/8" Drive 3" & 1/2" Drive 5"



Includes Blow Mold Case.



Mirror chrome finish for excellent corrosion resistance. Interior protected against rust.



Laser-etched markings for improved identification. Knurl for improved grip.

Hand Socket Attachments

High-Tooth, Low Profile Ratchet

Part No.	Length (inches)	Weight (lbs)	No. of Teeth
D012309	10.00	1.03	108



Quick Release Ratchet-Chrome Handle

Part No.	Length (inches)	Weight (lbs)	No. of Teeth
D012301	9.33	1.46	45




Flex Head Ratchet

Part No.	Length (inches)	Weight (lbs)	No. of Teeth
D012308	17.75	2.12	48



Flex Handles

Part No.	Length (inches)	Weight (lbs)
D012800	14.96	1.41
D012803	26.25	3.20



Chrome Extensions

Part No.	Length (inches)	Weight (lbs)
D012005	5.00	0.50
D012010	10.00	0.97



Chrome Extensions with Quick Release

Part No.	Length (inches)	Weight (lbs)
D012025	5.00	0.50
D012030	10.00	0.94





Hand Socket Attachments



Sliding T-Handle

Part No.	Length (inches)	Weight (lbs)
D012500	9.75	0.15



Universal Joint

Part No.	Length (inches)	Weight (lbs)
D012600	2.76	0.33



Adapters

Part No.	Length (inches)	Female	Male	Weight (lbs)
D012701	1.42	1/2"	3/8"	0.15
D019401	1.85	1/2"	3/4"	0.35



Socket Adapter

Part No.	Hex Male (inches)	Square Male (inches)	Length (inches)	Weight (lbs)
D112003	1/4	1/2	3.00	0.10

3 Piece Socket Driver Adapter Set

Part No. D112000



Set Content:

D112001 1/4" Socket Adapter


D112002 3/8" Socket Adapter

D112003 1/2" Socket Adapter

SAE Standard Chrome Sockets

Size	6 POINT Part No.	12 POINT Part No.	Overall Length (a) inches	Drive End (b) inches	Hex End (c) inches	Taper Length (d) inches	Net Weight (lbs)
3/8"	D016312	D015412	1.50	0.86	0.57	0.67	0.12
7/16"	D016314	D015414	1.50	0.86	0.67	0.67	0.12
1/2"	D016316	D015416	1.50	0.86	0.73	0.67	0.12
9/16"	D016318	D015418	1.50	0.86	0.81	0.67	0.12
5/8"	D016320	D015420	1.50	0.86	0.86	0.00	0.13
11/16"	D016322	D015422	1.50	0.94	0.94	0.00	0.14
3/4"	D016324	D015424	1.50	1.02	1.02	0.00	0.15
13/16"	D016326	D015426	1.50	1.09	1.09	0.00	0.17
7/8"	D016328	D015428	1.50	1.17	1.17	0.00	0.21
15/16"	D016330	D015430	1.57	1.25	1.25	0.00	0.24
1"	D016332	D015432	1.65	1.33	1.33	0.00	0.31
1-1/16"	D016334	D015434	1.65	1.41	1.41	0.00	0.32
1-1/8"	D016336	D015436	1.69	1.49	1.49	0.00	0.32
1-3/16"	D016338	D015438	1.73	1.57	1.57	0.00	0.37
1-1/4"	D016340	D015440	1.73	1.65	1.65	0.00	0.41
1-5/16"	D016342	D015442	1.73	1.72	1.72	0.00	0.43

* Meets A.N.S.I. standards



SAE Deep Chrome Sockets

Size	6 POINT Part No.	12 POINT Part No.	Overall Length (a) inches	Drive End (b) inches	Hex End (c) inches	Taper Length (d) inches	Net Weight (lbs)
3/8"	D016512	D015612	3.03	0.86	0.52	1.81	0.17
7/16"	D016514	D015614	3.03	0.86	0.57	1.81	0.17
1/2"	D016516	D015616	3.03	0.86	0.67	1.81	0.18
9/16"	D016518	D015618	3.03	0.86	0.73	1.81	0.21
5/8"	D016520	D015620	3.03	0.86	0.81	1.81	0.23
11/16"	D016522	D015622	3.03	0.86	0.86	0.00	0.27
3/4"	D016524	D015624	3.03	0.94	0.94	0.00	0.29
13/16"	D016526	D015626	3.03	1.02	1.02	0.00	0.36
7/8"	D016528	D015628	3.03	1.09	1.09	0.00	0.46
15/16"	D016530	D015630	3.03	1.17	1.17	0.00	0.49
1"	D016532	D015632	3.03	1.25	1.25	0.00	0.54
1-1/16"	D016534	D015634	3.03	1.33	1.33	0.00	0.56
1-1/8"	D016536	D015636	3.03	1.41	1.41	0.00	0.65
1-3/16"	D016538	D015638	3.03	1.49	1.49	0.00	0.73
1-1/4"	D016540	D015640	3.03	1.65	1.65	0.00	0.93
1-5/16"	D016542	D015642	3.03	1.72	1.72	0.00	0.99

* Meets A.N.S.I. standards






Metric Standard Chrome Sockets

Size	Part No.	Part No.	Overall Length (a) inches	Drive End (b) inches	Hex End (c) inches	Taper Length (d) inches	Net Weight (lbs)
10 mm	D016010	D015110	1.50	0.86	0.59	0.67	0.11
11 mm	D016011	D015111	1.50	0.86	0.64	0.67	0.11
12 mm	D016012	D015112	1.50	0.86	0.69	0.67	0.12
13 mm	D016013	D015113	1.50	0.86	0.74	0.67	0.12
14 mm	D016014	D015114	1.50	0.86	0.80	0.67	0.12
15 mm	D016015	D015115	1.50	0.86	0.83	0.67	0.12
16 mm	D016016	D015116	1.50	0.86	0.86	0.00	0.13
17 mm	D016017	D015117	1.50	0.94	0.94	0.00	0.14
18 mm	D016018	D015118	1.50	1.02	1.02	0.00	0.17
19 mm	D016019	D015119	1.50	1.02	1.02	0.00	0.17
20 mm	D016020	D015120	1.50	1.09	1.09	0.00	0.18
21 mm	D016021	D015121	1.50	1.09	1.09	0.00	0.21
22 mm	D016022	D015122	1.50	1.17	1.17	0.00	0.21
23 mm	D016023	D015123	1.57	1.25	1.25	0.00	0.26
24 mm	D016024	D015124	1.57	1.25	1.25	0.00	0.26
25 mm	D016025	D015125	1.57	1.33	1.33	0.00	0.26
26 mm	D016026	D015126	1.65	1.33	1.33	0.00	0.30
27 mm	D016027	D015127	1.65	1.41	1.41	0.00	0.32
28 mm	D016028	D015128	1.69	1.49	1.49	0.00	0.36
29 mm	D016029		1.69	1.49	1.49	0.00	0.36
30 mm	D016030	D015130	1.73	1.57	1.57	0.00	0.38
31 mm	D016031		1.73	1.57	1.57	0.00	0.38
32 mm	D016032	D015132	1.73	1.65	1.65	0.00	0.39

* Meets A.N.S.I. standards



Metric Deep Chrome Sockets


Size	Part No.	Part No.	Overall Length (a) inches	Drive End (b) inches	Hex End (c) inches	Taper Length (d) inches	Net Weight (lbs)
10 mm	D016210	D015710	3.03	0.86	0.59	1.81	0.17
11 mm	D016211	D015711	3.03	0.86	0.64	1.81	0.18
12 mm	D016212	D015712	3.03	0.86	0.69	1.81	0.19
13 mm	D016213	D015713	3.03	0.86	0.74	1.81	0.21
14 mm	D016214	D015714	3.03	0.86	0.80	1.81	0.23
15 mm	D016215	D015715	3.03	0.86	0.83	1.81	0.24
16 mm	D016216	D015716	3.03	0.86	0.86	0.00	0.27
17 mm	D016217	D015717	3.03	0.94	0.94	0.00	0.29
18 mm	D016218	D015718	3.03	1.02	1.02	0.00	0.35
19 mm	D016219	D015719	3.03	1.02	1.02	0.00	0.36
20 mm	D016220	D015720	3.03	1.09	1.09	0.00	0.38
21 mm	D016221	D015721	3.03	1.09	1.09	0.00	0.46
22 mm	D016222	D015722	3.03	1.17	1.17	0.00	0.49
23 mm	D016223	D015723	3.03	1.25	1.25	0.00	0.52
24 mm	D016224	D015724	3.03	1.25	1.25	0.00	0.54
25 mm	D016225	D015725	3.03	1.33	1.33	0.00	0.56
26 mm	D016226	D015726	3.03	1.33	1.33	0.00	0.64
27 mm	D016227	D015727	3.03	1.41	1.41	0.00	0.65
28 mm	D016228		3.03	1.49	1.49	0.00	0.70
29 mm	D016229		3.03	1.49	1.49	0.00	0.73
30 mm	D016230		3.03	1.57	1.57	0.00	0.78
31 mm	D016231		3.03	1.57	1.57	0.00	0.85
32 mm	D016232		3.03	1.65	1.65	0.00	0.93

* Meets A.N.S.I. standards

Hex Head Sockets SAE-Standard Length

Size	Part No.	Overall Length (a) inches	Bit Length (b) inches	Drive End Width (c) inches	Net Weight (lbs)
1/4"	D013058	2.44	0.94	0.86	0.14
5/16"	D013060	2.44	0.94	0.86	0.15
3/8"	D013062	2.44	0.94	0.86	0.18
7/16"	D013064	2.44	0.94	0.94	0.23
1/2"	D013066	2.44	0.94	0.94	0.33
9/16"	D013068	2.44	0.94	0.94	0.33
5/8"	D013070	2.44	0.94	1.02	0.40
3/4"	D013074	2.44	0.94	1.02	0.52


* Meets A.N.S.I. standards



Hex Head Sockets SAE-Long

Size	Part No.	Overall Length (a) inches	Bit Length (b) inches	Drive End Width (c) inches	Net Weight (lbs)
1/4"	D013458	3.94	2.44	0.86	0.17
5/16"	D013460	3.94	2.44	0.86	0.19
3/8"	D013462	3.94	2.44	0.86	0.24
7/16"	D013464	3.94	2.44	0.94	0.32
1/2"	D013466	3.94	2.44	0.94	0.43
9/16"	D013468	3.94	2.44	0.94	0.43
5/8"	D013470	3.94	2.44	1.02	0.60
3/4"	D013474	3.94	2.44	1.02	0.73

* Meets A.N.S.I. standards



Hex Head Sockets Metric-Standard Length

Size	Part No.	Overall Length (a) inches	Bit Length (b) inches	Drive End Width (c) inches	Net Weight (lbs)
6 mm	D013006	2.44	0.94	0.86	0.14
8 mm	D013008	2.44	0.94	0.86	0.15
10 mm	D013010	2.44	0.94	0.86	0.18
12 mm	D013012	2.44	0.94	0.94	0.23
14 mm	D013014	2.44	0.94	0.94	0.33
17 mm	D013017	2.44	0.94	1.02	0.43
19 mm	D013019	2.44	0.94	1.02	0.52

* Meets A.N.S.I. standards






Hex Head Sockets Metric-Long

Size	Part No.	Overall Length (a) inches	Bit Length (b) inches	Drive End Width (c) inches	Net Weight (lbs)
6 mm	D013406	3.94	2.44	0.86	0.17
8 mm	D013408	3.94	2.44	0.86	0.19
10 mm	D013410	3.94	2.44	0.86	0.24
12 mm	D013412	3.94	2.44	0.94	0.32
14 mm	D013414	3.94	2.44	0.94	0.43
17 mm	D013417	3.94	2.44	1.02	0.60
19 mm	D013419	3.94	2.44	1.02	0.73


* Meets A.N.S.I. standards



Torx® Head Sockets-Standard Length

Size	Part No.	Overall Length (a) inches	Bit Length (b) inches	Drive End Width (c) inches	Net Weight (lbs)
T20	D013320	2.44	0.94	0.86	0.14
T25	D013325	2.44	0.94	0.86	0.14
T27	D013327	2.44	0.94	0.86	0.14
T30	D013330	2.44	0.94	0.86	0.14
T40	D013340	2.44	0.94	0.86	0.14
T45	D013345	2.44	0.94	0.86	0.15
T50	D013350	2.44	0.94	0.86	0.15

* Meets A.N.S.I. standards



Torx® Head Sockets-Long

Size	Part No.	Overall Length (a) inches	Bit Length (b) inches	Drive End Width (c) inches	Net Weight (lbs)
T20	D013720	3.94	2.44	0.86	0.20
T25	D013725	3.94	2.44	0.86	0.20
T27	D013727	3.94	2.44	0.86	0.22
T30	D013730	3.94	2.44	0.86	0.22
T40	D013740	3.94	2.44	0.86	0.22
T45	D013745	3.94	2.44	0.86	0.25
T50	D013750	3.94	2.44	0.86	0.25

* Meets A.N.S.I. standards

Impact Socket Attachments

Impact Universal Joints

Part No.	Drive Size (inches)	Length (inches)	Weight (lbs)
D008660	3/8	1.97	0.20
D016660	1/2	2.59	0.35
D022660	3/4	3.62	1.15



Impact Extensions

Part No.	Drive Size (inches)	Length (inches)	Weight (lbs)
D005053	3/8	3	0.15
D005056	3/8	6	0.30
D012055	1/2	5	0.50
D012060	1/2	10	0.95
D019056	3/4	6	1.60
D019060	3/4	10	2.50
D025807	1	7	3.20
D025810	1	10	4.37
D025813	1	13	5.54



D012055



D025807

Impact Adapters

Part No.	Length (inches)	Female (inches)	Male (inches)	Weight (lbs)
D005710	1.45	3/8	1/2	0.15
D012710	1.50	1/2	3/8	0.15
D012711	1.89	1/2	3/4	0.35
D019710	2.21	3/4	1/2	0.65
D025820	2.10	1	3/4	1.26
D025824	1.70	3/4	1	0.99



D025820



D012711



Impact Sockets

19 Piece 6 Point Standard Impact SAE Socket Set

Part No. D018024



Set Content:

19 Standard SAE Impact Sockets: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-1/2"

Includes Blow Mold Case.

13 Piece 6 Point Deep Impact SAE Socket Set

Part No. D018021



Set Content:

13 Deep SAE Impact Sockets: 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4"
Includes Rail.

Impact Sockets

19 Piece 6 Point Deep Impact SAE Socket Set

Part No. D018026



Set Content:

19 Piece Deep SAE Impact Sockets: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-1/2"

Includes Blow Mold Case.

14 Piece 6 Point Standard Impact Metric Socket Set

Part No. D018023



Set Content:

14 Standard Metric Impact Sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23mm

Includes Rail.



Impact Sockets

14 Piece 6 Point Deep Impact Metric Socket Set

Part No. D018022



Set Content:

14 Deep Metric Impact Sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23mm
Includes Rail.

8 Piece SAE Hex Bit Impact Socket Set

Part No. D018102



Set Content:

8 Piece SAE Impact Sockets: 1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 3/4"
Includes Rail.

Impact Sockets

8 Piece Metric Hex Bit Impact Socket Set

Part No. D018103



Set Content:

8 Piece Metric Impact Sockets: 6, 7, 8, 10, 12, 14, 17, 19mm
Includes Rail.

10 Piece Torx® Bit Impact Socket Set

Part No. D018101



Set Content:

10 Piece Torx® Impact Sockets: T25, T27, T30, T40, T45, T50, T55, T60, T70, T80
Includes Rail.

Impact Sockets




Impact accessories can be found on page 93.



SAE Standard Impact Sockets

Size	Part No.	Overall Length (a) inches	Drive End Width (b) inches	Hex End Length (c) inches	Taper Length (d) inches	Net Weight (lbs)
3/8"	D014312	1.50	0.86	0.67	0.35	0.15
7/16"	D014314	1.50	0.86	0.71	0.35	0.15
1/2"	D014316	1.50	0.86	0.79	0.35	0.15
9/16"	D014318	1.50	0.94	0.87	0.35	0.18
5/8"	D014320	1.50	0.94	0.94	0.00	0.18
11/16"	D014322	1.50	1.02	1.02	0.00	0.22
3/4"	D014324	1.57	1.09	1.09	0.00	0.23
13/16"	D014326	1.57	1.17	1.17	0.00	0.29
7/8"	D014328	1.65	1.25	1.25	0.00	0.33
15/16"	D014330	1.73	1.33	1.33	0.00	0.40
1"	D014332	1.73	1.41	1.41	0.00	0.44
1-1/16"	D014334	1.81	1.49	1.49	0.00	0.55
1-1/8"	D014336	1.81	1.50	1.57	0.55	0.60
1-3/16"	D014338	1.81	1.50	1.65	0.55	0.66
1-1/4"	D014340	1.81	1.50	1.72	0.55	0.68
1-5/16"	D014342	1.81	1.50	1.76	0.63	0.73
1-3/8"	D014344	1.97	1.50	1.88	0.63	0.82
1-7/16"	D014346	1.97	1.50	1.96	0.63	0.90
1-1/2"	D014348	1.97	1.50	2.04	0.63	0.97

* Meets A.N.S.I. standards



SAE Deep Impact Sockets

Size	Part No.	Overall Length (a) inches	Drive End Width (b) inches	Hex End Length (c) inches	Taper Length (d) inches	Net Weight (lbs)
3/8"	D014512	3.07	0.86	0.67	0.63	0.35
7/16"	D014514	3.07	0.86	0.71	0.63	0.35
1/2"	D014516	3.07	0.94	0.79	0.63	0.42
9/16"	D014518	3.07	0.94	0.88	0.63	0.42
5/8"	D014520	3.07	0.94	0.94	0.00	0.42
11/16"	D014522	3.07	1.02	1.02	0.00	0.46
3/4"	D014524	3.07	1.09	1.09	0.00	0.53
13/16"	D014526	3.07	1.17	1.17	0.00	0.57
7/8"	D014528	3.07	1.25	1.25	0.00	0.66
15/16"	D014530	3.07	1.33	1.33	0.00	0.66
1"	D014532	3.07	1.41	1.41	0.00	0.77
1-1/16"	D014534	3.07	1.49	1.49	0.00	0.88
1-1/8"	D014536	3.07	1.50	1.57	0.55	0.88
1-3/16"	D014538	3.07	1.50	1.65	0.55	0.95
1-1/4"	D014540	3.07	1.50	1.72	0.55	0.99
1-5/16"	D014542	3.07	1.50	1.76	0.63	1.21
1-3/8"	D014544	3.07	1.50	1.88	0.63	1.28
1-7/16"	D014546	3.07	1.50	1.96	0.50	1.25
1-1/2"	D014548	3.07	1.50	2.05	0.50	1.36


* Meets A.N.S.I. standards

Impact Sockets

Metric Standard Impact Sockets

Size	Part No.	Overall Length (a) inches	Drive End Width (b) inches	Hex End Length (c) inches	Taper Length (d) inches	Net Weight (lbs)
8 mm	D014008	1.50	0.86	0.55	0.35	0.15
9 mm	D014009	1.50	0.86	0.59	0.35	0.15
10 mm	D014010	1.50	0.86	0.67	0.35	0.15
11 mm	D014011	1.50	0.86	0.71	0.35	0.15
12 mm	D014012	1.50	0.86	0.75	0.35	0.15
13 mm	D014013	1.50	0.86	0.79	0.35	0.15
14 mm	D014014	1.50	0.94	0.87	0.35	0.18
15 mm	D014015	1.50	0.94	0.94	0.00	0.18
16 mm	D014016	1.50	0.94	0.94	0.00	0.18
17 mm	D014017	1.50	1.02	1.02	0.00	0.22
18 mm	D014018	1.50	1.02	1.02	0.00	0.22
19 mm	D014019	1.57	1.09	1.09	0.00	0.23
20 mm	D014020	1.57	1.17	1.17	0.00	0.29
21 mm	D014021	1.57	1.17	1.17	0.00	0.29
22 mm	D014022	1.65	1.25	1.25	0.00	0.33
23 mm	D014023	1.65	1.25	1.25	0.00	0.40
24 mm	D014024	1.73	1.33	1.33	0.00	0.40
25 mm	D014025	1.73	1.37	1.37	0.00	0.44
26 mm	D014026	1.73	1.41	1.41	0.00	0.44
27 mm	D014027	1.81	1.49	1.49	0.00	0.55
28 mm	D014028	1.81	1.50	1.57	0.55	0.60
29 mm	D014029	1.81	1.50	1.57	0.55	0.60
30 mm	D014030	1.81	1.50	1.65	0.55	0.66
31 mm	D014031	1.81	1.50	1.65	0.55	0.68
32 mm	D014032	1.81	1.50	1.72	0.55	0.68
36 mm	D014036	1.97	1.50	1.96	0.63	0.90

* Meets A.N.S.I. standards



Impact accessories can be found on page 93.

Metric Deep Impact Sockets

Size	Part No.	Overall Length (a) inches	Drive End Width (b) inches	Hex End Length (c) inches	Taper Length (d) inches	Net Weight (lbs)
8 mm	D014208	3.07	0.86	0.55	0.63	0.35
9 mm	D014209	3.07	0.86	0.59	0.63	0.35
10 mm	D014210	3.07	0.86	0.67	0.63	0.35
11 mm	D014211	3.07	0.86	0.71	0.63	0.35
12 mm	D014212	3.07	0.86	0.75	0.63	0.35
13 mm	D014213	3.07	0.94	0.79	0.63	0.42
14 mm	D014214	3.07	0.94	0.87	0.63	0.42
15 mm	D014215	3.07	0.94	0.94	0.00	0.42
16 mm	D014216	3.07	0.94	0.94	0.00	0.42
17 mm	D014217	3.07	1.02	1.02	0.00	0.46
18 mm	D014218	3.07	1.02	1.02	0.00	0.53
19 mm	D014219	3.07	1.09	1.09	0.00	0.53
20 mm	D014220	3.07	1.17	1.17	0.00	0.53
21 mm	D014221	3.07	1.17	1.17	0.00	0.57
22 mm	D014222	3.07	1.25	1.25	0.00	0.66
23 mm	D014223	3.07	1.25	1.25	0.00	0.66
24 mm	D014224	3.07	1.33	1.33	0.00	0.66
27 mm	D014227	3.07	1.49	1.49	0.00	0.88
30 mm	D014230	3.07	1.50	1.65	0.55	0.95
36 mm	D014236	3.07	1.50	1.96	0.63	1.28

* Meets A.N.S.I. standards




Impact Sockets



Hex Head Sockets Impact SAE Standard Length

Size	Part No.	Overall Length (a) inches	Bit Length (b) inches	Drive End Width (c) inches	Net Weight (lbs)
1/4"	D014608	3.03	2.09	0.98	0.20
5/16"	D014610	3.03	2.09	0.98	0.22
3/8"	D014612	3.03	2.09	0.98	0.24
7/16"	D014614	3.03	2.09	0.98	0.26
1/2"	D014616	3.03	2.09	0.98	0.31
9/16"	D014618	3.03	2.09	0.98	0.33
5/8"	D014620	3.03	2.09	0.98	0.37
3/4"	D014624	2.44	2.09	0.98	0.42


* Meets A.N.S.I. standards



Hex Head Sockets Impact Metric Standard Length

Size	Part No.	Overall Length (a) inches	Bit Length (b) inches	Drive End Width (c) inches	Net Weight (lbs)
6mm	D014706	3.03	2.09	0.98	0.20
7mm	D014707	3.03	2.09	0.98	0.22
8mm	D014708	3.03	2.09	0.98	0.22
10mm	D014710	3.03	2.09	0.98	0.24
12mm	D014712	3.03	2.09	0.98	0.29
14mm	D014714	3.03	2.09	0.98	0.31
17mm	D014717	3.03	2.09	0.98	0.40
19mm	D014719	3.03	2.09	0.98	0.46

* Meets A.N.S.I. standards



Torx® Head Sockets Impact Standard Length

Size	Part No.	Overall Length (a) inches	Bit Length (b) inches	Drive End Width (c) inches	Net Weight (lbs)
T25	D014825	3.03	2.09	0.98	0.15
T27	D014827	3.03	2.09	0.98	0.15
T30	D014830	3.03	2.09	0.98	0.18
T40	D014840	3.03	2.09	0.98	0.18
T45	D014845	3.03	2.09	0.98	0.20
T50	D014850	3.03	2.09	0.98	0.20
T55	D014855	3.03	2.09	0.98	0.24
T60	D014860	3.03	2.09	0.98	0.26
T70	D014870	3.03	2.09	0.98	0.31
T80	D014880	3.03	2.09	0.98	0.37

* Meets A.N.S.I. standards

21 Piece 12 Point Standard SAE Set

Part No. D023000



Set Content:

16 Standard SAE Sockets: 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-1/2", 1-5/8", 1-3/4", 1-13/16", 1-7/8", 2"

4" Extension, 8" Extension, 16" Extension, Flex Handle, 24 Tooth Ratchet



Includes Blow Mold Case.

20 Piece 12 Point Standard Metric Set

Part No. D023001



Set Content:

15 Standard Metric Sockets: 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32, 35, 36mm


4" Extension, 8" Extension, 16" Extension, Flex Handle, 24 Tooth Ratchet



Includes Blow Mold Case.




Hand Socket Attachments



Ratchet-Chrome Handle

Part No.	Length (inches)	Weight (lbs)	No. of Teeth
D019301	19.69	4.34	24



Flex Handles

Part No.	Length (inches)	Weight (lbs)
D019805	18.70	4.08
D019806	30.00	6.25

Chrome Extensions

Part No.	Length (inches)	Weight (lbs)
D019004	4.00	0.92
D019008	8.00	1.63
D019016	16.00	3.06



Sliding T-Handle

Part No.	Length (inches)	Weight (lbs)
D019501	17.72	3.06



Universal Joint

Part No.	Length (inches)	Weight (lbs)
D019600	4.25	1.20




Adapters

Part No.	Length (inches)	Female	Male	Weight (lbs)
D019402	2.20	3/4"	1/2"	0.41
D024501	2.30	3/4"	1"	0.63

SAE Standard Chrome Sockets

Size	Part No.	Overall Length (a) inches	Drive End Width (b) inches	Hex End Length (c) inches	Taper Length (d) inches	Net Weight (lbs)
7/8"	D022428	1.97	1.42	1.30	0.79	0.49
15/16"	D022430	1.97	1.42	1.36	0.79	0.49
1"	D022432	1.97	1.42	1.44	0.79	0.49
1-1/16"	D022434	2.05	1.42	1.50	0.83	0.49
1-1/8"	D022436	2.05	1.50	1.57	0.83	0.57
1-3/16"	D022438	2.13	1.50	1.65	0.87	0.60
1-1/4"	D022440	2.20	1.50	1.73	0.87	0.66
1-5/16"	D022442	2.20	1.50	1.81	0.87	0.77
1-3/8"	D022444	2.28	1.65	1.89	0.91	0.82
1-7/16"	D022446	2.28	1.65	1.97	0.91	0.97
1-1/2"	D022448	2.36	1.77	2.05	0.91	1.04
1-9/16"	D022450	2.44	1.77	2.13	0.91	1.10
1-5/8"	D022452	2.52	1.77	2.20	1.02	1.15
1-11/16"	D022454	2.56	1.77	2.28	1.02	1.19
1-3/4"	D022456	2.60	1.89	2.36	1.02	1.32
1-13/16"	D022458	2.68	1.89	2.44	1.02	1.48
1-7/8"	D022460	2.76	1.89	2.52	1.10	1.57
2"	D022464	2.83	1.89	2.68	1.18	1.65

* Meets A.N.S.I. standards



Metric Standard Chrome Sockets

Size	Part No.	Overall Length (a) inches	Drive End Width (b) inches	Hex End Length (c) inches	Taper Length (d) inches	Net Weight (lbs)
19 mm	D022119	1.95	1.42	1.14	0.79	0.49
20 mm	D022120	1.95	1.42	1.18	0.79	0.49
21 mm	D022121	1.97	1.42	1.26	0.79	0.49
22 mm	D022122	1.97	1.42	1.30	0.79	0.49
23 mm	D022123	1.97	1.42	1.34	0.79	0.49
24 mm	D022124	1.97	1.42	1.36	0.79	0.49
25 mm	D022125	1.97	1.42	1.44	0.79	0.49
26 mm	D022126	1.97	1.42	1.46	0.79	0.49
27 mm	D022127	2.05	1.42	1.50	0.83	0.49
28 mm	D022128	2.05	1.50	1.54	0.83	0.57
29 mm	D022129	2.05	1.50	1.57	0.83	0.57
30 mm	D022130	2.13	1.50	1.65	0.87	0.60
32 mm	D022132	2.20	1.50	1.73	0.87	0.66
35 mm	D022135	2.28	1.65	1.89	0.87	0.82
36 mm	D022136	2.28	1.65	1.97	0.91	0.97
38 mm	D022138	2.28	1.77	2.05	0.91	1.01
41 mm	D022141	2.52	1.77	2.20	1.02	1.15
46 mm	D022146	2.68	1.89	2.44	1.02	1.48
50 mm	D022150	2.83	1.89	2.68	1.18	1.72

* Meets A.N.S.I. standards



Impact Socket Attachments



Impact Universal Joints

Part No.	Drive Size (inches)	Length (inches)	Weight (lbs)
D008660	3/8	1.97	0.20
D016660	1/2	2.59	0.35
D022660	3/4	3.62	1.15



D012055



D025807

Impact Extensions

Part No.	Drive Size (inches)	Length (inches)	Weight (lbs)
D005053	3/8	3	0.15
D005056	3/8	6	0.30
D012055	1/2	5	0.50
D012060	1/2	10	0.95
D019056	3/4	6	1.60
D019060	3/4	10	2.50
D025807	1	7	3.20
D025810	1	10	4.37
D025813	1	13	5.54



D025820



D012711

Impact Adapters

Part No.	Length (inches)	Female (inches)	Male (inches)	Weight (lbs)
D005710	1.45	3/8	1/2	0.15
D012710	1.50	1/2	3/8	0.15
D012711	1.89	1/2	3/4	0.35
D019710	2.21	3/4	1/2	0.65
D025820	2.10	1	3/4	1.26
D025824	1.70	3/4	1	0.99

Impact Sockets

10 Piece 6 Point Standard Impact SAE Set

Part No. D021000



Set Content:

10 Standard SAE Impact Sockets: 15/16", 1", 1-1/16", 1-1/8", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-1/2", 1-5/8"

Includes Blow Mold Case.

10 Piece 6 Point Deep Impact SAE Set

Part No. D021001



Set Content:

10 Deep SAE Impact Sockets: 15/16", 1", 1-1/16", 1-1/8", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-1/2", 1-5/8"

Includes Blow Mold Case.



Impact Sockets

16 Piece 6 Point Standard Impact Metric Set

Part No. D021002



Set Content:

16 Standard Metric Impact Sockets: 24, 27, 28, 30, 32, 33, 34, 35, 36, 38, 40, 41, 42, 43, 46, 50mm

Includes Hip Roof Hand Box.

10 Piece 6 Point Deep Impact Metric Set

Part No. D021003



Set Content:

10 Deep Metric Impact Sockets: 19, 27, 30, 32, 33, 35, 36, 38, 41, 43mm


Includes Hip Roof Hand Box.

Impact Sockets

SAE Standard Impact Sockets

Size	 Part No.	Overall Length (a) inches	Drive End Width (b) inches	Hex End Length (c) inches	Taper Length (d) inches	Net Weight (lbs)
3/4"	D020324	2.05	1.49	1.19	0.94	0.51
13/16"	D020326	2.05	1.49	1.26	0.94	0.53
7/8"	D020328	2.05	1.49	1.34	0.94	0.55
15/16"	D020330	2.05	1.49	1.42	0.94	0.55
1"	D020332	2.05	1.49	1.49	0.00	0.57
1-1/16"	D020334	2.05	1.57	1.57	0.00	0.62
1-1/8"	D020336	2.05	1.65	1.65	0.00	0.73
1-3/16"	D020338	2.05	1.72	1.72	0.00	0.82
1-1/4"	D020340	2.05	1.73	1.80	0.00	0.82
1-5/16"	D020342	2.20	1.73	1.88	0.00	0.90
1-3/8"	D020344	2.20	1.73	1.96	0.00	0.97
1-7/16"	D020346	2.20	1.73	2.04	0.00	0.99
1-1/2"	D020348	2.20	1.73	2.08	0.00	1.01
1-9/16"	D020350	2.44	1.73	2.20	0.00	1.23
1-5/8"	D020352	2.44	1.73	2.28	0.00	1.30
1-11/16"	D020354	2.44	1.73	2.50	0.00	1.54
1-3/4"	D020356	2.44	1.73	2.55	0.00	1.65
1-13/16"	D020358	2.68	1.73	2.63	0.00	1.70
1-7/8"	D020360	2.68	1.73	2.67	0.00	1.74
1-15/16"	D020362	2.76	1.73	2.75	0.00	1.74
2"	D020364	2.83	2.13	2.79	0.00	1.94
2-1/16"	D020366	2.83	2.13	2.91	0.00	2.03
2-1/8"	D020368	2.83	2.13	3.02	0.00	2.76
2-3/16"	D020370	2.91	2.13	3.02	0.00	2.76
2-1/4"	D020372	2.91	2.13	3.14	0.00	3.20
2-5/16"	D020374	2.95	2.13	3.22	0.00	3.31
2-3/8"	D020376	2.95	2.13	3.30	0.00	3.31

* Meets A.N.S.I. standards



SAE Deep Impact Sockets

Size	 Part No.	Overall Length (a) inches	Drive End Width (b) inches	Hex End Length (c) inches	Taper Length (d) inches	Net Weight (lbs)
3/4"	D020524	3.54	1.49	1.18	1.97	0.86
13/16"	D020526	3.54	1.49	1.26	1.97	0.88
7/8"	D020528	3.54	1.49	1.34	1.97	0.97
15/16"	D020530	3.54	1.49	1.42	1.97	0.97
1"	D020532	3.54	1.49	1.49	0.00	0.99
1-1/16"	D020534	3.54	1.57	1.57	0.00	1.12
1-1/8"	D020536	3.54	1.65	1.65	0.00	1.26
1-3/16"	D020538	3.54	1.72	1.72	0.00	1.34
1-1/4"	D020540	3.54	1.73	1.80	0.00	1.39
1-5/16"	D020542	3.54	1.73	1.88	0.00	1.46
1-3/8"	D020544	3.54	1.73	1.96	0.00	1.70
1-7/16"	D020546	3.54	1.73	2.04	0.00	1.70
1-1/2"	D020548	3.62	1.73	2.08	0.00	1.83
1-9/16"	D020550	3.62	1.73	2.20	0.00	1.90
1-5/8"	D020552	3.62	1.73	2.28	0.00	1.92

* Meets A.N.S.I. standards



Impact accessories can be found on page 104.




Metric Standard Impact Sockets



Size	Part No.	Overall Length (a) inches	Drive End Width (b) inches	Hex End Length (c) inches	Taper Length (d) inches	Net Weight (lbs)
24 mm	D020024	2.05	1.49	1.42	0.94	0.55
27 mm	D020027	2.05	1.57	1.57	0.00	0.62
28 mm	D020028	2.05	1.65	1.65	0.00	0.71
30 mm	D020030	2.05	1.72	1.72	0.00	0.82
32 mm	D020032	2.05	1.73	1.73	0.00	0.84
33 mm	D020033	2.20	1.73	1.88	0.00	0.90
34 mm	D020034	2.20	1.73	1.88	0.00	0.90
35 mm	D020035	2.20	1.73	1.96	0.00	1.04
36 mm	D020036	2.20	1.73	2.04	0.00	1.04
38 mm	D020038	2.20	1.73	2.08	0.00	1.04
40 mm	D020040	2.44	1.73	2.20	0.00	1.19
41 mm	D020041	2.44	1.73	2.28	0.00	1.30
42 mm	D020042	2.44	1.73	2.39	0.00	1.46
43 mm	D020043	2.48	1.73	2.47	0.00	1.54
46 mm	D020046	2.48	1.73	2.63	0.00	1.70
50 mm	D020050	2.83	2.13	2.79	0.00	2.14

* Meets A.N.S.I. standards

Impact accessories can be found on page 69.



Metric Deep Impact Sockets




Size	Part No.	Overall Length (a) inches	Drive End Width (b) inches	Hex End Length (c) inches	Taper Length (d) inches	Net Weight (lbs)
19 mm	D020219	3.54	1.49	1.18	1.97	0.86
27 mm	D020227	3.54	1.57	1.57	0.00	1.10
30 mm	D020230	3.54	1.72	1.72	0.00	1.37
32 mm	D020232	3.54	1.73	1.80	0.00	1.39
33 mm	D020233	3.54	1.73	1.88	0.00	1.48
35 mm	D020235	3.54	1.73	1.96	0.00	1.70
36 mm	D020236	3.54	1.73	2.04	0.00	1.65
38 mm	D020238	3.62	1.73	2.08	0.00	1.83
41 mm	D020241	3.62	1.73	2.28	0.00	1.94
43 mm	D020243	3.62	1.73	2.47	0.00	2.31

* Meets A.N.S.I. standards

Impact Sockets

Hex Head Sockets Impact SAE Standard Length

Size	Part No.	Overall Length (a) inches	Bit Length (b) inches	Drive End Width (c) inches	Net Weight (lbs)
9/16"	D020618	3.93	2.55	1.73	1.15
5/8"	D020620	3.93	2.55	1.73	1.17
3/4"	D020624	3.93	2.55	1.73	1.32
7/8"	D020628	3.93	2.55	1.73	1.37
1"	D020632	3.93	2.55	1.73	1.50



Hex Head Sockets Impact Metric Standard Length

Size	Part No.	Overall Length (a) inches	Bit Length (b) inches	Drive End Width (c) inches	Net Weight (lbs)
14mm	D020714	3.93	2.55	1.73	1.15
17mm	D020717	3.93	2.55	1.73	1.19
19mm	D020719	3.93	2.55	1.73	1.32
22mm	D020722	3.93	2.55	1.73	1.37
24mm	D020724	3.93	2.55	1.73	1.52



Professional grade for high-torque applications. Laser etched marking for quick size identification. Premium E-Coating (EPD) finish available in 3/8", 1/2" and 3/4" drive 6 point hex impact sockets is an advanced protective layer that delivers excellent corrosion resistance, uniform coverage, and long-lasting durability.



Hand Sockets

21 Piece 12 Point Standard SAE Set

Part No. D027001



Set Content:

17 Standard SAE Sockets: 1-7/16", 1-1/2", 1-5/8", 1-11/16", 1-3/4", 1-13/16", 1-7/8", 2", 2-1/8", 2-3/16", 2-1/4", 2-3/8", 2-1/2", 2-5/8", 2-3/4", 2-15/16", 3-1/8"
8" Extension, 16" Extension, Sliding T-Head, 24 Tooth Ratchet

Includes Metal Case.

SAE Standard Chrome Sockets



Size	 Part No.	Overall Length (a) inches	Drive End Width (b) inches	Hex End Length (c) inches	Taper Length (d) inches	Net Weight (lbs)
1-7/16"	D099446	2.56	1.77	2.05	0.98	1.04
1-1/2"	D099448	2.56	1.77	2.13	1.10	1.04
1-5/8"	D099450	2.76	1.77	2.24	1.10	1.19
1-11/16"	D099452	2.76	1.97	2.36	1.18	1.41
1-3/4"	D099454	2.95	1.97	2.48	1.18	1.70
1-13/16"	D099456	2.95	1.97	2.56	1.18	1.74
1-7/8"	D099458	2.95	1.97	2.64	1.18	2.12
2"	D099460	2.95	1.97	2.76	1.18	2.16
2-1/8"	D099464	3.15	2.17	2.91	1.26	2.25
2-3/16"	D099466	3.15	2.17	2.99	1.26	2.27
2-1/4"	D099468	3.15	2.17	3.07	1.26	2.31
2-3/8"	D099472	3.31	2.17	3.23	1.34	2.78
2-1/2"	D099476	3.43	2.17	3.39	1.34	2.87
2-5/8"	D099480	3.54	2.17	3.54	1.38	3.31
2-3/4"	D099482	3.66	2.36	3.70	1.38	3.84
2-15/16"	D099484	3.82	2.36	3.94	1.42	4.37
3-1/8"	D099488	4.06	2.36	4.13	1.42	4.63

Hand Socket Attachments

Ratchet-Chrome Handle

Part No.	Length (inches)	Weight (lbs)	No. of Teeth
D024301	24.25	10.20	24



Flex Handle

Part No.	Length (inches)	Weight (lbs)
D027800	26.00	4.08



Chrome Extensions

Part No.	Length (inches)	Weight (lbs)
D024008	8.00	2.45
D024015	16.00	4.20



Sliding T-Head

Part No.	Length (inches)	Weight (lbs)
D024500	3.25	1.40



Universal Joint

Part No.	Length (inches)	Weight (lbs)
D024600	5.50	2.40



Adapter

Part No.	Length (inches)	Female	Male	Weight (lbs)
D024502	2.75	1"	3/4"	1.20





Impact Sockets

18 Piece 6 Point Standard Impact SAE Set

Part No. D114000



Set Content:

18 Standard SAE Impact Sockets: 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-1/2", 1-5/8", 1-3/4", 1-13/16", 1-7/8", 2"

Includes Metal Case.

19 Piece 6 Point Deep Impact SAE Set

Part No. D114002



Set Content:

19 Deep SAE Impact Sockets: 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-1/2", 1-9/16", 1-5/8", 1-11/16", 1-3/4", 1-13/16", 1-7/8", 1-15/16", 2"

Includes Metal Case.

Impact Sockets & Attachments

16 Piece 6 Point Standard Impact Metric Set

Part No. D114001



Includes Metal Case.

Set Content:

16 Standard Metric Impact Sockets: 19, 22, 24, 26, 27, 28, 29, 30, 32, 33, 35, 36, 38, 41, 46, 50mm

Impact Universal Joints

Part No.	Drive Size (inches)	Length (inches)	Weight (lbs)
D008660	3/8	1.97	0.20
D016660	1/2	2.59	0.35
D022660	3/4	3.62	1.15



Impact Extensions

Part No.	Drive Size (inches)	Length (inches)	Weight (lbs)
D005053	3/8	3	0.15
D005056	3/8	6	0.30
D012055	1/2	5	0.50
D012060	1/2	10	0.95
D019056	3/4	6	1.60
D019060	3/4	10	2.50
D025807	1	7	3.20
D025810	1	10	4.37
D025813	1	13	5.54



D012055



D025807

Impact Adapters

Part No.	Length (inches)	Female (inches)	Male (inches)	Weight (lbs)
D005710	1.45	3/8	1/2	0.15
D012710	1.50	1/2	3/8	0.15
D012711	1.89	1/2	3/4	0.35
D019710	2.21	3/4	1/2	0.65
D025820	2.10	1	3/4	1.26
D025824	1.70	3/4	1	0.99



D025820




D012711



Impact Sockets



Impact accessories can be found on page 113.



SAE Standard Impact Sockets

Size	Part No.	Overall Length (a) inches	Drive End Width (b) inches	Hex End Length (c) inches	Taper Length (d) inches	Net Weight (lbs)
3/4"	D025324	2.28	2.01	1.42	0.91	1.10
13/16"	D025326	2.28	2.01	1.50	0.91	1.12
7/8"	D025328	2.28	2.01	1.54	0.91	1.12
15/16"	D025330	2.28	2.01	1.57	0.91	1.12
1"	D025332	2.28	2.01	1.65	0.91	1.15
1-1/16"	D025334	2.28	2.01	1.73	0.91	1.15
1-1/8"	D025336	2.28	2.01	1.81	0.91	1.17
1-3/16"	D025338	2.36	2.01	1.89	0.98	1.21
1-1/4"	D025340	2.36	2.01	2.01	-	1.34
1-5/16"	D025342	2.44	2.05	2.05	-	1.37
1-3/8"	D025344	2.44	2.13	2.13	-	1.39
1-7/16"	D025346	2.44	2.13	2.20	-	1.41
1-1/2"	D025348	2.44	2.13	2.28	-	1.48
1-9/16"	D025350	2.44	2.13	2.36	-	1.92
1-5/8"	D025352	2.44	2.13	2.42	-	2.03
1-11/16"	D025354	2.52	2.13	2.56	-	2.03
1-3/4"	D025356	2.52	2.28	2.60	-	2.20
1-13/16"	D025358	2.52	2.28	2.68	-	2.38
1-7/8"	D025360	2.60	2.28	2.76	-	2.20
1-15/16"	D025362	2.68	2.28	2.83	-	2.38
2"	D025364	2.76	2.28	2.91	-	2.43
2-1/16"	D025366	2.76	2.28	2.95	-	2.65
2-1/8"	D025368	2.76	2.28	3.07	-	2.76
2-3/16"	D025370	2.83	2.44	3.15	-	3.20
2-1/4"	D025372	2.95	2.44	3.31	-	3.35
2-5/16"	D025374	2.95	2.44	3.39	-	3.35
2-3/8"	D025376	3.07	2.44	3.43	-	3.79
2-7/16"	D025378	3.07	2.44	3.50	-	4.17
2-1/2"	D025380	3.15	2.44	3.58	-	4.19
2-9/16"	D025381	3.15	2.44	3.66	-	4.19
2-5/8"	D025382	3.23	2.44	3.74	-	4.41
2-11/16"	D025383	3.23	2.44	3.82	-	4.85
2-3/4"	D025384	3.35	2.44	3.86	-	4.96
2-13/16"	D025385	3.43	2.44	3.94	-	5.25
2-7/8"	D025386	3.43	2.44	4.02	-	5.29
2-15/16"	D025387	3.74	3.39	4.09	-	7.03
3"	D025388	3.86	3.39	4.17	-	7.61
3-1/8"	D025389	3.94	3.39	4.29	-	7.98
3-1/4"	D025390	3.94	3.39	4.45	-	8.38
3-3/8"	D025391	3.94	3.39	4.53	-	8.93
3-1/2"	D025392	4.13	3.39	4.92	-	11.40
3-5/8"	D025393	4.13	3.39	5.00	-	11.46
3-3/4"	D025394	4.13	3.39	5.12	-	11.57
3-7/8"	D025395	4.13	3.74	5.35	-	13.21
4"	D025396	4.13	3.74	5.51	-	13.23

* Meets A.N.S.I. standards

Impact Sockets


SAE Deep Impact Sockets

Size	Part No.	Overall Length (a) inches	Drive End Width (b) inches	Hex End Length (c) inches	Taper Length (d) inches	Net Weight (lbs)
7/8"	D025528	3.54	2.01	1.54	0.91	1.57
15/16"	D025530	3.54	2.01	1.57	0.91	1.59
1"	D025532	3.54	2.01	1.65	0.91	1.68
1-1/16"	D025534	3.54	2.01	1.73	0.91	1.76
1-1/8"	D025536	3.54	2.01	1.81	0.91	1.76
1-3/16"	D025538	3.54	2.01	1.89	0.98	1.81
1-1/4"	D025540	3.54	2.01	2.01	-	2.01
1-5/16"	D025542	3.54	2.05	2.05	-	2.01
1-3/8"	D025544	3.54	2.13	2.13	-	2.01
1-7/16"	D025546	3.54	2.13	2.20	-	2.09
1-1/2"	D025548	3.62	2.13	2.28	-	2.20
1-9/16"	D025550	3.62	2.13	2.36	-	2.65
1-5/8"	D025552	3.62	2.13	2.42	-	2.65
1-11/16"	D025554	3.62	2.13	2.56	-	2.65
1-3/4"	D025556	3.62	2.28	2.60	-	2.98
1-13/16"	D025558	3.62	2.28	2.68	-	2.98
1-7/8"	D025560	3.62	2.28	2.76	-	3.31
1-15/16"	D025562	3.62	2.28	2.83	-	3.44
2"	D025564	3.74	2.28	2.91	-	3.44
2-1/16"	D025566	3.74	2.28	2.95	-	3.53
2-1/8"	D025568	3.94	2.28	3.07	-	3.86
2-3/16"	D025570	3.94	2.44	3.15	-	4.41
2-1/4"	D025572	3.94	2.44	3.31	-	4.85
2-5/16"	D025574	4.13	2.44	3.39	-	4.98
2-3/8"	D025576	4.13	2.44	3.43	-	5.18
2-7/16"	D025578	4.33	2.44	3.50	-	5.51
2-1/2"	D025580	4.33	2.44	3.58	-	5.69
2-9/16"	D025582	4.72	2.44	3.66	-	6.61
2-5/8"	D025584	4.72	2.44	3.74	-	7.10
2-3/4"	D025586	4.88	2.44	3.86	-	7.23

* Meets A.N.S.I. standards



Impact accessories can be found on page 113.



Metric Standard Impact Sockets

Size	Part No.	Overall Length (a) inches	Drive End Width (b) inches	Hex End Length (c) inches	Taper Length (d) inches	Net Weight (lbs)
19 mm	D025019	2.28	2.01	1.42	0.91	1.10
22 mm	D025022	2.28	2.01	1.54	0.91	1.12
24 mm	D025024	2.28	2.01	1.59	0.91	1.12
26 mm	D025026	2.28	2.01	1.67	0.91	1.15
27 mm	D025027	2.28	2.01	1.73	0.91	1.15
28 mm	D025028	2.28	2.01	1.77	0.91	1.17
29mm	D025029	2.36	2.01	1.81	0.98	1.17
30 mm	D025030	2.36	2.01	1.89	0.98	1.17
32 mm	D025032	2.44	2.01	2.01	-	1.30
33 mm	D025033	2.44	2.05	2.05	-	1.37
35 mm	D025035	2.44	2.13	2.13	-	1.43
36 mm	D025036	2.44	2.13	2.20	-	1.48
38 mm	D025038	2.44	2.13	2.28	-	1.50
41 mm	D025041	2.44	2.13	2.42	-	2.03
46 mm	D025046	2.52	2.13	2.68	-	2.20
50 mm	D025050	2.76	2.13	2.87	-	2.36
54 mm	D025054	2.76	2.28	3.07	-	2.76
55 mm	D025055	2.83	2.13	3.11	-	3.17
58 mm	D025058	2.95	2.13	3.35	-	3.57
60 mm	D025060	3.07	2.13	3.43	-	3.81
65 mm	D025065	3.15	2.13	3.66	-	4.19
70 mm	D025070	3.35	2.13	3.86	-	4.83
75 mm	D025075	3.74	3.39	4.09	-	7.05
80 mm	D025080	3.94	3.39	4.29	-	8.05
85 mm	D025085	3.94	3.39	4.53	-	9.03
90 mm	D025090	4.13	3.39	4.92	-	11.45
95 mm	D025095	4.13	3.39	5.12	-	11.56
105 mm	D025105	4.13	3.74	5.63	-	14.43

* Meets A.N.S.I. standards






Impact Sockets



Impact accessories can be found on page 113.



Metric Deep Impact Sockets


Size	Part No.	Overall Length (a) inches	Drive End Width (b) inches	Hex End Length (c) inches	Taper Length (d) inches	Net Weight (lbs)
19 mm	D025119	3.54	2.01	1.42	1.97	1.54
22 mm	D025122	3.54	2.01	1.54	1.97	1.56
24 mm	D025124	3.54	2.01	1.59	1.97	1.59
26 mm	D025126	3.54	2.01	1.67	1.97	1.65
27 mm	D025127	3.54	2.01	1.73	1.97	1.76
28 mm	D025128	3.54	2.01	1.77	1.97	1.76
29mm	D025129	3.54	2.01	1.81	1.97	1.76
30 mm	D025130	3.54	2.01	1.89	1.97	1.76
32 mm	D025132	3.54	2.01	2.01	-	2.00
33 mm	D025133	3.54	2.05	2.05	-	2.00
35 mm	D025135	3.54	2.13	2.13	-	2.09
36 mm	D025136	3.54	2.13	2.19	-	2.09
38 mm	D025138	3.62	2.13	2.27	-	2.18
41 mm	D025141	3.62	2.13	2.42	-	2.64
46 mm	D025146	3.62	2.13	2.68	-	3.08
50 mm	D025150	3.74	2.13	2.87	-	3.46
54 mm	D025154	3.94	2.28	3.07	-	3.85
55 mm	D025155	3.94	2.13	3.11	-	4.30
58 mm	D025158	3.94	2.13	3.35	-	4.63
60 mm	D025160	4.13	2.13	3.43	-	5.18
65 mm	D025165	4.72	2.13	3.66	-	6.50
70 mm	D025170	4.88	2.13	3.86	-	7.27
75 mm	D025175	5.31	3.39	4.09	-	10.02
80 mm	D025180	5.31	3.39	4.29	-	10.68
85 mm	D025185	5.51	3.39	4.53	-	11.56
90 mm	D025190	5.51	3.39	4.92	-	12.67
95 mm	D025195	5.51	3.39	5.12	-	13.88
105 mm	D025115	6.10	3.74	5.63	-	20.28



Hex Head Sockets Impact SAE Standard Length

Size	Part No.	Overall Length (a) inches	Bit Length (b) inches	Drive End Width (c) inches	Net Weight (lbs)
3/4"	D025624	3.93	2.28	2.13	1.79
7/8"	D025628	3.93	2.28	2.13	1.92
1"	D025632	3.93	2.28	2.13	2.01
1-1/8"	D025636	3.93	2.28	2.13	2.25
1-1/4"	D025640	3.93	2.28	2.13	2.78
1-3/8"	D025644	3.93	2.28	2.13	3.00

* Meets A.N.S.I. standards



Hex Head Sockets Impact Metric Standard Length

Size	Part No.	Overall Length (a) inches	Bit Length (b) inches	Drive End Width (c) inches	Net Weight (lbs)
17mm	D025717	3.93	2.28	2.13	1.63
19mm	D025719	3.93	2.28	2.13	1.79
22mm	D025722	3.93	2.28	2.13	1.85
24mm	D025724	3.93	2.28	2.13	1.96
27mm	D025727	3.93	2.28	2.13	2.05
30mm	D025730	3.93	2.28	2.13	2.32

* Meets A.N.S.I. standards



Wrenches



Complete Assortment

Wide selection of combination, ratcheting, adjustable and pipe wrenches.

Large and Visible Markings

Laser etched markings on combination wrenches improve size identification and provides SAE/metric differentiation.

User-Friendly Design

Offset box end on most styles provides extra knuckle clearance.

Professional Grade

All wrenches meet ANSI standards.

Wrenches

12 Piece SAE Combination Wrench Set

Part No. D074202

Set Content:

12 SAE Combination Wrenches: 1/4", 5/16", 3/8", 7/16",
1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16"



Includes Canvas Roll.

14 Piece SAE Combination Wrench Set

Part No. D074201

Set Content:

14 SAE Combination Wrenches: 3/8", 7/16", 1/2", 9/16", 5/8",
11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4"



Includes Canvas Roll.

Wrenches

12 Piece SAE Combination Wrench Set - Contractor Series

Part No. D074222

Set Content:

12 SAE Satin Finish Combination Wrenches:
1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4",
13/16", 7/8", 15/16"



Includes Canvas Roll.

Contractor Series - A superior alternative to raised panel wrenches.



16 Piece SAE Combination Wrench Set - Contractor Series

Part No. D074221

Set Content:

16 SAE Satin Finish Combination Wrenches:
1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16",
3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4"



Includes Canvas Roll.

Wrenches

11 Piece Metric Combination Wrench Set

Part No. D074204

Set Content:

11 Metric Combination Wrenches:

9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm



Includes Canvas Roll.

19 Piece Metric Combination Wrench Set

Part No. D074203

Set Content:

19 Metric Combination Wrenches:

6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17,
18, 19, 20, 21, 22, 23, 24mm



Includes Canvas Roll.

Wrenches

11 Piece Metric Combination Wrench Set - Contractor Series

Part No. D074224

Set Content:

11 Metric Satin Finish Combination Wrenches:
9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm



Includes Canvas Roll.

19 Piece Metric Combination Wrench Set - Contractor Series

Part No. D074223

Set Content:

19 Metric Satin Finish Combination Wrenches:
6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17,
18, 19, 20, 21, 22, 23, 24mm



Includes Canvas Roll.


Wrenches



SAE Combination Wrenches - Mirror Chrome Finish

Size	Part No.	Overall Length (a) inches	Head Width (b) inches	Head Thickness (c) inches	Box End Width (d) inches	Box End Thickness (e) inches	Net Weight (lbs)
1/4"	D074008	5.04	0.54	0.17	0.41	0.18	0.05
5/16"	D074010	5.83	0.74	0.19	0.50	0.22	0.07
3/8"	D074012	6.06	0.81	0.23	0.61	0.32	0.10
7/16"	D074014	6.57	0.91	0.27	0.70	0.33	0.14
1/2"	D074016	7.01	1.04	0.28	0.80	0.35	0.16
9/16"	D074018	7.48	1.14	0.30	0.87	0.38	0.21
5/8"	D074020	8.07	1.28	0.33	0.96	0.42	0.27
11/16"	D074022	8.86	1.43	0.35	1.05	0.43	0.34
3/4"	D074024	9.76	1.52	0.36	1.11	0.44	0.39
13/16"	D074026	10.63	1.67	0.39	1.20	0.49	0.51
7/8"	D074028	11.50	1.83	0.41	1.31	0.51	0.63
15/16"	D074030	12.36	1.91	0.43	1.39	0.55	0.73
1"	D074032	13.23	1.98	0.45	1.44	0.57	0.93
1 1/16"	D074034	14.13	2.11	0.48	1.51	0.61	1.13
1 1/8"	D074036	15.35	2.25	0.51	1.70	0.62	1.46
1 1/4"	D074040	16.73	2.44	0.51	1.78	0.65	1.87

* Meets A.N.S.I. standards



Metric Combination Wrenches - Mirror Chrome Finish

Size	Part No.	Overall Length (a) inches	Head Width (b) inches	Head Thickness (c) inches	Box End Width (d) inches	Box End Thickness (e) inches	Net Weight (lbs)
6 mm	D074106	5.04	0.54	0.17	0.41	0.18	0.05
7 mm	D074107	5.43	0.60	0.18	0.46	0.20	0.06
8 mm	D074108	5.83	0.74	0.19	0.50	0.22	0.07
9 mm	D074109	6.06	0.81	0.23	0.61	0.32	0.10
10 mm	D074110	6.38	0.85	0.24	0.57	0.33	0.11
11 mm	D074111	6.57	0.91	0.27	0.70	0.33	0.14
12 mm	D074112	6.85	1.01	0.27	0.72	0.31	0.15
13 mm	D074113	7.01	1.04	0.28	0.80	0.35	0.16
14 mm	D074114	7.48	1.14	0.30	0.87	0.38	0.21
15 mm	D074115	8.07	1.28	0.33	0.96	0.42	0.27
16 mm	D074116	8.07	1.28	0.33	0.96	0.42	0.27
17 mm	D074117	8.86	1.43	0.35	1.05	0.43	0.34
18 mm	D074118	9.76	1.52	0.36	1.11	0.44	0.39
19 mm	D074119	9.76	1.52	0.36	1.11	0.44	0.39
20 mm	D074120	10.63	1.67	0.39	1.20	0.49	0.51
21 mm	D074121	10.63	1.67	0.39	1.20	0.49	0.51
22 mm	D074122	11.50	1.83	0.41	1.31	0.51	0.63
23 mm	D074123	12.36	1.91	0.43	1.39	0.55	0.73
24 mm	D074124	12.36	1.91	0.43	1.39	0.55	0.73
25 mm	D074125	13.23	1.98	0.45	1.44	0.57	0.93
26 mm	D074126	13.23	1.98	0.45	1.44	0.57	0.93
27 mm	D074127	14.13	2.11	0.48	1.51	0.61	1.13
28 mm	D074128	15.35	2.25	0.51	1.70	0.62	1.46
29 mm	D074129	15.35	2.25	0.51	1.70	0.62	1.46
30 mm	D074130	15.35	2.25	0.51	1.70	0.62	1.46
32 mm	D074132	16.73	2.44	0.51	1.78	0.65	1.87

* Meets A.N.S.I. standards

Wrenches

SAE Contractor Series Combination Wrenches - Satin Finish

Size	Part No.	Overall Length (a) inches	Head Width (b) inches	Head Thickness (c) inches	Box End Width (d) inches	Box End Thickness (e) inches	Net Weight (lbs)
1/4"	D074308	5.08	0.60	0.17	0.42	0.23	0.05
5/16"	D074310	5.59	0.73	0.19	0.51	0.26	0.07
3/8"	D074312	6.34	0.82	0.20	0.61	0.29	0.13
7/16"	D074314	6.61	0.91	0.23	0.68	0.31	0.14
1/2"	D074316	7.09	1.04	0.25	0.76	0.34	0.17
9/16"	D074318	7.60	1.06	0.25	0.79	0.34	0.24
5/8"	D074320	8.15	1.29	0.31	0.91	0.36	0.33
11/16"	D074322	8.94	1.35	0.31	0.96	0.41	0.40
3/4"	D074324	9.84	1.54	0.37	1.09	0.45	0.44
13/16"	D074326	10.67	1.71	0.39	1.21	0.50	0.62
7/8"	D074328	11.61	1.80	0.40	1.29	0.53	0.66
15/16"	D074330	12.48	1.95	0.41	1.36	0.56	0.84
1"	D074332	13.35	2.03	0.45	1.44	0.59	1.06
1 1/16"	D074334	14.25	2.18	0.48	1.52	0.62	1.28
1 1/8"	D074336	15.51	2.30	0.50	1.67	0.65	1.50
1 1/4"	D074340	16.89	2.56	0.53	1.80	0.71	1.94
1 5/16"	D074342	18.54	2.80	0.61	1.95	0.75	2.43
1 3/8"	D074344	18.54	2.80	0.61	1.95	0.75	2.43
1 7/16"	D074346	20.08	2.99	0.65	2.17	0.83	2.87
1 1/2"	D074348	20.08	2.99	0.65	2.17	0.83	2.87
1 5/8"	D074350	21.65	3.27	0.69	2.36	0.75	2.67
1 11/16"	D074352	21.65	3.27	0.69	2.36	0.75	2.67
1 3/4"	D074354	24.13	3.39	0.81	2.40	0.75	4.85
1 13/16"	D074356	24.13	3.39	0.81	2.40	0.75	4.85
1 7/8"	D074358	25.63	3.78	0.94	2.87	0.75	6.39
2"	D074360	25.63	3.78	0.94	2.87	0.75	6.39
2 1/8"	D074362	28.50	4.45	1.22	3.23	0.92	8.60
2 1/4"	D074364	28.50	4.45	1.22	3.23	0.92	8.60
2 3/8"	D074366	29.25	4.69	1.28	3.68	1.00	10.36
2 1/2"	D074368	29.25	4.69	1.28	3.68	1.00	10.36

* Meets A.N.S.I. standards

Metric Contractor Series Combination Wrenches - Satin Finish

Size	Part No.	Overall Length (a) inches	Head Width (b) inches	Head Thickness (c) inches	Box End Width (d) inches	Box End Thickness (e) inches	Net Weight (lbs)
6 mm	D074406	5.08	0.60	0.17	0.42	0.23	0.05
7 mm	D074407	5.31	0.64	0.18	0.46	0.24	0.06
8 mm	D074408	5.59	0.73	0.19	0.51	0.26	0.07
9 mm	D074409	6.10	0.76	0.19	0.54	0.26	0.11
10 mm	D074410	6.34	0.82	0.20	0.61	0.29	0.13
11 mm	D074411	6.61	0.91	0.23	0.68	0.31	0.14
12 mm	D074412	6.85	0.94	0.23	0.70	0.32	0.15
13 mm	D074413	7.09	1.04	0.25	0.76	0.34	0.17
14 mm	D074414	7.60	1.06	0.25	0.79	0.34	0.24
15 mm	D074415	7.87	1.21	0.28	0.89	0.35	0.29
16 mm	D074416	8.15	1.29	0.31	0.91	0.36	0.33
17 mm	D074417	8.94	1.35	0.31	0.96	0.41	0.40
18 mm	D074418	9.41	1.48	0.34	1.05	0.44	0.42
19 mm	D074419	9.84	1.54	0.37	1.09	0.45	0.44
20 mm	D074420	10.20	1.60	0.37	1.13	0.47	0.51
21 mm	D074421	10.67	1.71	0.39	1.21	0.50	0.62
22 mm	D074422	11.61	1.80	0.40	1.29	0.53	0.66
23 mm	D074423	12.48	1.95	0.41	1.36	0.56	0.84
24 mm	D074424	12.48	1.95	0.41	1.36	0.56	0.84
25 mm	D074425	13.35	2.03	0.45	1.44	0.59	1.06
26 mm	D074426	13.35	2.03	0.45	1.44	0.59	1.06
27 mm	D074427	14.25	2.18	0.48	1.52	0.62	1.28
28 mm	D074428	15.51	2.30	0.50	1.67	0.65	1.63
29 mm	D074429	15.51	2.30	0.50	1.67	0.65	1.63
30 mm	D074430	15.51	2.30	0.50	1.67	0.65	1.63
32 mm	D074432	16.89	2.56	0.53	1.80	0.71	1.94

* Meets A.N.S.I. standards



Contractor Series - A superior
alternative to raised panel wrenches.



Wrenches

8 Piece SAE Reversible Combination Ratcheting Wrench Set (15° Offset)

Part No. D076601

Set Content:

8 Ratcheting Wrenches: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"



Includes Canvas Roll.

12 Piece Metric Reversible Combination Ratcheting Wrench Set (15° Offset)

Part No. D076603

Set Content:

12 Ratcheting Wrenches: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm



Includes Canvas Roll.

Wrenches

8 Piece SAE Stubby Flex Head Combination Ratcheting Wrench Set

Part No. D076607

Set Content:

8 Stubby Ratcheting Wrenches: 5/16", 3/8", 7/16", 1/2",
9/16", 5/8", 11/16", 3/4"



Includes Zipper Case.

12 Piece Metric Stubby Flex Head Combination Ratcheting Wrench Set

Part No. D076608

Set Content:

12 Stubby Ratcheting Wrenches: 8, 9, 10,
11, 12, 13, 14, 15, 16, 17, 18, 19mm



Includes Zipper Case.

Wrenches



SAE Reversible Combination Ratcheting Wrenches (15° Offset)

Size	Part No.	Overall Length inches	Head Width inches	Head Thickness inches	Box End Width inches	Box End Thickness inches	Net Weight (lbs)
5/16"	D076010	5.31	0.73	0.20	0.70	0.30	0.07
3/8"	D076012	6.22	0.85	0.23	0.83	0.32	0.12
7/16"	D076014	6.57	0.95	0.23	0.89	0.32	0.15
1/2"	D076016	7.05	1.06	0.26	1.02	0.35	0.21
9/16"	D076018	7.44	1.23	0.30	1.09	0.37	0.26
5/8"	D076020	8.46	1.37	0.31	1.26	0.39	0.35
11/16"	D076022	9.13	1.50	0.31	1.34	0.42	0.40
3/4"	D076024	9.72	1.62	0.35	1.38	0.44	0.55

* Meets A.N.S.I. standards



Metric Reversible Combination Ratcheting Wrenches (15° Offset)

Size	Part No.	Overall Length inches	Head Width inches	Head Thickness inches	Box End Width inches	Box End Thickness inches	Net Weight (lbs)
8 mm	D076108	5.31	0.73	0.20	0.70	0.30	0.07
9 mm	D076109	5.59	0.76	0.21	0.75	0.30	0.09
10 mm	D076110	6.22	0.85	0.23	0.83	0.32	0.12
11 mm	D076111	6.57	0.95	0.23	0.89	0.32	0.15
12 mm	D076112	6.81	1.04	0.24	0.94	0.35	0.17
13 mm	D076113	7.05	1.06	0.26	1.02	0.35	0.21
14 mm	D076114	7.44	1.23	0.30	1.09	0.37	0.26
15 mm	D076115	7.83	1.32	0.31	1.15	0.37	0.30
16 mm	D076116	8.46	1.35	0.31	1.25	0.39	0.35
17 mm	D076117	9.13	1.50	0.31	1.34	0.42	0.40
18 mm	D076118	9.37	1.56	0.33	1.34	0.43	0.44
19 mm	D076119	9.72	1.62	0.35	1.38	0.44	0.55

* Meets A.N.S.I. standards



SAE Stubby Flex Head Ratcheting Wrenches

Size	Part No.	Overall Length inches	Head Width inches	Head Thickness inches	Box End Width inches	Box End Thickness inches	Net Weight (lbs)
5/16"	D076210	3.66	0.66	0.19	0.67	0.29	0.05
3/8"	D076212	3.76	0.83	0.22	0.82	0.29	0.08
7/16"	D076214	4.13	0.98	0.24	0.93	0.34	0.12
1/2"	D076216	4.19	1.08	0.24	0.97	0.34	0.13
9/16"	D076218	4.53	1.14	0.28	1.05	0.34	0.16
5/8"	D076220	4.80	1.30	0.30	1.17	0.41	0.21
11/16"	D076222	4.94	1.37	0.32	1.24	0.41	0.25
3/4"	D076224	5.43	1.53	0.35	1.34	0.42	0.33

* Meets A.N.S.I. standards



Metric Stubby Flex Head Ratcheting Wrenches

Size	Part No.	Overall Length inches	Head Width inches	Head Thickness inches	Box End Width inches	Box End Thickness inches	Net Weight (lbs)
8 mm	D076308	3.66	0.66	0.19	0.67	0.29	0.05
9 mm	D076309	3.76	0.83	0.22	0.82	0.29	0.08
10 mm	D076310	3.76	0.83	0.22	0.82	0.29	0.08
11 mm	D076311	4.13	0.98	0.24	0.93	0.34	0.12
12 mm	D076312	4.13	0.98	0.24	0.93	0.34	0.12
13 mm	D076313	4.19	1.08	0.24	0.97	0.34	0.13
14 mm	D076314	4.53	1.14	0.28	1.05	0.34	0.16
15 mm	D076315	4.80	1.30	0.30	1.17	0.41	0.22
16 mm	D076316	4.80	1.30	0.30	1.17	0.41	0.22
17 mm	D076317	4.94	1.37	0.32	1.24	0.41	0.25
18 mm	D076318	5.43	1.53	0.35	1.34	0.42	0.33
19 mm	D076319	5.43	1.53	0.35	1.34	0.42	0.35

* Meets A.N.S.I. standards

Wrenches

5 Piece SAE Double Box End Reversible Ratcheting Wrench Set (Straight)

Part No. D081203

Set Content:

5 Ratcheting Wrenches (straight): 1/4" x 5/16",
3/8" x 7/16", 1/2" x 9/16", 5/8" x 11/16", 3/4" x 7/8"



Includes Canvas Roll.

5 Piece SAE Double Box End Reversible Ratcheting Wrench Set (25° Offset)

Part No. D081201

Set Content:

5 Ratcheting Wrenches (25° offset): 1/4" x 5/16",
3/8" x 7/16", 1/2" x 9/16", 5/8" x 11/16", 3/4" x 7/8"



Includes Canvas Roll.

Wrenches

5 Piece Metric Double Box End Reversible Ratcheting Wrench Set (Straight)

Part No. D081204

Set Content:

5 Ratcheting Wrenches (straight): 7mm x 8mm, 9mm x 10mm, 11mm x 12mm, 13mm x 14mm, 15mm x 17mm



Includes Canvas Roll.

5 Piece Metric Double Box End Reversible Ratcheting Wrench Set (25° Offset)

Part No. D081202

Set Content:

5 Ratcheting Wrenches (25° offset): 7mm x 8mm, 9mm x 10mm, 11mm x 12mm, 13mm x 14mm, 15mm x 17mm



Includes Canvas Roll.

Wrenches

Adjustable Wrenches

Size	Part No.	Max. Jaw Opening (inches)	Net Weight (lbs)
4"	D072004	0.6	0.12
6"	D072006	0.8	0.30
8"	D072008	1.0	0.52
10"	D072010	1.2	0.96
12"	D072012	1.4	1.43
15"	D072015	1.7	2.80
18"	D072018	2.1	4.11

* Meets A.N.S.I. standards



Aluminum Pipe Wrenches

Size	Part No.	Max. Jaw Opening (inches)	Net Weight (lbs)
14"	D080014	2	2.02
18"	D080018	2.5	3.35
24"	D080024	3	5.42
36"	D080036	5	10.40
48"	D080048	6	18.07

* Meets A.N.S.I. standards




Torque Multipliers



Torque Multiplier (1/2"F-3/4"M)

Includes blow mold case.

Part No.	Input Drive	Output Drive	Maximum Input Torque ft. lb. (Nm)		Maximum Output Torque ft. lb. (Nm)		Torque Ratio	Length in.	Weight with case lbs.	Accuracy	Overload Protection	Anti Backlash
D086101	1/2" F	3/4" M	220	300	1100	1500	5:1	6.37	16.10	+/-5%	No	No




Torque Multiplier (1/2"F-1"M)

Includes blow mold case.

Part No.	Input Drive	Output Drive	Maximum Input Torque ft. lb. (Nm)		Maximum Output Torque ft. lb. (Nm)		Torque Ratio	Length in.	Weight with case lbs.	Accuracy	Overload Protection	Anti Backlash
D086103	1/2" F	1" M	141	193	2200	3000	15:1	8.0	33.70	+/-5%	No	Yes

Calibration Certificates

For ISO 9000 and QS 9000 customers, calibration certificates are available for an additional charge. To order tools with the third party calibration certificate simply add "-C" to any of the part numbers seen on pages 130-131.



Torque Multiplier (1/2"F-1"M)

Includes blow mold case.

Part No.	Input Drive	Output Drive	Maximum Input Torque ft. lb. (Nm)		Maximum Output Torque ft. lb. (Nm)		Torque Ratio	Length in.	Weight with case lbs.	Accuracy	Overload Protection	Anti Backlash
D086102	1/2" F	1" M	126	173	3300	4500	26:1	9.25	34.66	+/-5%	No	Yes

Calibration Certificates

For ISO 9000 and QS 9000 customers, calibration certificates are available for an additional charge. To order tools with the third party calibration certificate simply add "-C" to any of the part numbers seen on pages 130-131.

Torque Wrenches

Factory Calibration

Each torque wrench is calibrated prior to shipment from the factory within tolerance limits of CW (Clockwise) $\pm 4\%$ CCW (Counter Clockwise) $\pm 6\%$ (right-handed) accuracy within upper 80% of range. Dynamic NON-INSULATED torque wrenches can be torqued in both directions. But the calibration report only provides the CW reading. Every torque wrench includes a factory "ticket" confirming each tool has been tested and is within specification before being shipped.

Calibration Certificates

For ISO 9000 and QS 9000 customers, calibration certificates are available for an additional charge. To order tools with the third party calibration certificate simply add "-C" to any of the part numbers seen on pages 130-131.

An annual calibration and a scheduled maintenance program are highly recommended.



Fixed Head Torque Wrenches

Part No.	Square Drive	Capacity Imperial	Nm	Increments Imperial	Nm	Head Style	No. of Teeth	Length
D086000	1/4"	30-150 (in-lb)	4-16.4	1 (in-lb)	0.11	Fixed	64	8"
D086001	3/8"	20-100 (ft-lb)	33.9-128.8	1 (ft-lb)	1.4	Fixed	32	17"
D086002	1/2"	30-250 (ft-lb)	48-332	1 (ft-lb)	1.4	Fixed	32	24"
D086003	3/4"	100-600 (ft-lb)	170-780	5 (ft-lb)	6.8	Fixed	24	49"

- Quick release mechanism makes socket removal easy
- Lock ring prevents accidental change of torque setting
- Durable aluminum handle features an easy to grip diamond knurl surface
- Dual scale SAE/Metric
- Blow molded plastic case for convenient storage



Flex Head Torque Wrenches

Part No.	Square Drive	Capacity Imperial	Nm	Increments Imperial	Nm	Head Style	No. of Teeth	Length
D086201	3/8"	10 - 80 (ft-lb)	17-105	0.5 (ft-lb)	0.7	Flexible	32	19"
D086202	1/2"	30-250 (ft-lb)	48-332	1 (ft-lb)	1.4	Flexible	32	25"

- Quick release mechanism makes socket removal easy
- Lock ring prevents accidental change of torque setting
- Durable aluminum handle features an easy to grip diamond knurl surface
- Dual scale SAE/Metric
- Blow molded plastic case for convenient storage



Insulated Torque Wrench

Part No.	Square Drive	Capacity Imperial	Nm	Increments Imperial	Nm	Head Style	No. of Teeth	Length
D086301	3/8"	20 - 70 (ft-lb)	20-100	0.5 (ft-lb)	0.7	Fixed	45	17"

- Torque wrench is certified to 1000 V and tested to 10,000 V
- Compliant with the IEC 60900 standard
- Every torque wrench is marked with a unique serial number for traceability
- Factory certification calibrated within tolerance limits of $\pm 4\%$ clockwise
- Includes two extra calibration cover caps (Part no. D086301-EC)
- Dual scale SAE/Metric
- Blow molded plastic case for convenient storage



Hex Keys



Rust-Protection

All hex keys feature a corrosion resistant surface.

Long-Lasting

During the manufacturing process the hex keys are specially heat-treated for increased durability.

Superior Manufacturing

Precision machined tip to avoid slippage and stripping of fasteners.



Hex Keys

13 Piece SAE Ball End Long Hex Key Set

Part No. D043201

Set Content:

3/64", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16",
7/32", 1/4", 5/16", 3/8"



9 Piece Metric Ball End Long Hex Key Set

Part No. D043202

Set Content:

1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm



22 Piece SAE and Metric Ball End Long Hex Key Set

Part No. D043212

Set Content:

SAE 3/64", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32",
3/16", 7/32", 1/4", 5/16", 3/8"
Metric 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm



Hex Keys



13 Piece SAE Hex Key Set

Part No. D043203

Set Content:

3/64", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"



9 Piece Metric Hex Key Set

Part No. D043204

Set Content:

1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm



9 Piece Torx® Hex Key Set

Part No. D043205

Set Content:

T10, T15, T20, T25, T27, T30, T40, T45, T50



9 Piece Metric Extra Long High-Torque Hex Key Set

Part No. D043210



High-Torque tip design offers better access than straight tip, and better torque than ball-end hex keys.

Set Content:

1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm



13 Piece SAE Extra Long High-Torque Hex Key Set

Part No. D043211

Set Content:

0.5", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"

Hex Keys

30 Piece SAE & Metric Hex Key Set

Part No. D043206

Set Content:

Regular Metric: 0.7, 0.9, 1.3, 1.5, 2, 2.5, 3, 4, 4.5, 5, 5.5, 6, 7, 8, 10mm

Long SAE: 0.028", 0.035", 0.05", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"



9 Piece SAE Folding Hex Key Set

Part No. D043207

Set Content:

5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4"



7 Piece Metric Folding Hex Key Set

Part No. D043208

Set Content:

1.5, 2, 2.5, 3, 4, 5, 6 mm



8 Piece Torx® Folding Hex Key Set

Part No. D043209

Set Content:

T8, T10, T15, T20, T25, T27, T30, T40



Hex Keys

Scan To
Learn More



8 Piece Metric Loop Handle Hex Key Set

Part No. D043320

Set Content:
2, 2.5, 3, 4, 5, 6, 8, 10mm



8 Piece SAE Loop Handle Hex Key Set

Part No. D043420

Set Content:
5/64", 3/32", 1/8", 5/32", 3/16", 1/4", 5/16", 3/8"



SAE Individual Loop Handle Hex Keys

Part No.	Size	Blade Length (inches)	Overall Length (inches)	Handle Width (inches)	Weight (lbs)
D043401	5/64"	9	9.75	3.15	0.02
D043402	3/32"	9	9.75	3.15	0.04
D043404	1/8"	9	9.75	3.15	0.08
D043406	5/32"	9	9.75	3.15	0.13
D043407	3/16"	9	10	3.74	0.17
D043409	1/4"	9	10	3.74	0.23
D043410	5/16"	9	10.5	4.13	0.35
D043411	3/8"	9	10.5	4.13	0.55



Metric Individual Loop Handle Hex Keys

Part No.	Size	Blade Length (inches)	Overall Length (inches)	Handle Width (inches)	Weight (lbs)
D043301	2mm	9	9.75	3.15	0.02
D043302	2.5mm	9	9.75	3.15	0.04
D043303	3mm	9	9.75	3.15	0.08
D043305	4mm	9	9.75	3.15	0.13
D043307	5mm	9	10	3.74	0.17
D043309	6mm	9	10	3.74	0.23
D043310	8mm	9	10.5	4.13	0.35
D043311	10mm	9	10.5	4.13	0.55

Screwdrivers



User-Friendly Design

Screwdrivers feature a cushion-grip handle for excellent user comfort and power transfer to the tip.

Improved Visibility

Bright orange handle colour allows for easy tool retrieval.

Professional Grade

All screwdrivers meet ANSI standards.

Screwdrivers

36 Piece Screwdriver & Bit Set

Part No. D062505



Set Content:

4 Phillips®: #0, #1, #2, #3

1 Phillips® Stubby: #2

5 Slotted: 5/32", 3/16", 1/4", 5/16", 3/8"

1 Slotted Stubby: 1/4"

4 Square Recess: #0, #1, #2, #3

2 Square Recess Stubby: #1, #2

1 Offset Phillips®: #1, #2

1 Offset Slotted: 3/16", 1/4"

1 Offset Square Recess: #1, #2

Circuit Tester (110V only)

Magnetic Bit Holder

Torx® Bits: T10, T15, T20, T25, T27, T30, T40

Hex Bits: 2, 2.5, 3, 4, 5, 6, 8 mm



Includes Blow Mold Case.

9 Piece Screwdriver Set-Comfort Handle

Part No. D062500



Set Content:

5 Slotted: 1/8", 5/32", 1/4", 5/16", 3/8"

2 Phillips®: #1, #2

2 Square Recess: #1, #2

Includes Plastic Tray.



Non-slip, precision-machined tips provide an exact fit in fasteners

Screwdrivers

8 Piece Screwdriver Set-Comfort Handle

Part No. D062510



Set Content:

4 Slotted: 1/8", 3/16", 1/4", 5/16"

4 Phillips®: #0, #1, #2, #4

Plastic Storage Tray Included.

7 Piece Torx® Screwdriver Set-Comfort Handle

Part No. D062511



Set Content:

7 Torx®: T10, T15, T20, T25, T27, T30, T40

Plastic Storage Tray Included.

Screwdrivers

13 Piece Ratcheting Screwdriver Set

Part No. D062508



Bit compartment conveniently stores in the handle.



Set Content:

Ratcheting screwdriver handle

Phillips® bits: 0, 1, 2, 3

Square bits: 0, 1, 2, 3

Slotted bits: 3.5, 4.5, 5.5, 6.5

21 Piece Screwdriver Set with Removable Bits

Part No. D062506



Set Content:

Comfort Grip Handle (1/4" Hex)

Screwdriver Bits (3" Length):

Torx®: T10, T15, T20, T25, T30

Square Recess: #0, #1, #2, #3

Slotted: 1/8", 5/32", 3/16"

Phillips®: #0, #1, #2, #3

Screwdriver Bits (2" Length):

Phillips® (2" length): #1, #2 (2), #3



Includes Canvas Pouch.

Phillips® Screwdrivers Comfort Handle

Part No.	Tip Size	Blade Length (inches)	Overall Length (inches)	Shank Size (inches)	Weight (lbs)
D062100	#0	2.94	6.00	0.13	0.05
D062101	#1	2.95	6.89	0.20	0.13
D062102	#2	3.94	8.39	0.24	0.21
D062103	#3	5.91	10.67	0.31	0.35

* Meets A.N.S.I. standards



Phillips® Stubby Screwdrivers Comfort Handle

Part No.	Tip Size	Blade Length (inches)	Overall Length (inches)	Shank Size (inches)	Weight (lbs)
D062104	#1	1.50	3.80	0.20	0.09
D062105	#2	1.50	3.80	0.24	0.10

* Meets A.N.S.I. standards



Square Recess Screwdrivers Comfort Handle

Part No.	Tip Size	Blade Length (inches)	Overall Length (inches)	Shank Size (inches)	Weight (lbs)
D062201	#0	2.95	7.40	0.24	0.15
D062202	#1	3.94	8.39	0.24	0.21
D062203	#2	3.94	8.39	0.24	0.21
D062204	#3	4.92	9.37	0.24	0.23

* Meets A.N.S.I. standards



Square Recess Stubby Screwdrivers Comfort Handle

Part No.	Tip Size	Blade Length (inches)	Overall Length (inches)	Shank Size (inches)	Weight (lbs)
D062205	#1	1.50	3.80	0.24	0.09
D062206	#2	1.50	3.80	0.24	0.10

* Meets A.N.S.I. standards





Slotted
Tip-Type ID



Slotted Screwdrivers Comfort Handle

Part No.	Tip Size	Blade Length (inches)	Overall Length (inches)	Shank Size (inches)	Weight (lbs)
D062001	1/8"	2.95	6.02	0.12	0.07
D062002	5/32"	2.95	6.02	0.12	0.07
D062003	3/16"	3.94	7.87	0.16	0.12
D062004	1/4"	4.92	9.37	0.23	0.23
D062005	5/16"	5.91	10.67	0.31	0.34
D062006	3/8"	7.87	12.64	0.39	0.50

* Meets A.N.S.I. standards

Slotted Stubby Screwdriver Comfort Handle

Part No.	Tip Size	Blade Length (inches)	Overall Length (inches)	Shank Size (inches)	Weight (lbs)
D062007	1/4"	1.50	3.80	0.24	0.10

* Meets A.N.S.I. standards



Torx®
Tip-Type ID

Torx® Screwdrivers Comfort Handle

Part No.	Tip Size	Blade Length (inches)	Overall Length (inches)	Shank Size (inches)	Weight (lbs)
D062307	T10	3.94	7.84	0.20	0.14
D062308	T15	3.94	8.35	0.20	0.18
D062309	T20	3.94	8.35	0.20	0.18
D062310	T25	3.94	8.35	0.24	0.20
D062311	T27	3.94	8.35	0.24	0.20
D062312	T30	3.94	8.66	0.24	0.27
D062313	T40	3.94	8.66	0.27	0.29

* Meets A.N.S.I. standards

Screwdrivers

7 Piece SAE Nut Driver Set Acetate Handle

Part No. D062503



Set Content:

7 SAE Nut Drivers: 3/16", 1/4", 5/16", 11/32", 3/8", 7/16", 1/2"
Includes Plastic Tray.

7 Piece Metric Nut Driver Set Acetate Handle

Part No. D062504

Set Content:

7 Metric Nut Drivers: 5, 6, 7, 8, 9, 10, 11mm
Includes Plastic Tray.

SAE Nut Drivers-Acetate Handle

Part No.	Hex Size	Blade Length (inches)	Overall Length (inches)	Shank Size (inches)	Weight (lbs)
D062401	3/16"	3	6.75	0.24	0.16
D062402	1/4"	3	6.75	0.24	0.16
D062403	5/16"	3	6.75	0.31	0.19
D062404	11/32"	3	6.75	0.31	0.19
D062405	3/8"	3	6.75	0.31	0.20
D062406	7/16"	3	6.75	0.43	0.26
D062407	1/2"	3	6.75	0.43	0.27

* Meets A.N.S.I. standards



Metric Nut Drivers-Acetate Handle

Part No.	Hex Size	Blade Length (inches)	Overall Length (inches)	Shank Size (inches)	Weight (lbs)
D062408	5 mm	3	6.75	0.24	0.16
D062409	6 mm	3	6.75	0.24	0.16
D062410	7 mm	3	6.75	0.31	0.19
D062411	8 mm	3	6.75	0.31	0.19
D062412	9 mm	3	6.75	0.31	0.20
D062413	10 mm	3	6.75	0.43	0.26
D062414	11 mm	3	6.75	0.43	0.26

* Meets A.N.S.I. standards



Screwdrivers

7 Piece Precision Screwdriver Set

Part No. D062509



Set Content:

4 Slotted Screwdrivers: 3/64", 5/64", 3/32", 1/8"

3 Phillips® Screwdrivers: #000, #00, #0

Precision Screwdrivers - Slotted



Part No.	Tip Size	Blade Length (inches)	Overall Length (inches)	Shank Size (inches)	Weight (lbs)
D062801	0.012 x 3/64"	2.36	6.00	0.12	0.02
D062802	0.015 x 5/64"	2.36	6.00	0.12	0.03
D062803	0.015 x 3/32"	2.90	6.50	0.16	0.03
D062804	0.024 x 1/8"	2.90	6.50	0.24	0.03

Precision Screwdrivers - Phillips®



Part No.	Tip Size	Blade Length (inches)	Overall Length (inches)	Shank Size (inches)	Weight (lbs)
D062805	#000	2.36	6.00	0.08	0.03
D062806	#00	2.36	6.00	0.08	0.03
D062807	#0	2.90	6.50	0.10	0.03

Electrical Tools



Guaranteed Protection

All electrical tools with insulated handles are 1000 V certified to IEC 60900:2004.

User-Friendly Design

Comfort grip handles for easy operation and secure non-slip grip.

Peace of Mind

All electrical tools are backed by a lifetime warranty.

Insulated Tool Set

44 Piece Insulated Tool Set

Part No: D113001



Blow Mold Case shown



Set Content:

3/8" Drive Standard Sockets: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

3/8" Drive Deep Sockets: 8, 10, 12, 13, 14, 17, 19mm

3/8" Drive Hex Bit Sockets: 4, 5, 6, 8, 10mm

3/8" Drive Torx® Sockets: T10, T15, T20, T25, T27, T30, T40, T45

Nut Drivers: 5, 5.5, 6, 7, 8, 9, 10, 11mm

3/8" Drive Quick Release Ratchet, 7 3/4" Long

3/8" Drive Quick Release Extension, 6 3/4" Long

Adjustable Wrench, 8 1/2" Long

Cable Knife, 7 1/2" Long

Includes Blow Mold Case.

Insulated Tool Set

28 Piece Insulated Tool Set

Part No: D113000



Blow Mold Case shown



Scan To
Learn More



Set Content:

Open End Wrenches: 11, 12, 13, 14, 17, 19mm
 1/2" Drive 6 Point Sockets: 10, 11, 12, 13, 14, 17, 19, 22, 24mm
 1/2" Drive Quick Release Ratchet 10" Long
 1/2" Drive Quick Release Extensions: 5 1/2" & 10 1/2"
 Slotted Screwdrivers: 1/8", 5/32", 7/32", 1/4"
 Phillips® Screwdrivers: #0, #1, #2
 Pliers: 6 3/4" Side cutter, 7 3/8" Linesman, 8 3/8" Long nose
 Includes Blow Mold Case.

Insulated Screwdrivers

14 Piece Insulated Screwdriver Set with Interchangeable Blades

Part No. D062721



Set Content:

Screwdriver handle

3 Phillips® Blades: #0, #1, #2

3 Torx® Blades: #0, #1, #2

5 Slotted Blades: 0.4 x 2.5mm, 0.6 x 3.5mm, .08 x 4mm, 1.0 x 5.5mm, 1.2 x 6.5mm

Rotating precision screwdriver end cap

Voltage Tester

7 Piece Insulated Screwdriver Set

Part No. D062722



Set Content:

3 Phillips®: #0, #1, #2

4 Slotted: 1/8", 5/32", 7/32", 1/4"

Includes Plastic Tray.

Insulated Screwdrivers & Nut Drivers

Slotted Insulated Screwdrivers

Part No.	Tip Size	Blade Length (inches)	Overall Length (inches)	Shank Size (inches)	Weight (lbs)
D062710	1/8"	4.00	8.00	0.16	0.10
D062711	5/32"	4.00	8.00	0.16	0.10
D062712	7/32"	5.00	9.00	0.22	0.15
D062713	1/4"	6.00	10.00	0.25	0.20

* Meets A.N.S.I. standards



Phillips® Insulated Screwdrivers

Part No.	Tip Size	Blade Length (inches)	Overall Length (inches)	Shank Size (inches)	Weight (lbs)
D062714	No 0	2.40	6.00	0.16	0.10
D062715	No 1	3.20	7.00	0.22	0.15
D062716	No 2	4.00	8.00	0.25	0.20

* Meets A.N.S.I. standards



8 Piece Insulated Metric Nut Driver Set

Part No. D062723



Set Content:

8 Metric Insulated Nut Drivers: 5, 5.5, 6, 7, 8, 9, 10, 11 mm

- Each nut driver is made from chrome vanadium steel for strength and durability.
- Precision-machined openings for an exact fit on fasteners.
- Ergonomic non-slip handle with flat areas for roll-off prevention.

Insulated Pliers

4 Piece Plier Set-Insulated Handles

Part No. D055210



Set Content:

8" Linesman Pliers, 8" Diagonal Cutting Pliers, 8" Long Nose Pliers, 10" Box Joint Water Pump Pliers
Includes Plastic Tray.

Linesman Pliers-Insulated Handles



Part No.	Overall Length	Jaw Length (inches)	Jaw Thickness (inches)	Weight (lbs)
D055100	7"	1.42	0.24	0.64
D055101	8"	1.65	0.30	0.90

* Meets A.N.S.I. standards

Diagonal Cutting Pliers-Insulated Handles



Part No.	Overall Length	Jaw Length (inches)	Jaw Thickness (inches)	Weight (lbs)
D055102	6"	0.79	0.43	0.45
D055103	8"	0.87	0.43	0.64

* Meets A.N.S.I. standards

Long Nose Pliers-Insulated Handles



Part No.	Overall Length	Jaw Length (inches)	Jaw Thickness (inches)	Weight (lbs)
D055104	6"	2.09	0.12	0.37
D055105	8"	2.87	0.17	0.55

* Meets A.N.S.I. standards

Bent Nose Pliers-Insulated Handles

Part No.	Overall Length	Jaw Length (inches)	Jaw Thickness (inches)	Weight (lbs)
D055106	6"	1.69	0.12	0.37
D055107	8"	2.72	0.17	0.55

* Meets A.N.S.I. standards



Wire Stripping Pliers-Insulated Handles

Part No.	Overall Length	Jaw Length (inches)	Jaw Thickness (inches)	Weight (lbs)
D055108	6"	1.44	0.37	0.45

* Meets A.N.S.I. standards



Box Joint Water Pump Pliers-Insulated Handles

Part No.	Overall Length	Jaw Length (inches)	Jaw Thickness (inches)	Weight (lbs)
D055109	10"	1.44	0.39	0.93

* Meets A.N.S.I. standards



Insulated Hex Keys

6 Piece Metric T-Handle Hex Key Set-Insulated Handles

Part No. D043520



Set Content:
2.5, 3, 4, 5, 6, 8 mm

6 Piece SAE T-Handle Hex Key Set-Insulated Handles

Part No. D043620



Set Content:
5/32", 3/16", 7/32", 1/4", 5/16", 3/8"

Insulated Tools

Factory Calibration

Each torque wrench is calibrated prior to shipment from the factory within tolerance limits of $\pm 4\%$ clockwise (right-handed) accuracy within upper 80% of range. Every torque wrench includes a factory "ticket" confirming each tool has been tested and is within specification before being shipped.



Storage case included



Insulated Torque Wrench

Part No.	Square Drive	Capacity		Increments		Head Style	No. of Teeth	Length
		Imperial	Nm	Imperial	Nm			
D086301	3/8"	20 - 70 (ft-lb)	20-100	0.5 (ft-lb)	0.7	Fixed	45	17"

- Torque wrench is certified to 1000 V and tested to 10,000 V
- Compliant with the IEC 60900 standard
- Every torque wrench is marked with a unique serial number for traceability
- Factory certification calibrated within tolerance limits of $\pm 4\%$ clockwise
- Includes two extra calibration cover caps (Part no. D086301-EC)
- Dual scale SAE/Metric
- Blow molded plastic case for convenient storage



Cable Knife - Insulated Handle

Part No.	Overall Length (inches)	Blade Length (inches)	Weight (lbs)
D115001	7 1/2	1.50	0.20

* Meets A.N.S.I. standards



Blade protective cap included



Pliers, Snips & Cutters



User-Friendly Design

Comfort grip handles for easy operation and secure non-slip grip.

Improved Visibility

Bright orange handle colour allows for easy tool retrieval.

Professional Grade

All pliers meet ANSI standards.



4 Piece Plier Set-Comfort Handles

Part No. D055202



Set Content:

7" High Leverage Linesman Pliers, 6-1/2" High Leverage Diagonal Cutting Pliers, 6-1/2" High Leverage Long Nose Pliers, 10" Groove Joint Pliers
Includes Plastic Tray.

5 Piece Plier Set-Comfort Handles

Part No. D055203



Set Content:

8" High Leverage Linesman Pliers, 7-1/4" High Leverage Diagonal Cutting Pliers, 8" High Leverage Long Nose Pliers, 7-3/4" Bent Nose Pliers, 8" Slip Joint Pliers
Includes Plastic Tray.

Pliers

5 Piece Miniature Plier Set-Comfort Handles

Part No. D055610



Contains: 4-3/4" End Nipper Pliers, 5" Side Cutting Pliers, 6" Flat Nose Pliers, 6" Long Nose Cutting Pliers, 5-1/4" Combination Pliers

Diagonal Cutting Pliers-Comfort Handles



Part No.	Overall Length	Jaw Length (inches)	Jaw Thickness (inches)	Weight (lbs)
D055738*	6-1/2"	1.00	0.43	0.55
D055700*	7-1/4"	1.00	0.43	0.60

* Meets A.N.S.I. standards

* High leverage design

Long Nose Pliers- Comfort Handles



Part No.	Overall Length	Jaw Length (inches)	Jaw Thickness (inches)	Weight (lbs)
D055701*	6-1/2"	1.93	0.35	0.35
D055702*	8"	2.99	0.37	0.50
D055003	11"	3.23	0.39	0.65

* Meets A.N.S.I. standards

* High leverage design

Bent Nose Pliers-Comfort Handles



Part No.	Overall Length	Jaw Length (inches)	Jaw Thickness (inches)	Weight (lbs)
D055004	6"	1.73	0.35	0.35
D055005	8"	2.85	0.37	0.50
D055006	11"	2.80	0.39	0.65

* Meets A.N.S.I. standards

Linesman Pliers-Comfort Handles

Part No.	Overall Length	Jaw Length (inches)	Jaw Thickness (inches)	Weight (lbs)
D055713*	7"	1.50	0.39	0.60
D055714*	8"	1.61	0.43	0.75

* Meets A.N.S.I. standards

* High leverage design



Slip Joint Pliers-Comfort Handles

Part No.	Overall Length	Jaw Length (inches)	Jaw Thickness (inches)	Weight (lbs)
D055007	6"	1.59	0.39	0.45
D055008	8"	2.05	0.41	0.60
D055009	10"	2.24	0.46	0.80

* Meets A.N.S.I. standards



Groove Joint Pliers-Comfort Handles

Part No.	Overall Length	Jaw Length (inches)	Jaw Thickness (inches)	Weight (lbs)
D055010	7 1/2"	1.69	0.39	0.60
D055011	9 1/2"	2.03	0.44	0.80
D055012	12"	2.50	0.47	1.00

* Meets A.N.S.I. standards





Miniature End Nipper Pliers Comfort Handles

Part No.	Overall Length	Jaw Length (inches)	Jaw Thickness (inches)	Weight (lbs)
D055601	4-3/4"	0.43	0.28	0.20

* Meets A.N.S.I. standards



Miniature Side Cutting Pliers Comfort Handles

Part No.	Overall Length	Jaw Length (inches)	Jaw Thickness (inches)	Weight (lbs)
D055602	5"	0.43	0.28	0.20

* Meets A.N.S.I. standards



Miniature Flat Nose Pliers Comfort Handles

Part No.	Overall Length	Jaw Length (inches)	Jaw Thickness (inches)	Weight (lbs)
D055603	6"	1.50	0.32	0.20

* Meets A.N.S.I. standards



Miniature Long Nose Cutting Pliers Comfort Handles

Part No.	Overall Length	Jaw Length (inches)	Jaw Thickness (inches)	Weight (lbs)
D055604	6"	1.50	0.32	0.20

* Meets A.N.S.I. standards



Miniature Combination Pliers Comfort Handles

Part No.	Overall Length	Jaw Length (inches)	Jaw Thickness (inches)	Weight (lbs)
D055605	5-1/4"	0.80	0.32	0.20

* Meets A.N.S.I. standards


12 Piece Retaining Ring Pliers (Internal/External)

Part No. D095100



- Removes and installs internal and external snap rings
- Comfort grip handles to reduce user hand fatigue
- Jaws spread up to 1-1/4" wide

Overall Length	Tip Angle	Tip Diameter
6"	0°	0.038"/1mm
6"	45°	0.038"/1mm
6"	90°	0.038"/1mm
6"	0°	0.047"/1.2mm
6"	45°	0.047"/1.2mm
6"	90°	0.047"/1.2mm
8"	0°	0.070"/1.8mm
8"	45°	0.070"/1.8mm
8"	90°	0.070"/1.8mm
9.25"	0°	0.090"/2.3mm
9.25"	45°	0.090"/2.3mm
9.25"	90°	0.090"/2.3mm



Retaining Ring Pliers (Internal/External)

Part No.	Overall Length	Tip Angle	Tip Diameter
D095201	6"	0°	0.038"/1mm
D095202	6"	45°	0.038"/1mm
D095203	6"	90°	0.038"/1mm
D095204	6"	0°	0.047"/1.2mm
D095205	6"	45°	0.047"/1.2mm
D095206	6"	90°	0.047"/1.2mm
D095207	8"	0°	0.070"/1.8mm
D095208	8"	45°	0.070"/1.8mm
D095209	8"	90°	0.070"/1.8mm
D095210	9.25"	0°	0.090"/2.3mm
D095211	9.25"	45°	0.090"/2.3mm
D095212	9.25"	90°	0.090"/2.3mm



Pliers



WARNING: Handles are not insulated and not designed to protect the user against electrical shock

Wire Stripper/Cutter-Comfort Handles

Part No.	Overall Length	Jaw Length (inches)	Jaw Thickness (inches)	Weight (lbs)
D095001	8.25"	1.75	0.12	0.35

* Meets A.N.S.I. standards

- Strips 8-20 AWG solid wire and 10-22 AWG stranded wire
- Serrated jaws to pull, bend and loop wire



WARNING: Handles are not insulated and not designed to protect the user against electrical shock

Self-Adjusting Wire Stripper

Part No.	Overall Length	Jaw Length (inches)	Jaw Thickness (inches)	Weight (lbs)
D095002	8"	1.75	1.00	0.70

* Meets A.N.S.I. standards

- Quickly strips 10-24 AWG wire
- Handle mounted crimper and cutter



WARNING: Handles are not insulated and not designed to protect the user against electrical shock

Wire Stripper/Cutter/Crimper

Part No.	Overall Length	Jaw Length (inches)	Jaw Thickness (inches)	Weight (lbs)
D095003	7-3/4"	0.75	0.12	0.50

* Meets A.N.S.I. standards

- Wire cutter (Anvil type)
- Crimps: Insulated: 22-14, 12-10 AWG
 - Cuts & Strips: 10/12/14/16/18/20/22 AWG
 - Screw Cutter: 4-40/6-32/8-32/10-32/10-24 bolts
 - Measures stud sizes: 3/8, 5/16, 1/4, 12, 10, 8, 4
 - Non-slip vinyl grips provides accurate control and are easy to clean

5 Piece Locking Plier Set

Part No. D055316



No-Pinch Release Lever

Set Content:

- 10" locking plier - straight jaws
- 10" locking plier - curved jaws
- 7" locking plier - curved jaws with wire cutter
- 6" locking plier - long nose
- 5" locking plier - curved jaws with wire cutter



Includes Canvas Roll.

6 Piece Joint Welding Locking Pliers Set

Part No. D055416



Scan To
Learn More



Set Content:

- 8" flap lap joints locking pliers
- 9" flanged, lapped & adjacent joints locking pliers
- 8" adjacent joints locking pliers
- 8" flanged lap joints locking pliers
- 7" lap joints locking pliers
- 7" 90° angle joints locking pliers



Includes Blow Mold Case.

Pliers



No-Pinch Release Lever



Locking Pliers - Curved Jaws

- The narrow, large opening curved jaws provide firm grip on all round shapes

Part No.	Overall Length	Jaw Opening (inches)	Weight (lbs)
D055304	7"	1.50	0.75
D055305	10"	1.88	1.17

Locking Pliers - Curved Jaws with Wire Cutter

- The functionality of regular curved jaws with added convenience of a wire cutter

Part No.	Overall Length	Jaw Opening (inches)	Weight (lbs)
D055301	5"	1.13	0.40
D055302	7"	1.50	0.75
D055303	10"	1.88	1.17

Locking Pliers - Straight Jaws

- Straight jaws provide firm grip on all flat shapes

Part No.	Overall Length	Jaw Opening (inches)	Weight (lbs)
D055306	7"	1.18	0.79
D055307	10"	1.88	1.21

Locking Pliers - Long Nose

- Long slim jaw design is helpful when holding, placing or extracting pieces in recessed spaces

Part No.	Overall Length	Jaw Opening (inches)	Weight (lbs)
D055312	6"	1.13	0.42
D055313	9"	2.25	0.82

Locking Clamps - Swivel Pads

- Two knurled swivel pads allow a non-slip parallel clamping on tapered surfaces without any damage to the piece

Part No.	Overall Length	Jaw Opening (inches)	Weight (lbs)
D055308	6"	2.00	0.57
D055309	11"	3.37	1.70

Locking Clamp

- Wide jaw profile provides great versatility in clamping large objects

Part No.	Overall Length	Jaw Opening (inches)	Weight (lbs)
D055310	11"	3.37	1.59

Locking Chain Clamp

- Flexible heavy duty chain adjusts quickly around any shape providing a secure hold even in hard to reach areas
- 19-1/2" Chain Length

Part No.	Overall Length	Jaw Opening	Weight (lbs)
D055311	9"	-	1.57
D055401	Replacement chain for D055311		



No-Pinch Release Lever

Locking Welding Clamp

- Holds two sections together with a firm grip

Part No.	Overall Length	Jaw Opening	Weight (lbs)
D055314	9"	2.00"	1.48



Locking Wrench Tool

- Jaw design ensure secure grip onto three sides of the fastener

Part No.	Overall Length	Jaw Opening	Weight (lbs)
D055315	7"	-	1.28



Flat Lap Joints Locking Plier

- Clamps lap joints allowing four consecutive spot welds without tool removal.

Part No.	Overall Length	Maximum Jaw Opening	Weight (lbs)
D055402	8"	0.59"	1.10





Flanged, Lapped & Adjacent Joints Locking Plier

- Clamps two flanged, lapped or adjacent joints.

Part No.	Overall Length	Maximum Jaw Opening	Weight (lbs)
D055403	9"	0.39"	1.10



Adjacent Joints Locking Plier

- Clamps two butt or adjacent joints.

Part No.	Overall Length	Maximum Jaw Opening	Weight (lbs)
D055404	8"	0.59"	1.00



Flanged Lap Joints Locking Plier

- Clamps two flanged lap joints.

Part No.	Overall Length	Maximum Jaw Opening	Weight (lbs)
D055405	8"	0.39"	1.00



Lap Joints Locking Plier

- Clamps two lap joints.

Part No.	Overall Length	Maximum Jaw Opening	Weight (lbs)
D055406	7"	0.39"	0.95



90° Angle Joints Locking Plier

- Clamps two sheet metal pieces of equal thickness at 90°.

Part No.	Overall Length	Maximum Jaw Opening	Weight (lbs)
D055407	7"	0.59"	1.10

3 Piece Aviation Snips Set

Part No. D055205



Set Content:

Aviation Snip-Cuts Right, Aviation Snip-Cuts Straight, Aviation Snip-Cuts Left

Aviation Snips-Cuts Right

Weight	Overall	Cut	Cuts	Grip	
Part No.	Length	(inches)		Colour	(lbs)
D055028	10"	1.70	Right	Green	0.84

* Meets A.N.S.I. standards



Aviation Snips-Cuts Straight

Part No.	Overall Length	Cut (inches)	Cuts	Grip Colour	Weight (lbs)
D055029	10"	1.70	Straight	Yellow	0.84

* Meets A.N.S.I. standards



Aviation Snips-Cuts Left

Part No.	Overall Length	Cut (inches)	Cuts	Grip Colour	Weight (lbs)
D055030	10"	1.70	Left	Red	0.84

* Meets A.N.S.I. standards





Scan To
Learn More



Ratcheting Cable Cutter

Part No.	Maximum Cable Cutting Capacities		
	Copper (Stranded & Flexible)	Aluminum (Stranded & Flexible)	Telephone (Data & Control)
D055039	500 MCM (240 mm ²)	500 MCM (240 mm ²)	1-3/16" diameter (32 mm)

- 10" overall length
- Built-in safety release in all cutting positions
- Hardened, precision cutting blades
- Non-slip handles for secure grip



Cable Cutter

Part No.	Overall Length	Weight (lbs)
D055036	10"	1.0

* Meets A.N.S.I. standards



End Cutter

Part No.	Overall Length	Weight (lbs)
D055037	8"	0.75

* Meets A.N.S.I. standards

Tin Snips

Part No.	Overall Length	Jaw Length (inches)	Weight (lbs)
D055032	10"	1.77	0.80
D055033	12"	1.77	1.00



Bolt Cutters

Part No.	Overall Length	Cutting Capacity		Replacement Cutters
		Soft HRC15	Medium HRC31	
D091001	14"	9/32"	7/32"	D091001CUT
D091002	18"	5/16"	1/4"	D091002CUT
D091003	24"	3/8"	5/16"	D091003CUT
D091004	30"	1/2"	3/8"	D091004CUT
D091005	36"	11/16"	7/16"	D091005CUT

* Meets A.N.S.I. standards

Features:

- All steel tubular handles with rubber grips
- Drop forged alloy tool steel jaws with precision ground cutting edges for maximum wear resistance
- Toggle joint transforms 50 pounds of hand pressure to 4,000 pounds of pressure on cutting edges of jaws
- Screw-type adjustment realigns cutting edges





WARNING: Handles are not insulated and not designed to protect the user against electrical shock

Multi-Purpose Electrician's Scissors

Part No.	Cutting Length	Overall Length	Weight (lbs)
D046100	1-7/8"	6"	0.20

- Cuts electrical wire and cable 12-16 AWG, aluminum and copper wires up to Ø3.5mm.
- Strips Ø2-3mm wire.



Multi-Purpose Heavy-Duty Shears

Part No.	Cutting Length	Overall Length	Weight (lbs)
D046101	2-1/4"	8"	0.35

- Spring-loaded handles reduce strain on hands during repetitive cuts.
- Built-in safety lock keeps sharp blades securely closed when not in use.



General Purpose Scissors

Part No.	Cutting Length	Overall Length	Weight (lbs)
D046102	2-5/8"	7"	0.15

- Comfort-grip handles provide comfort and precision during use.

Punches & Chisels



Complete Assortment

A variety of punches and chisels to meet any job requirements.

Durable Construction

Special heat treatment ensures improved durability.

Professional Grade

All punches and chisels meet ANSI standards.

Punches & Chisels

8 Piece Chisel Set

Part No. D058201



Set Content:

8 Cold Chisels: 1/4", 5/16", 3/8", 1/2", 5/8", 3/4", 7/8", 1"

Includes Canvas Roll.

7 Piece Pin Punch Set

Part No. D058200



Set Content:

7 Pin Punches: 1/16", 3/32", 1/8", 5/32", 3/16", 1/4", 5/16"

Includes Canvas Roll.

Punches & Chisels

8 Piece Punch And Chisel Set

Part No. D058202



Set Content:

3 Cold Chisels: 1/2", 5/8", 3/4"

Centre Punch: 5/32"

Solid Punch: 3/16"

3 Pin Punches: 1/8", 3/16", 1/4"



Includes Canvas Roll.

16 Piece Punch And Chisel Set

Part No. D058203



Set Content:

5 Cold Chisels: 5/16", 1/2", 5/8", 3/4", 7/8"

3 Centre Punches: 1/8", 5/32", 1/4"

3 Solid Punches: 1/8", 3/16", 1/4"

2 Drift Punches: 3/16", 1/4"

3 Pin Punches: 1/8", 3/16", 1/4"



Includes Canvas Roll.

Punches & Chisels



Automatic Centre Punch

Part No.	Overall Length (inches)	Weight (lbs)
D058030	4.90	0.12

* Meets A.N.S.I. standards

Pin Punches

Part No.	Pin Diameter (inches)	Body (inches)	Length (inches)	Weight (lbs)
D058001	1/16	1/4	4	0.05
D058002	3/32	1/4	4-1/4	0.05
D058003	1/8	5/16	4-3/4	0.05
D058004	5/32	5/16	5	0.10
D058005	3/16	5/16	5-1/4	0.10
D058006	1/4	3/8	5-3/4	0.15
D058007	5/16	7/16	6	0.20

* Meets A.N.S.I. standards

Drift Punches

Part No.	Pin Diameter (inches)	Body (inches)	Length (inches)	Weight (lbs)
D058008	1/8	5/16	8	0.15
D058009	5/32	3/8	9	0.20
D058010	3/16	5/16	10	0.20
D058011	1/4	3/8	10	0.25

* Meets A.N.S.I. standards

Solid Punches

Part No.	Pin Diameter (inches)	Body (inches)	Length (inches)	Weight (lbs)
D058012	1/16	3/8	5	0.10
D058013	1/8	5/16	5	0.10
D058014	5/32	3/8	5	0.15
D058015	3/16	3/8	5	0.15
D058016	1/4	1/2	5	0.25
D058017	5/16	1/2	6	0.30

* Meets A.N.S.I. standards

Centre Punches

Part No.	Pin Diameter (inches)	Body (inches)	Length (inches)	Weight (lbs)
D058018	5/64	1/4	3-1/2	0.05
D058019	1/8	5/16	4-1/2	0.10
D058020	5/32	5/16	5-1/2	0.10
D058021	1/4	3/8	6	0.20

* Meets A.N.S.I. standards

Cold Chisels

Part No.	Width of Cut (inches)	Body (inches)	Length (inches)	Weight (lbs)
D058101	1/4	1/4	5	0.05
D058102	5/16	1/4	5	0.05
D058103	3/8	5/16	5-1/2	0.10
D058104	1/2	7/16	6	0.25
D058105	5/8	1/2	6-1/2	0.35
D058106	3/4	5/8	7	0.60
D058107	7/8	5/8	8	0.70
D058108	1	3/4	8-1/2	1.05
D058109	1	3/4	10	1.25
D058110	1	3/4	12	1.50

* Meets A.N.S.I. standards

Clamping & Extracting



Complete Assortment

A variety of clamping and pulling tools to meet any job requirements.

Durable Construction

Special heat treatment process ensures years of continuous service.

Clamping & Extracting



C-Clamps

- Drop forged steel construction for maximum clamping power
- High strength ACME screw with black oxide plating for corrosion resistance

Part No.	Opening Capacity	Throat Depth	Spindle Diameter	Max. Clamping Power (lbs)	Weight (lbs)
D090001	0-2"	2 1/4"	15/32"	2700	1.4
D090002	0-3"	2 1/2"	45/64"	3000	2.5
D090003	0-4"	3 1/4"	45/64"	3700	3.6
D090004	0-6"	4 1/8"	45/64"	4500	4.6
D090005	0-8"	5"	45/64"	5200	7.9
D090006	0-10"	6"	15/16"	6000	11.8
D090007	0-12"	6 5/16"	15/16"	8000	14.5



Self-Adjusting Pullers

- Spring-loaded jaws for quick and easy set-up for different applications
- Two or three jaw design for added flexibility
- Solid Chrome-Vanadium forged construction for increased durability
- Heavy duty forcing screw with live center for strong even pulls

Part No.	Pulling Capacity	Maximum Reach	Maximum Spread	Weight (lbs)
D093001	2 tons	3 1/2"	4"	2.96
D093002	5 tons	5 1/4"	7"	6.25

Striking Tools



Complete Assortment

A variety of hammers and pry bars to meet any job requirements.

User-Friendly Design

Hammers are offered in a choice of Fiberglass and Hickory handles.

Professional Grade

All hammers and pry bars meet ANSI standards.



Claw Hammer-Hickory Handle

Part No.	Head Weight	Head Diameter (inches)	Head Length (inches)	Overall Length (inches)
D041010	16 oz.	1.09	5.07	12.83

* Meets A.N.S.I. standards



Claw Hammer-Fiberglass Handle

Part No.	Head Weight	Head Diameter (inches)	Head Length (inches)	Overall Length (inches)
D041011	16 oz.	1.09	5.07	12.95

* Meets A.N.S.I. standards



Ball Pein Hammers-Hickory Handle

Part No.	Head Weight	Head Diameter (inches)	Head Length (inches)	Overall Length (inches)
D041025	8 oz.	0.92	3.22	11.70
D041027	16 oz.	1.19	3.94	13.65
D041028	24 oz.	1.38	4.64	15.44
D041029	32 oz.	1.50	4.91	15.60

* Meets A.N.S.I. standards



Ball Pein Hammers-Fiberglass Handle

Part No.	Head Weight	Head Diameter (inches)	Head Length (inches)	Overall Length (inches)
D041020	8 oz.	0.90	3.24	10.82
D041022	16 oz.	1.17	3.90	12.73
D041023	24 oz.	1.37	4.60	15.02
D041024	32 oz.	1.52	4.88	15.07

* Meets A.N.S.I. standards

Hammers

Sledge Hammers-Fiberglass Handle

Part No.	Head Weight	Head Diameter (inches)	Head Length (inches)	Overall Length (inches)
D041040	4 lbs.	1.83	5.46	16.19
D041041	6 lbs.	2.11	6.28	35.63
D041042	8 lbs.	2.30	6.86	35.49
D041043	10 lbs.	2.50	7.33	36.02
D041044	12 lbs.	2.61	7.84	36.13
D041045	16 lbs.	2.85	8.74	36.37

* Meets A.N.S.I. standards



Club Hammers- Fiberglass Handle

Part No.	Head Weight	Head Diameter (inches)	Head Length (inches)	Overall Length (inches)
D041060	2 1/2 lbs.	1.79	3.74	10.49
D041061	4 lbs.	1.99	4.52	10.76

* Meets A.N.S.I. standards



Dead Blow Hammers-Fiberglass Handle

Part No.	Head Weight	Head Diameter (inches)	Head Length (inches)	Overall Length (inches)
D041065	1lb.	1.50	3.95	11.40
D041067	2 lbs.	2.00	4.33	13.40
D041069	3 lbs.	2.36	5.11	14.56



Dead Blow Hammer with Replaceable Tips

Part No.	Head Weight	Head Diameter (inches)	Head Length (inches)	Overall Length (inches)
D041070	1.5 lbs.	1.50	3.95	11.40

Includes 1 soft (red) and 1 extra hard (white) plastic tips.



Replacement Tips For Dead Blow Hammer D041070

Part No.	Description	Colour	Shore Hardness
D041071	Soft (TPR) Hammer Tip	Red	A 59-72
D041072	Extra Hard (Plastic) Hammer Tip	White	HRC 100
D041073	Brass Hammer Tip	Brass	-
D041074	Hard (Nylon) Hammer Tip	Yellow	D 49-65
D041075	Medium Hard (TPR) Hammer Tip	Orange	A 90-95
D041076	Medium Soft (TPR) Hammer Tip	Blue	A 75-85

Tip diameter:
1-5/8" (42mm)





Rubber Mallets-Hickory Handle

Part No.	Head Weight	Head Diameter (inches)	Head Length (inches)	Overall Length (inches)
D041000	1 lb.	2.15	3.71	11.70
D041001	1.5 lbs.	2.42	4.21	12.87



Soft Face Hammers-Hickory Handle

Part No.	Head Weight	Head Diameter (inches)	Head Length (inches)	Overall Length (inches)
D041151	8 oz.	1.10	3.15	10.55
D0411541	4 oz.	1.34	3.94	11.62

Replacement Tips For Soft Face Hammers

Part No.	Description
D041152	Tip For 8 Oz Soft Face Hammer (D041151)
D041155	Tip For 14 Oz Soft Face Hammer (D041154)



Bricklayer's Hammer-Hickory Handle

Part No.	Head Weight	Head Diameter (inches)	Head Length (inches)	Overall Length (inches)
D041130	24 oz.	1.33	8.15	11.69

* Meets A.N.S.I. standards



Framing Hammer Milled Face-Hickory Handle

Part No.	Head Weight	Head Diameter (inches)	Head Length (inches)	Overall Length (inches)
D041110	25 oz.	1.58	6.21	17.65

* Meets A.N.S.I. standards

Pry Bars

3 Piece Heavy-Duty Pry Bar Set

Part No. D056400



- 12, 18, 24 inches long.
- Comfortable handle with build-in strike cap allows pry bar to be struck with a hammer.
- Designed and built for professional applications.
- Protective caps keep the tips sharp and provide safe storage.
- Angled tips for extra leverage during use.
- In plastic storage tray.

Heavy-Duty Pry Bars

Part No.	Blade Length (inches)	Length (inches)	Shank Size (inches)	Width of Cut (lbs)	Weight
D056412	7	12	0.38	0.60	0.70
D056418	11	18	0.44	0.74	1.25
D056424	17	24	0.44	0.74	1.55



Pinch Bars

Part No.	Length (inches)	Shank Size (inches)	Width of Cut (inches)	Weight (lbs)
D056016	16	0.63	0.98	1.30
D056020	20	0.63	0.98	1.68
D056024	24	0.75	1.17	2.94
D056030	30	0.75	1.17	3.95
D056036	36	0.75	1.17	4.68



Pry Bars



Wonder Bars (Nail Puller)

Part No.	Length (inches)	Width of Cut (inches)	Weight (lbs)
D056113	13	1.85	1.19
D056118	18	1.85	1.56



Crow Bars-Heavy Duty

Part No.	Length (inches)	Width of Cut (inches)	Weight (lbs)
D056214	54	1.14	14.02
D056218	60	1.26	18.19



Wrecking Bars

Part No.	Length (inches)	Shank Size (inches)	Width of Cut (inches)	Weight (lbs)
D056312	12	0.55	1.06	0.83
D056318	18	0.63	1.18	1.93
D056324	24	0.75	1.42	3.25
D056330	30	0.75	1.42	3.95
D056336	36	0.75	1.42	4.68
D056342	42	0.75	1.42	5.51

Tape Measure, Hooks & Pick

27' Tape Measure with Auto Lock

Part No. D066001



- 27' / 8 M total tape length
- 1" (25mm) wide powder coated nylon blade
- Metric and SAE sizes printed on front and back of blade
- MM and 16ths SAE graduation markings on blade
- Rubber over molded case protects against damage from accidental drops
- 7'/2m standout
- Magnetic 3-rivet grappling hook
- Belt clip

4 Piece Mini Hook & Pick Set

Part No. D107001



Set Content:

- Offset Pick
- 90° Pick
- Curved Hook Pic
- Straight Pick

- Chrome plated steel blade provides corrosion resistance.
- Ergonomic non-slip handle offers a comfortable hold.
- Hanging hole in handle for easy storage.
- Overall Length: 5-7/8", Handle Length: 3"

4 Piece Hand File Set

Part No. D094900



Set Content:

- 10" Mill Bastard Hand File
- 10" Round Bastard Hand File
- 10" Half Round Bastard Hand File
- 10" Triangle Hand File



Includes Canvas Pouch.



Flat Files

• For fast removal of metal

Part No.	Blade Length	Cut	Weight (lbs)
D094001	8"	Bastard	0.50
D094002	10"	Bastard	0.81
D094003	12"	Bastard	1.20



Round Files

• For sharpening round openings or concave surfaces

Part No.	Blade Length	Cut	Weight (lbs)
D094301	8"	Bastard	0.34
D094302	10"	Bastard	0.48
D094303	12"	Bastard	1.12



Half Round Files

• For concave, convex or flat surfaces

Part No.	Blade Length	Cut	Weight (lbs)
D094101	8"	Bastard	0.48
D094102	10"	Bastard	0.73
D094103	12"	Bastard	0.76

Mill Files

• For sharpening mill or circular saws

Part No.	Blade Length	Cut	Weight (lbs)
D094201	8"	Bastard	0.40
D094202	10"	Bastard	0.60
D094203	12"	Bastard	0.87
D094211	8"	Smooth	0.43
D094212	10"	Smooth	0.59
D094213	12"	Smooth	0.87



Multicut Flat File

• For fast removal of metal

Part No.	Blade Length	Cut	Weight (lbs)
D094401	10"	Bastard	0.73



Triangle File

• For sharpening tools, finish filing, and draw filing

Part No.	Blade Length	Cut	Weight (lbs)
D094501	10"	Bastard	0.73



Single Cut Chainsaw File

• For filing circular openings and concave surfaces

Part No.	Blade Length	Cut	Weight (lbs)
D094601	8"	Bastard	0.48



Replacement Parts



Ratchet Repair Kits

Part No.	Description
D001301RK	Repair Kit for D001301
D001302RK	Repair Kit for D001302
D001306RK	Repair Kit for D001306
D001307RK	Repair Kit for D001307
D001309RK	Repair Kit for D001309
D001800RK	Repair Kit for D001800
D005301RK	Repair Kit for D005301
D005302RK	Repair Kit for D005302
D005306RK	Repair Kit for D005306
D005307RK	Repair Kit for D005307
D005308RK	Repair Kit for D005308
D005309RK	Repair Kit for D005309
D005800RK	Repair Kit for D005800
D012301RK	Repair Kit for D012301
D012302RK	Repair Kit for D012302
D012308RK	Repair Kit for D012308
D012309RK	Repair Kit for D012309
D012800RK	Repair Kit for D012800
D019301RK	Repair Kit for D019301
D024301RK	Repair Kit for D024301
D027800RK	Repair Kit for D027800



Flex Handle Repair Kits

Part No.	Description
D001800RK	Repair Kit for D001800
D005800RK	Repair Kit for D005800
D012800RK	Repair Kit for D012800
D012803RK	Repair Kit for D012803


Precision Screwdriver Repair Kits

Part No.	Description
D062721-EC	Replaceable Cap for D062721



Hammer Repair Kits


Part No.	Description
D041153	Handle for D041151 Soft Face Hammer
D041156	Handle for D041154 Soft Face Hammer



Wrench Pipe Repair Kits

Part No.	Description
D080014HJ	Hook Jaw - D080014 Pipe Wrench
D080014HP	Heal Jaw & Pin - D080014 Pipe Wrench
D080014KN	Knurl - D080014 Pipe Wrench
D080018HJ	Hook Jaw - D080018 Pipe Wrench
D080018HP	Heal Jaw & Pin - D080018 Pipe Wrench
D080018KN	Knurl - D080018 Pipe Wrench
D080024HJ	Hook Jaw - D080024 Pipe Wrench
D080024HP	Heal Jaw & Pin - D080024 Pipe Wrench
D080024KN	Knurl - D080024 Pipe Wrench
D080036HJ	Hook Jaw - D080036 Pipe Wrench
D080036HP	Heal Jaw & Pin - D080036 Pipe Wrench
D080036KN	Knurl - D080036 Pipe Wrench
D080048HJ	Hook Jaw - D080048 Pipe Wrench
D080048HP	Heal Jaw & Pin - D080048 Pipe Wrench
D080048KN	Knurl - D080048 Pipe Wrench

Replacement Parts



Puller Repair Kits

Part No.	Description
D093001RT	Replacement Tip for D093001
D093001RS	Replacement Screw for D093001
D093101	Top Plate for D093001
D093102	Centre Screw for D093001
D093103	Adjustable Nut for D093001
D093104	Yoke for D093001
D093105	Jaws for D093001
D093106	Spring for D093001
D093002RT	Replacement Tip for D093002
D093002RS	Replacement Screw for D093002
D093107	Top Plate for D093002
D093108	Centre Screw for D093002
D093109	Adjustable Nut for D093002
D093110	Yoke for D093002
D093111	Jaws for D093002
D093112	Spring for D093002

Repair Kits For Torque Wrench

Part No.	Description
D086102RK	Repair Kit D086102/D086103
D086201HJ	Head Joint For D086201
D086201JB	Joint Bolt For D086201
D086201SP	Spring For D086201
D086202HJ	Head Joint For D086202
D086202JB	Joint Bolt For D086202
D086202SP	Spring For D086202

Ratchet Repair Kits For Torque Tools

Part No.	Description
D086000RK	Repair Kit for D086000
D086001RK	Repair Kit for D086001
D086002RK	Repair Kit for D086002
D086003RK	Repair Kit for D086003

Repair Kits For Tool Box

Part No.	Description
D069757	Locking Rod with lock/Key 18"
D069758	Locking Rod with lock/Key 24"
D069759	Gas Lift (pair) D069302/D06930
D069760	Gas Lift (pair) D069304

Alphabetical Index

A

Adapters

1/4" Drive	45
3/8" Drive	63-64
1/2" Drive	88

Adapters Impact

3/8" Drive	71
1/2" Drive	93
3/4" Drive	104
1" Drive	113

B

Bolt Cutters

.....	167
-------	-----

C

Chisels

Cold Chisel	172
Sets	170-171

C-Clamps

.....	174
-------	-----

E

Electrical Tools

.....	146-153
-------	---------

Extensions

1/4" Drive	46
3/8" Drive	64
1/2" Drive	87
3/4" Drive	102
1" Drive	111

Extensions Impact

3/8" Drive	71
1/2" Drive	93
3/4" Drive	104
1" Drive	113

F

Files

.....	182-183
-------	---------

Flex Handles

1/4" Drive	46
3/8" Drive	64
1/2" Drive	87
3/4" Drive	102
1" Drive	111

Foam Organizer Sets

.....	6-21
-------	------

H

Hand Driver

1/4" Drive	46
------------------	----

Hammers

Ball Pein	176
Bricklayer	178
Claw	176
Club	177
Dead Blow	177
Framing	178
Rubber Mallet	178
Sledge	177
Soft Face	178

Hex Keys

.....	133-136
-------	---------

I

Insulated

Tool Sets	146-147
Screwdrivers ..	148-149
Nut Drivers	149
Pliers	150-151

Insulated cont'd

Plier Sets	150
Hex Keys	152
Torque Wrench	153
Cable Knife	153

M

Master Sets

.....	22-24
-------	-------

Mobile Storage Cases

.....	34
-------	----

N

Nut Drivers

.....	143
-------	-----

P

Pliers

Aviation Snips	165
Bent Nose	156
Cable Cutter	166
Diagonal	156
End Cutter	166
Groove Joint	157
Mini End Nipper ...	158
Mini Side Cutting ..	158
Mini Flat Nose	158
Mini Long Nose	158
Mini Combination ..	158
Linesman	157
Locking	161-164
Long Nose	156
Retaining Ring	159
Sets	155-156
Slip Joint	157
Tin Snips	167
Welding ..	161, 163-164
Wire Strippers	160

Pry Bars

Heavy Duty Pry Bars ...	179
Crow Bar	180
Pinch Bar	179
Wonder Bar	180
Wrecking Bar	180

Pullers

.....	174
-------	-----

Punches

Centre	172
Drift	172
Pin	172
Sets	170-171
Solid	172

R

Ratchets

1/4" Drive	45
3/8" Drive	63
1/2" Drive	87
3/4" Drive	102
1" Drive	111

S

Scissors

.....	168
-------	-----

Screwdrivers

Phillips®	141
Precision	144
Sets	138-140
Slotted	142
Square Recess	141
Torx®	142

Socket Organizers

.....	35-37
-------	-------

Sockets

Hex Head	
3/8" Drive	67-68
1/2" Drive	91-92

Sets

3/8" Drive	53-55
------------------	-------

Phillips®

3/8" Drive	69
------------------	----

Slotted

3/8" Drive	69
------------------	----

Torx®

1/4" Drive	48
------------------	----

3/8" Drive	69
------------------	----

1/2" Drive	92
------------------	----

Sets

1/4" Drive	42
------------------	----

3/8" Drive	56
------------------	----

1/2" Drive	82
------------------	----

Chrome

1/4" Drive	39-48
------------------	-------

3/8" Drive	49-69
------------------	-------

1/2" Drive	76-92
------------------	-------

3/4" Drive	101-103
-----------------	---------

1" Drive	110-111
----------------	---------

Crowfoot	70
----------------	----

Sets	57
------------	----

Impact

3/8" Drive	71-75
------------------	-------

1/2" Drive	93-100
-----------------	--------

3/4" Drive	104-109
-----------------	---------

1" Drive	112-116
----------------	---------

Spark Plug

3/8" Drive	64
------------------	----

U-Joints Sets	58
---------------------	----

Tape Measure

.....	181
-------	-----

T-Handles & Heads

1/4" Drive	46
------------------	----

3/8" Drive	64
------------------	----

1/2" Drive	88
------------------	----

3/4" Drive	102
------------------	-----

1" Drive	111
----------------	-----

Tool Storage

.....	27-34
-------	-------

Tool Organizers

.....	35-37
-------	-------

Torque Multipliers

.....	130
-------	-----

U

Universal Joint

1/4" Drive	46
------------------	----

3/8" Drive	64
------------------	----

1/2" Drive	88
------------------	----

Universal Joint Impact

3/8" Drive	71
------------------	----

1/2" Drive	93
------------------	----

3/4" Drive	104
------------------	-----

W

Wrenches

Adjustable	129
------------------	-----

Combination	118-123
------------------	---------

Pipe	129
------------	-----

Ratcheting	124-128
-----------------	---------

Torque	131
--------------	-----

Numerical Index

D00100246	D00310848	D00351447	D00605267
D00100446	D00310948	D00351647	D00605367
D00100646	D00311048	D00351847	D00605467
D00110146	D00311148	D00400039	D00605667
D00120146	D00311248	D00400139	D00605867
D00130145	D00320448	D00400240	D00606067
D001301RK6	D00320548	D00400341	D00606267
D001302RK184	D00320648	D00400442	D00610569
D00130645	D00320748	D00400543	D00610669
D001306RK184	D00320848	D00400643	D00610769
D00130745	D00320948	D00400740	D00610869
D001307RK184	D00321048	D00400841	D00620169
D00130845	D00321148	D00400942	D00620269
D00130945	D00321248	D00500364	D00620369
D001309RK184	D00321348	D00500664	D00620469
D00150046	D00321448	D00501064	D00631569
D00160146	D00325548	D005053 ..71,93,104,113	D00632069
D00180046	D00330347	D005056 ..71,93,104,113	D00632569
D001800RK184	D00330447	D00530163	D00632769
D00230848	D00330647	D005301RK184	D00633069
D00230948	D00330847	D005302RK184	D00634069
D00231048	D00330947	D00530663	D00634569
D00231548	D00331047	D005306RK184	D00635069
D00232048	D00331147	D00530763	D00635569
D00232548	D00331247	D005307RK184	D00640468
D00232748	D00331447	D00530863	D00640568
D00233048	D00331647	D005308RK184	D00640668
D00300448	D00331847	D00530963	D00640768
D00300548	D00340447	D005309RK184	D00640868
D00300648	D00340647	D00540164	D00640968
D00300748	D00340847	D00540264	D00641068
D00300848	D00340947	D00550064	D00645267
D00300948	D00341047	D00560164	D00645367
D00301048	D00341147	D00570164	D00645467
D00301148	D00341247	D00570264	D00645667
D00301248	D00341447	D005710 ..71,93,104,113	D00645867
D00301348	D00341647	D00580064	D00646067
D00301448	D00341847	D005800RK184	D00646267
D00301548	D00350447	D00600468	D00671569
D00304548	D00350647	D00600568	D00672069
D00305548	D00350847	D00600668	D00672569
D00310448	D00350947	D00600768	D00672769
D00310548	D00351047	D00600868	D00673069
D00310648	D00351147	D00600968	D00674069
D00310748	D00351247	D00601068	D00674569

Numerical

D00675069	D00732074	D00822166	D00871170
D00675569	D00732274	D00822266	D00871270
D00690468	D00732474	D00822366	D00871370
D00690568	D00751074	D00830865	D00871470
D00690668	D00751274	D00831065	D00871570
D00690768	D00751474	D00831265	D00871670
D00690868	D00751674	D00831465	D00871770
D00690968	D00751874	D00831665	D00871870
D00691068	D00752074	D00831865	D00871970
D00695267	D00752274	D00832065	D00876070
D00695367	D00752474	D00832265	D00876170
D00695467	D00800666	D00832465	D00876270
D00695667	D00800766	D00832665	D00876370
D00695867	D00800866	D00832865	D00876470
D00696067	D00800966	D00833065	D00876570
D00696267	D00801066	D00833265	D00876670
D00700875	D00801166	D00850865	D00876770
D00700975	D00801266	D00851065	D00876870
D00701075	D00801366	D00851265	D00876970
D00701175	D00801466	D00851465	D00910666
D00701275	D00801566	D00851665	D00910766
D00701375	D00801666	D00851865	D00910866
D00701475	D00801766	D00852065	D00910966
D00701575	D00801866	D00852265	D00911066
D00701675	D00801966	D00852465	D00911166
D00701775	D00802066	D00852665	D00911266
D00701875	D00802166	D00852865	D00911366
D00701975	D00802266	D00853065	D00911466
D00720875	D00802366	D00853265	D00911566
D00720975	D00802466	D00861270	D00911666
D00721075	D00820666	D00861470	D00911766
D00721175	D00820766	D00861670	D00911866
D00721275	D00820866	D00861870	D00911966
D00721375	D00820966	D00862070	D00912066
D00721475	D00821066	D00862270	D00912166
D00721575	D00821166	D00862470	D00912266
D00721675	D00821266	D00864270	D00912366
D00721775	D00821366	D00864470	D00940865
D00721875	D00821466	D00864670	D00941065
D00721975	D00821566	D00864870	D00941265
D00731074	D00821666	D00865070	D00941465
D00731274	D00821766	D00865270	D00941665
D00731474	D00821866	D00865470	D00941865
D00731674	D00821966	D008660 .71,93,104,113	D00942065
D00731874	D00822066	D00871070	D00942265

Numerical Index

D00942465	D01001361	D01301991	D01401599
D00942665	D01001453	D01305891	D01401699
D00942865	D01001553	D01306091	D01401799
D00943065	D01001654	D01306291	D01401899
D00943265	D01001755	D01306491	D01401999
D00960865	D01001856	D01306691	D01402099
D00961065	D01001956	D01306891	D01402199
D00961265	D01002072	D01307091	D01402299
D00961465	D01002172	D01307491	D01402399
D00961665	D01002273	D01332092	D01402499
D00961865	D01002373	D01332592	D01402599
D00962065	D01002454	D01332792	D01402699
D00962265	D01002555	D01333092	D01402799
D00962465	D01002658	D01334092	D01402899
D00962665	D01002758	D01334592	D01402999
D00962865	D01002857	D01335092	D01403099
D00963065	D01002957	D01340692	D01403199
D00963265	D01200587	D01340892	D01403299
D00970666	D01201087	D01341092	D01403699
D00970766	D01202587	D01341292	D01420899
D00970866	D01203087	D01341492	D01420999
D00970966	D012055 .71,93,104,113	D01341792	D01421099
D00971066	D012060 .71,93,104,113	D01341992	D01421199
D00971166	D01230187	D01345891	D01421299
D00971266	D012301RK184	D01346091	D01421399
D00971366	D012302RK184	D01346291	D01421499
D00971466	D01230887	D01346491	D01421599
D00971566	D012308RK184	D01346691	D01421699
D00971666	D01230987	D01346891	D01421799
D00971766	D012309RK184	D01347091	D01421899
D00971866	D01250088	D01347491	D01421999
D00971966	D01260088	D01372092	D01422099
D01000049	D01270188	D01372592	D01422199
D01000149	D012710 .71,93,104,113	D01372792	D01422299
D01000250	D012711 .71,93,104,113	D01373092	D01422399
D01000350	D01280087	D01374092	D01422499
D01000451	D012800RK184	D01374592	D01422799
D01000551	D01280387	D01375092	D01423099
D01000652	D012803RK184	D01400899	D01423699
D01000752	D01300691	D01400999	D01431298
D01000859	D01300891	D01401099	D01431498
D01000959	D01301091	D01401199	D01431698
D01001060	D01301291	D01401299	D01431898
D01001160	D01301491	D01401399	D01432098
D01001261	D01301791	D01401499	D01432298

Numerical

D01432498	D014714100	D01543489	D01601690
D01432698	D014717100	D01543689	D01601790
D01432898	D014719100	D01543889	D01601890
D01433098	D014825100	D01544089	D01601990
D01433298	D014827100	D01544289	D01602090
D01433498	D014830100	D01561289	D01602190
D01433698	D014840100	D01561489	D01602290
D01433898	D014845100	D01561689	D01602390
D01434098	D014850100	D01561889	D01602490
D01434298	D014855100	D01562089	D01602590
D01434498	D014860100	D01562289	D01602690
D01434698	D014870100	D01562489	D01602790
D01434898	D014880100	D01562689	D01602890
D01451298	D01511090	D01562889	D01602990
D01451498	D01511190	D01563089	D01603090
D01451698	D01511290	D01563289	D01603190
D01451898	D01511390	D01563489	D01603290
D01452098	D01511490	D01563689	D01621090
D01452298	D01511590	D01563889	D01621190
D01452498	D01511690	D01564089	D01621290
D01452698	D01511790	D01564289	D01621390
D01452898	D01511890	D01571090	D01621490
D01453098	D01511990	D01571190	D01621590
D01453298	D01512090	D01571290	D01621690
D01453498	D01512190	D01571390	D01621790
D01453698	D01512290	D01571490	D01621890
D01453898	D01512390	D01571590	D01621990
D01454098	D01512490	D01571690	D01622090
D01454298	D01512590	D01571790	D01622190
D01454498	D01512690	D01571890	D01622290
D01454698	D01512790	D01571990	D01622390
D01454898	D01512890	D01572090	D01622490
D014608100	D01513090	D01572190	D01622590
D014610100	D01513290	D01572290	D01622690
D014612100	D01541289	D01572390	D01622790
D014614100	D01541489	D01572490	D01622890
D014616100	D01541689	D01572590	D01622990
D014618100	D01541889	D01572690	D01623090
D014620100	D01542089	D01572790	D01623190
D014624100	D01542289	D01601090	D01623290
D014706100	D01542489	D01601190	D01631289
D014707100	D01542689	D01601290	D01631489
D014708100	D01542889	D01601390	D01631689
D014710100	D01543089	D01601490	D01631889
D014712100	D01543289	D01601590	D01632089

Numerical Index

D01632289	D01801782	D020233108	D020548107
D01632489	D01801880	D020235108	D020550107
D01632689	D01801980	D020236108	D020552107
D01632889	D01802194	D020238108	D020618109
D01633089	D01802296	D020241108	D020620109
D01633289	D01802395	D020243108	D020624109
D01633489	D01802494	D020324107	D020628109
D01633689	D01802695	D020326107	D020632109
D01633889	D01810197	D020328107	D020714109
D01634089	D01810296	D020330107	D020717109
D01634289	D01810397	D020332107	D020719109
D01651289	D019004102	D020334107	D020722109
D01651489	D019008102	D020336107	D020724109
D01651689	D019016102	D020338107	D021000105
D01651889	D019056 ..71,93,104,113	D020340107	D021001105
D01652089	D019060 ..71,93,104,113	D020342107	D021002106
D01652289	D019301102	D020344107	D021003106
D01652489	D019301RK184	D020346107	D022119103
D01652689	D01940188	D020348107	D022120103
D01652889	D019402102	D020350107	D022121103
D01653089	D019501102	D020352107	D022122103
D01653289	D019600102	D020354107	D022123103
D01653489	D019710 ..71,93,104,113	D020356107	D022124103
D01653689	D019805102	D020358107	D022125103
D01653889	D019806102	D020360107	D022126103
D01654089	D020024108	D020362107	D022127103
D01654289	D020027108	D020364107	D022128103
D016660 ..71,93,104,113	D020028108	D020366107	D022129103
D01800076	D020030108	D020368107	D022130103
D01800176	D020032108	D020370107	D022132103
D01800277	D020033108	D020372107	D022135103
D01800377	D020034108	D020374107	D022136103
D01800478	D020035108	D020376107	D022138103
D01800578	D020036108	D020524107	D022141103
D01800679	D020038108	D020526107	D022146103
D01800779	D020040108	D020528107	D022150103
D01800883	D020041108	D020530107	D022428103
D01800983	D020042108	D020532107	D022430103
D01801085	D020043108	D020534107	D022432103
D01801185	D020046108	D020536107	D022434103
D01801284	D020050108	D020538107	D022436103
D01801384	D020219108	D020540107	D022438103
D01801481	D020227108	D020542107	D022440103
D01801581	D020230108	D020544107	D022442103
D01801682	D020232108	D020546107	D022444103

Numerical

D022446	103	D025090	115	D025352	114	D025556	115
D022448	103	D025095	115	D025354	114	D025558	115
D022450	103	D025105	115	D025356	114	D025560	115
D022452	103	D025115	116	D025358	114	D025562	115
D022454	103	D025119	116	D025360	114	D025564	115
D022456	103	D025122	116	D025362	114	D025566	115
D022458	103	D025124	116	D025364	114	D025568	115
D022460	103	D025126	116	D025366	114	D025570	115
D022464	103	D025127	116	D025368	114	D025572	115
D022660	71,93,104,113	D025128	116	D025370	114	D025574	115
D023000	101	D025129	116	D025372	114	D025576	115
D023001	101	D025130	116	D025374	114	D025578	115
D024008	111	D025132	116	D025376	114	D025580	115
D024015	111	D025133	116	D025378	114	D025582	115
D024301	111	D025135	116	D025380	114	D025584	115
D024301RK	184	D025136	116	D025381	114	D025586	115
D024500	111	D025138	116	D025382	114	D025624	116
D024501	102	D025141	116	D025383	114	D025628	116
D024502	111	D025146	116	D025384	114	D025632	116
D024600	111	D025150	116	D025385	114	D025636	116
D025019	115	D025154	116	D025386	114	D025640	116
D025022	115	D025155	116	D025387	114	D025644	116
D025024	115	D025158	116	D025388	114	D025717	116
D025026	115	D025160	116	D025389	114	D025719	116
D025027	115	D025165	116	D025390	114	D025722	116
D025028	115	D025170	116	D025391	114	D025724	116
D025029	115	D025175	116	D025392	114	D025727	116
D025030	115	D025180	116	D025393	114	D025730	116
D025032	115	D025185	116	D025394	114	D025807	71,93,104,113
D025033	115	D025190	116	D025395	114	D025810	71,93,104,113
D025035	115	D025195	116	D025396	114	D025813	71,93,104,113
D025036	115	D025324	114	D025528	115	D025820	71,93,104,113
D025038	115	D025326	114	D025530	115	D025824	71,93,104,113
D025041	115	D025328	114	D025532	115	D027001	110
D025046	115	D025330	114	D025534	115	D027001MC	33
D025050	115	D025332	114	D025536	115	D027800	111
D025054	115	D025334	114	D025538	115	D027800RK	184
D025055	115	D025336	114	D025540	115	D029000	35
D025058	115	D025338	114	D025542	115	D029001	35
D025060	115	D025340	114	D025544	115	D029002	35
D025065	115	D025342	114	D025546	115	D029003	35
D025070	115	D025344	114	D025548	115	D029004	35
D025075	115	D025346	114	D025550	115	D029005	35
D025080	115	D025348	114	D025552	115	D029010	36
D025085	115	D025350	114	D025554	115	D029011	36

Numerical Index

D02901236	D041110178	D055005156	D055316161
D02901336	D041130178	D055006156	D055401163
D02901436	D041151178	D055007157	D055402163
D02901536	D041152178	D055008157	D055403164
D02901637	D041153184	D055009157	D055404164
D02901737	D041154178	D055010157	D055405164
D02901837	D041155178	D055011157	D055406164
D02902036	D041156184	D055012157	D055407164
D02902137	D043201133	D055028165	D055416161
D02902236	D043202133	D055029165	D055601158
D02902336	D043203134	D055030165	D055602158
D02910035	D043204134	D055032167	D055603158
D02910136	D043205134	D055033167	D055604158
D02920035	D043206135	D055036166	D055605158
D02920236	D043207135	D055037166	D055610156
D041000178	D043208135	D055039166	D055700156
D041001178	D043209135	D055100150	D055701156
D041010176	D043210134	D055101150	D055702156
D041011176	D043211134	D055102150	D055713157
D041020176	D043212133	D055103150	D055714157
D041022176	D043301136	D055104150	D055738156
D041023176	D043302136	D055105150	D056016179
D041024176	D043303136	D055106151	D056020179
D041025176	D043305136	D055107151	D056024179
D041027176	D043307136	D055108151	D056030179
D041028176	D043309136	D055109151	D056036179
D041029176	D043310136	D055202155	D056113180
D041040177	D043311136	D055203155	D056118180
D041041177	D043320136	D055205165	D056214180
D041042177	D043401136	D055210150	D056218180
D041043177	D043402136	D055301162	D056312180
D041044177	D043404136	D055302162	D056318180
D041045177	D043406136	D055303162	D056324180
D041060177	D043407136	D055304162	D056330180
D041061177	D043409136	D055305162	D056336180
D041065177	D043410136	D055306162	D056342180
D041067177	D043411136	D055307162	D056400179
D041069177	D043420136	D055308162	D056412179
D041070177	D043520152	D055309162	D056418179
D041071177	D043620152	D055310162	D056424179
D041072177	D046100168	D055311163	D058001172
D041073177	D046101168	D055312162	D058002172
D041074177	D046102168	D055313162	D058003172
D041075177	D055003156	D055314163	D058004172
D041076177	D055004156	D055315163	D058005172

Numerical

D058006172	D062202141	D062801144	D06958331
D058007172	D062203141	D062802144	D06960027,28,30
D058008172	D062204141	D062803144	D06960128
D058009172	D062205141	D062804144	D06960229
D058010172	D062206141	D062805144	D06960527
D058011172	D062307142	D062806144	D06960627
D058012172	D062308142	D062807144	D06960731
D058013172	D062309142	D066001181	D06961131
D058014172	D062310142	D06900133	D06961331
D058015172	D062311142	D06900233	D06961428
D058016172	D062312142	D06900328	D06961529
D058017172	D062313142	D06910132	D06961628
D058018172	D062401143	D06910237	D06961729
D058019172	D062402143	D06910332	D06961828,29
D058020172	D062403143	D06910432	D06961928,29
D058021172	D062404143	D06920931,37	D06965033
D058030172	D062405143	D06921031,37	D06970231
D058101172	D062406143	D06926027,28,29	D06970331
D058102172	D062407143	D0693018,27	D06970429
D058103172	D062408143	D06930230	D06970529
D058104172	D062409143	D0693036,7,28	D06975027,29,30
D058105172	D062410143	D06930430	D06975127,28,30
D058106172	D062411143	D06930529	D06975228
D058107172	D062412143	D06930627	D06975328
D058108172	D062413143	D06930727	D06975428
D058109172	D062414143	D06930830	D06975528
D058110172	D062500138	D06931128	D06975628
D058200170	D062503143	D06931329	D069757185
D058201170	D062504143	D06949933	D069758185
D058202171	D062505138	D06950131,37	D069759185
D058203171	D062506140	D06950227,28,31,32	D069760185
D062001142	D062508140	D06950327,28,31,32	D072004129
D062002142	D062509144	D06950527	D072006129
D062003142	D062510139	D06950630	D072008129
D062004142	D062511139	D06950728	D072010129
D062005142	D062710149	D06950830	D072012129
D062006142	D062711149	D06950929	D072015129
D062007142	D062712149	D06957027,28,29,32	D072018129
D062100141	D062713149	D06957130	D074008122
D062101141	D062714149	D06957228,31	D074010122
D062102141	D062715149	D06957330	D074012122
D062103141	D062716149	D06957429	D074014122
D062104141	D062721148	D06958027	D074016122
D062105141	D062721-EC184	D06958127	D074018122
D062201141	D062723149	D06958230	D074020122

Numerical Index

D074022122	D074312123	D074423123	D076316126
D074024122	D074314123	D074424123	D076317126
D074026122	D074316123	D074425123	D076318126
D074028122	D074318123	D074426123	D076319126
D074030122	D074320123	D074427123	D076601124
D074032122	D074322123	D074428123	D076603124
D074034122	D074324123	D074429123	D076607125
D074036122	D074326123	D074430123	D076608125
D074040122	D074328123	D074432123	D080014129
D074106122	D074330123	D076010126	D080014HJ184
D074107122	D074332123	D076012126	D080014HP184
D074108122	D074334123	D076014126	D080014KN184
D074109122	D074336123	D076016126	D080018129
D074110122	D074340123	D076018126	D080018HJ184
D074111122	D074342123	D076020126	D080018HP184
D074112122	D074344123	D076022126	D080018KN184
D074113122	D074346123	D076024126	D080024129
D074114122	D074348123	D076108126	D080024HJ184
D074115122	D074350123	D076109126	D080024HP184
D074116122	D074352123	D076110126	D080024KN184
D074117122	D074354123	D076111126	D080036129
D074118122	D074356123	D076112126	D080036HJ184
D074119122	D074358123	D076113126	D080036HP184
D074120122	D074360123	D076114126	D080036KN184
D074121122	D074362123	D076115126	D080048129
D074122122	D074364123	D076116126	D080048HJ184
D074123122	D074366123	D076117126	D080048HP184
D074124122	D074368123	D076118126	D080048KN184
D074125122	D074406123	D076119126	D081201127
D074126122	D074407123	D076210126	D081202128
D074127122	D074408123	D076212126	D081203127
D074128122	D074409123	D076214126	D081204128
D074129122	D074410123	D076216126	D086000131
D074130122	D074411123	D076218126	D086000RK185
D074132122	D074412123	D076220126	D086001131
D074201118	D074413123	D076222126	D086001RK185
D074202118	D074414123	D076224126	D086002131
D074203120	D074415123	D076308126	D086002RK185
D074204120	D074416123	D076309126	D086003131
D074221119	D074417123	D076310126	D086003RK185
D074222119	D074418123	D076311126	D086101130
D074223121	D074419123	D076312126	D086102130
D074224121	D074420123	D076313126	D086102RK185
D074308123	D074421123	D076314126	D086103130
D074310123	D074422123	D076315126	D086201131

Numerical

D086201HJ185	D094003182	D096001-TO6	D10520217,34
D086201JB185	D094101182	D09600223	D10600144,62,86
D086201SP185	D094102182	D096002-FO7	D107001181
D086202131	D094103182	D096002-TO7	D11200045,63,88
D086202HJ185	D094201183	D09600324	D11200145,63,88
D086202JB185	D094202183	D096004-FO8	D11200245,63,88
D086202SP185	D094203183	D096004-FT1T8,11	D11200345,63,88
D086301131,153	D094211183	D096004-FT2T8,12	D113000147
D090001174	D094212183	D096004-FT3T8,12	D113001146
D090002174	D094213183	D096004-FT4T8,13	D114000112
D090003174	D094301182	D096004-FT5T8,13	D114001113
D090004174	D094302182	D096004-TO8	D114002112
D090005174	D094303182	D096005-FT1T7,14	D115001153
D090006174	D094401183	D096005-FT2T7,14	
D090007174	D094501183	D099446110	
D091001167	D094601183	D099448110	
D091001CUT167	D094900182	D099450110	
D091002167	D095001160	D099452110	
D091002CUT167	D095002160	D099454110	
D091003167	D095003160	D099456110	
D091003CUT167	D095100159	D099458110	
D091004167	D095201159	D099460110	
D091004CUT167	D095202159	D099464110	
D091005167	D095203159	D099466110	
D091005CUT167	D095204159	D099468110	
D093001174	D095205159	D099472110	
D093001RS185	D095206159	D099476110	
D093001RT185	D095207159	D099480110	
D093002174	D095208159	D099482110	
D093002RS185	D095209159	D099484110	
D093002RT185	D095210159	D099488110	
D093101185	D095211159	D10500117	
D093102185	D095212159	D10500217	
D093103185	D09600122	D10510117,18	
D093104185	D096001-FO6	D10510217,18	
D093105185	D096001-FT6	D10510317,19	
D093106185	D096001-FT1T6,7,9	D10510417,19	
D093107185	D096001-FT2T6,9	D1051057,17,20	
D093108185	D096001-FT3T6,10	D1051067,17,20	
D093109185	D096001-FT4T6,10	D1051077,17,21	
D093110185	D096001-FT5T6,11	D1051087,17,21	
D093111185	D096001-FT6T6,15	D10520117,34	
D093112185	D096001-FT7T6,15	D105201HL34	
D094001182	D096001-FT8T6,16	D105201LC34	
D094002182	D096001-FT9T6,16	D105201RC34	

Visit our website for new product updates and exciting sales promotions.

[Home](#)[About](#)[Products](#)[Promotions](#)[Where to buy](#)[Contact](#)[Sign-up To Receive Email Newsletters](#)[SIGN UP](#)

1 2 3

Introducing the Field Technician Tool Sets

User-Friendly Design.
Easy To Spot Inside the Toolbox.
Lifetime Warranty (Tools Only).

[DISCOVER THE ASSORTMENT](#)

WRENCHES

TOOL STORAGE

PULLERS

HAND SOCKETS

SCREWDRIVERS

www.dynamictools.ca

www.dynamictools.ca
Tel: 1-800-567-0518
Fax: 1-800-264-6977
E-mail: info@dynamictools.ca

Available at:



\$ 10.00

Printed In Canada

D000026

Dynamic® is a registered trademark of Gray Tools Canada Inc.